

Common User Data

Machine Name: Xerox Altalink B8145 (9FA1:21)
IP Address: 13.61.12.224
Machine Serial Number: HQH257521

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Machine Location not set

Managed By

Primary MIB Server:
Total Impressions:
Machine Activation Date:
Machine URL:
Fax Line1:
Machine Serial Number:
Fox Line1:
Machine Activation Date:
Machine URL:
https://13.61.12.224

General Setup

Remove Services:
Remove Software Download:
Remove Services Trans. Time:
Xerox Workplace Cloud
E-mail Alerts:
Service Plan:
Billing Impression Mode:
Geographic Region:
Startup Config Report:
GMT Offset:
Cloning Installation
Allow Print Submission of Clone Files:
File Sharing
iBIO2

Energy Saver

Deep Sleep:
Energy Saver Mode:
Sleep Mode Timer:
Auto-Off:
Smart Proximity Sensor
Wake on Arrival:
Sleep on Departure:
Maximize Detection Range

Software Versions

Device Software:
Patch Version:
Network Controller:
UI Panel Firmware:
User Interface:
Making Engine:
Copy Controller:
Document Feeder:
Finisher:
Fax:
OS:
Scanner:
Software Upgrade:
Device Software:
Patch Version:
Network Controller:
UI Panel Firmware:
User Interface:
Making Engine:
Copy Controller:
Document Feeder:
Finisher:
Fax:
OS:
Scanner:
Software Upgrade:
Machine Upgrades:
Last Successful Upgrade:
Scheduled Auto Upgrades:
Auto Upgrade Start Time:
Auto Upgrade Server:
Media Trays:
Tray 1:
Tray 2:
Tray 3:
Tray 4:
Bypass Tray:

Connectivity

Mobile Workflows:
AirPrint Printing:
AirPrint / Mopria Scanning:
Mopria Printing Discovery:
Universal Print:
Universal Print Registration Status:
Physical Connections:
USB Settings:
Printing Timeout:
Wired:
Ethernet MAC Address:
Ethernet Speed/Duplex Setting:
Wireless:
Wireless MAC Address:
Network Name (SSID):
Network Name (SSID):
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct:
Wi-Fi Hardware:
Wireless Setup (WPS) Name:
Wi-Fi Protected Setup (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC:
iBeacon (Bluetooth®) for AirPrint Di...
iBeacon Hardware:
iBeacon IP Address:
Bluetooth Device Address:
Bluetooth IP Address:
Not Installed

Protocols

TCP/IPV4:
IP Address:
Subnet Mask:
Router/Gateway:
Automatic Addressing:
DHCP Server:
DHCP Lease Expiration:
DHCP Lease Expiration:
BQTP Broadcast:
Self Assigned Address State:
Enabled
TCP/IPV6:
Link Local Address:
Use Router Supplied Prefix:
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:
DHCP Addressing:
DHCP Address:
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):
XRX9C34E9FA121

Installed Options

PS:
Installed
DNS Settings:
Verified Host Name:
Requested Host Name:
Verified Domain Name:
Requested Domain Name:
Multicast DNS:
Release DHCP Leases and DNS Registrati...
Alternate DNS Server 1:
Alternate DNS Server 2:
DNS Connection Timeout:
Append Device Domain:
Append Parent Domain:
DNS Domain Search List:
DNS Domain Search List:
Prefer IPv6 DNS over IPv4:
Enabled
Xerox.com:
Enabled
5:
5:
13.61.13.20
13.61.7.15
Enabled
XRX9C34E9FA121

<p>Bonjour: Bonjour Printer Name: Xerox Altalink B8145 (9FA:1:21)</p>		<p>HTTP: Port Number: 80 Force Traffic over Secure Connection (H...): Yes Secure HTTP Port Number: 443 Proxy Server: Disabled Proxy Server Address: 0.0.0.8080 JPP: Enabled JPP Network Path: Secure JPP Mode: JPP and Secure JPPS http://13.61.12.224:631</p>		<p>SNMP: SNMP v1/v2: Enabled SNMP v3: Disabled SNMP v3: Disabled</p>		<p>LDAP: LDAP Server 1 Friendly Name: LDAP Server 1 LDAP Server 1 Primary LDAP Address: LDAP Server 1 LDAP Server 1 Alternate LDAP Address: LDAP Server 1 LDAP Server 1 Search Directory Root: LDAP Server 1 LDAP Server 1 Secure Connection (LDAP...): LDAP Server 1 LDAP Server 1 Validate Server Certificate...: Disabled</p>		<p>SMTP: SMTP Server: 0.0.0.25 Connect Encryption (TLS): No Encryption Max Message Size (KB): 10240 Number of Fragments: 1 Job Spitting Boundary: 30000 Page Boundary: None Credentials for Auto E-mails: None Credentials for Walkup User: None POP3 Server: 0.0.0.110 POP3 Secure Connection (TLS): Disabled E-mail Address: POP3 Send Confirm on Request: Receipt of E-mail via POP3: Incoming E-mail cover sheet: Enabled NTP: Primary Server: 13.61.23.156:123 Alternate Server: 0.0.0.123</p>		<p>SLP: FTP Client: Disabled FTP Client Mode: Passive Web Services on Device: Enabled WS-Discovery: Enabled WS-Discovery Multicast: Enabled WS-Print: Enabled WS-Scan: Enabled Web Services: Enabled</p>		<p>Copy Submission: Digital Certificate Management and Secur...: Enabled Extensible Service Registration: Enabled Job Limits: Enabled Job Management Extension: Enabled Device Configuration: Enabled Scan Submission: Enabled Scan Workflow Management: Enabled Session Data: Enabled User Interface Configuration: Enabled EIP Proxy Configuration: Enabled Xerox Secure Access: Disabled EIP SNMP Configuration: Enabled Print Submission: Enabled Scan Template Mgmt: Enabled Mass Storage Access: Enabled Card Reader Access: Enabled Export Audit Log: Enabled Trellix Embedded Control: Enabled</p>	
<p>Printing: Banner Sheet: Disabled SysStart Job: Disabled Delete Held Jobs After: 3 Days(s) 0 Hour(s) 0 Minute(s) Error Sheets: Enabled Paper Substitution: Enabled Tray Priority: 1, 2, 3, 4, 5 Default Copies: 1 Default Job Type: Normal Print Default Paper Size: x=8.50 inches, y=11.00 inches Default Paper Color: White Default 2 Sided Printing: 1 Sided Default Output Tray: Top Tray Default Output Color: Black & White Default Colated Sets: Enabled Default Stopping: No Staple Offsetting Between Jobs: Offset Between Jobs PostScript Level: Installed Image Quality: 3021 101 PCL Version: Standard</p>		<p>Server Fax: Confirmation Sheet: Enabled Delay Start: Disabled Repository Protocol: FTP Repository Server: 0.0.0.0 Repository Document Path: 0.0.0.0</p>		<p>Workflow Scanning: Confirmation Sheet: Enabled Default Repository Protocol: FTP Default Repository Server: 13.61.23.156:21 Default Repository Document Path: \</p>		<p>Email: Default From Address: Errors Only Confirmation Sheet: Disabled Auto Send to Self: Disabled E-mail Security: Disabled</p>		<p>Scan to Mailbox: View Mailboxes by Default: Enabled Storage Used (MB): 1263 MB Cleanup of Public Folders: Enabled Cleanup of Created Folders: Enabled Friendly Name: Daily Scan to Home: Disabled</p>		<p>Scan To: Cloud Services: Disabled Print From: Disabled Print From USB: Enabled Saved Jobs for Reprint: Enabled</p>		<p>Print From: Cloud Services: Disabled Print From Mailbox: Disabled</p>	

© 2017-2019 Xerox Corporation. All Rights Reserved. Xerox® and Altalink® are trademarks of Xerox Corporation in the United States and/or other countries. AirPrint and Bonjour are trademarks of Apple Inc., registered in the U.S. and other countries. Trellix, ePolicy Orchestrator, and ePD are trademarks of Misourbra US LLC. Mopria is a trademark of the Mopria Alliance. Wi-Fi Direct® and Wi-Fi Alliance® are registered trademarks of Wi-Fi Alliance®. Wi-Fi Protected Setup™, WPA™, WPA2™ and WPA3™ are trademarks of Wi-Fi Alliance®, iBeacon is a trademark of Apple Inc. The Bluetooth® word mark is a registered trademark owned by the Bluetooth SIG, Inc. and any use of such marks by Xerox is under license.

Accounting

Accounting Model: Network Accounting
None Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device Website Authentication: Locally on the Device

Authentication Server

Retrieve E-mail from LDAP: Enabled
Kerberos Primary Realm: Kerberos
Kerberos Alt 1 Realm: Kerberos Alt 1 Address: 0.0.0:88
Kerberos Alt 1 NT Domain: 0.0.0:88
SMB NT Domain: 0.0.0:443
SMB Alt 1 NT Domain: 0.0.0:443
Smartcard Ctrl Server: 0.0.0:443
Smartcard Ctrl Domain: Enabled
Smartcard OCSF URL: Card Reader Upgrade Policy: Card Reader Firmware Version: 0.0.0:443

Xerox Secure Access

Secure Access Server: Disabled
Secure Access Path: 0.0.0:443

IP Sec

Audit Log: Enabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 66
802.1X: Disabled
Authentication Method: EAP-MS-CHAPv2

Job Data Removal

Scheduled Frequency: Disabled
Scheduled: Monthly

FIPS 140-3

TLS: Disabled
TLS Hash: TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above

Extensible Service Setup

Third Generation Browser: X3G_3.24.23.2404_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.02 g9 20220901

Trellix Embedded Control

Enhanced Security

