

## Common User Data

Machine Name: Xerox AltaLink xxxxxx (AA:8B:9F)  
IP Address: 10.61.9.183  
Machine Serial Number: HHZ167519  
Fax Line1: 3338  
Machine URL: https://10.61.9.183  
Machine Activation Date: Nov 15, 2023 13:15:04  
Total Impressions: 887

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
System Administrator: System Administrator name not set  
Machine Location: machine location not set  
Managed By  
Primary MB Server:

## Machine Hardware

Fax Card: present  
Extended Fax Card: not present  
Fax Card Memory Size: 967 MB  
Foreign Interface Card: not present  
Device RAM Size: 4096 MB  
Device Storage Size: used=3689MB/total=256060MB (SSD)  
EPC Memory Size: 900 MB  
Finisher Type: Offsetting Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 12.54  
Xerox Workplace Cloud: Disabled  
E-mail Alerts: Disabled  
Service Plan: PagePack  
Billing Impression Mode: A3 Impressions  
Geographic Region: Western Hemisphere  
Startup Config Report: Enabled  
GMT Offset: +05:30  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Disabled  
File Sharing: Enabled  
JBIG2: Lossless

## Energy Saver

Deep Sleep: Enabled  
Energy Saver Mode: Job Activated  
Sleep Mode Timer: 120 minutes  
Auto-Off: Disabled

## Smart Proximity Sensor

Wake on Arrival: Enabled  
Sleep on Departure: Disabled  
Maximize Detection Range: Disabled

## Software Versions

Device Software: 120.042.103.33810  
Patch Version: None  
Network Controller: 120.042.33810  
UI Panel Firmware: 003.002.00000  
User Interface: 120.042.33810  
Marking Engine: 064.022.000  
Copy Controller: 120.042.33810  
Document Feeder: 001.035.000  
Finisher: 000.000.000  
Fax: 003.018.004  
OS: 120.103.33810  
Scanner: 017.022.004  
Software Upgrade: 120.042.33810  
Tray 2:  
Tray 3:  
Tray 4:

## Machine Upgrades:

Last Successful Upgrade: Not Allowed  
Scheduled Auto Upgrades: December 8, 2023 15:47:19  
Auto Upgrade Start Time: Disabled  
Auto Upgrade Server: Daily  
0.0.0.0:21

## Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")  
Tray 2: Plain, White and Letter (8.5 x 11")  
Tray 3: Plain, White and Letter (8.5 x 11")  
Tray 4: Plain, White and A4 (210 x 297 mm)  
Bypass Tray: Plain, White and Statement (5.5 x 8.5")

## Connectivity

## Mobile Workflows

Mopria Printing Discovery: Enabled  
Mopria Scanning: Enabled  
Authentication: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

## Physical Connections

USB Settings  
Printing Timeout: 5 seconds  
Wired: Enabled  
Ethernet MAC Address: 9c:93:4e:aa:8b:9f  
Ethernet Speed/Duplex Setting: auto  
Wireless: Disabled

## Wireless:

Wireless MAC Address:  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status: Enabled  
Wi-Fi Direct: Not Installed

Wireless Hardware:  
Wi-Fi Protected Setup (WPS) Name:  
Connection Method:  
Subnet Prefix Address:  
Access Point (SSID):  
Show Password on Device Touch Screen:  
NFC: Enabled

## Protocols

## TCP/IPV4:

IP Address: Enabled  
10.61.9.183  
Subnet Mask: 255.255.255.0  
Router/Gateway: 10.61.9.1  
Automatic Addressing: DHCP  
DHCP Server: 10.61.13.224  
DHCP Lease Expiration: Sat Dec 16 08:39:34 2023  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

## TCP/IPV6:

Link Local Address: Enabled  
fe80::9e93:4eff:fea0:8b9f  
Use Router Supplied Prefix: Enabled  
fd00:0:2:109:9e93:4eff:fea0:8b9f  
Stateless Global Address 1:  
Stateless Global Address 2:  
Manual Address:  
DHCP Addressing:  
DHCP Address:  
Default Gateway:  
DUID (DHCP Unique Identifier): 000100012d0696f09c934eaa8b9f

## DNS Settings:

Requested Host Name: XRX9C934EAA8B9F  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registration: Disabled  
Primary DNS Server: 10.61.7.15  
Alternate DNS Server 1: 10.61.13.20  
Alternate DNS Server 2:  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: XEROXQA.COM.  
Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

PS: Installed

## Protocols (cont.)

|   |                                  |
|---|----------------------------------|
| <b>Bonjour:</b>                               |                                  |
| Bonjour Printer Name:                         | Xerox AltaLink xxxxxx (AA:8B:9F) |
| <b>HTTP:</b>                                  |                                  |
| Port Number:                                  | 80                               |
| Force Traffic over Secure Connection (H...):  | Yes                              |
| Secure HTTP Port Number:                      | 443                              |
| Proxy Server:                                 | Automatic                        |
| Proxy Server Address:                         | 0.0.0.0:8080                     |
| IPP:  | Enabled                          |
| Secure IPP Mode:                              | IPP and Secure IPPS              |
| IPP Network Path:                             | http://10.61.9.183:631           |
| <b>SNMP</b>                                   |                                  |
| SNMP v1/v2:                                   | Enabled                          |
| SNMP v3:                                      | Disabled                         |
| <b>LPR/LPD:</b>                               |                                  |
| Port Number:                                  | Enabled                          |
| PDL Switching:                                | 515                              |
| PDL Banner Override:                          | Disabled                         |
| <b>Raw IP Printing:</b>                       |                                  |
| Port Number 1:                                | Enabled                          |
| Bidirectional:                                | 9100                             |
| End of Job Timeout:                           | Disabled                         |
| PDL Switching:                                | 300                              |
| Port Number 2:                                | Disabled                         |
| Port Number 3:                                | 0                                |
| <b>LDAP</b>                                   |                                  |
| LDAP Server 1 Friendly Name:                  |                                  |
| LDAP Server 1 Primary LDAP Address:           | 0.0.0.0:389                      |
| LDAP Server 1 Alternate LDAP Address:         | 0.0.0.0:389                      |
| LDAP Server 1 Search Directory Root:          |                                  |
| LDAP Server 1 Secure Connection (LDA...):     | Disabled                         |
| LDAP Server 1 Validate Server Certificate...: | Disabled                         |
| <b>SMTP</b>                                   |                                  |
| SMTP Server:                                  | 10.61.23.93:25                   |
| Connect Encryption (TLS):                     | No Encryption                    |
| Validate Server Certificate (TLS):            |                                  |
| Max Message Size (KB):                        | 10240                            |
| Number of Fragments:                          | 1                                |
| Total Job Size (KB):                          | 300000                           |
| Job Splitting Boundary:                       | Page Boundary                    |
| Credentials for Auto E-mails:                 | None                             |
| Credentials for Walkup User:                  | None                             |
| <b>POP3</b>                                   |                                  |
| POP3 Server:                                  | 0.0.0.0:110                      |
| POP3 Secure Connection (TLS):                 | Disabled                         |
| E-mail Address:                               |                                  |
| Receipt of E-mail via POP3:                   | Disabled                         |
| Send Confirm on Request:                      | Enabled                          |
| Incoming E-mail cover sheet:                  | Enabled                          |
| <b>NTP:</b>                                   |                                  |
| Primary Server:                               | 0.0.0.0:123                      |
| Alternate Server:                             | 0.0.0.0:123                      |
| <b>SLP:</b>                                   |                                  |
| FTP:  | Disabled                         |
| <b>Web Services on Device:</b>                |                                  |
| WS-Discovery:                                 | Passive                          |
| WS-Discovery Multicast:                       | Enabled                          |
| WS-Print:                                     | Enabled                          |
| WS-Scan:                                      | Enabled                          |
| <b>Web Services</b>                           |                                  |
| Copy Submission:                              | Enabled                          |
| Digital Certificate Management and Securi...: | Enabled                          |
| Extensible Service Registration:              | Enabled                          |
| Job Limits:                                   | Enabled                          |
| Job Management Extension:                     | Enabled                          |
| Device Configuration:                         | Enabled                          |
| Scan Submission:                              | Enabled                          |
| Scan Workflow Management:                     | Enabled                          |
| Session Data:                                 | Enabled                          |
| User Interface Configuration:                 | Enabled                          |
| EIP Proxy Configuration:                      | Enabled                          |
| Xerox Secure Access:                          | Disabled                         |
| EIP SNMP Configuration:                       | Enabled                          |
| Print Submission:                             | Enabled                          |
| Scan Template Mgmt:                           | Enabled                          |
| Mass Storage Access:                          | Enabled                          |
| Card Reader Access:                           | Enabled                          |
| Authentication & Accounting Configur...:      | Enabled                          |
| Export Audit Log:                             | Enabled                          |
| Trellix Embedded Control:                     | Enabled                          |

## Apps

## Printing

|                                       |                                |
|---------------------------------------|--------------------------------|
| Banner Sheet:                         | Disabled                       |
| Sys/Start Job:                        | Disabled                       |
| Delete Held Jobs After:               | 3 Day(s) 0 Hour(s) 0 Minute(s) |
| Error Sheets:                         | Enabled                        |
| Paper Substitution:                   | Enabled                        |
| Tray Priority:                        | 1,2,3,4,5                      |
| Default Copies:                       | 1                              |
| Default Job Type:                     | Normal Print                   |
| Default Paper Size:                   | x=210mm, y=297mm               |
| Default Paper Color:                  | White                          |
| Default 2 Sided Printing:             | 1 Sided                        |
| Default Output Tray:                  | Top Tray                       |
| Default Output Color:                 | Black & White                  |
| Default Collated Sets:                | Enabled                        |
| Default Stapling:                     | Not Available                  |
| Offsetting Between Jobs:              | Offset Between Jobs            |
| PostScript:                           | Installed                      |
| Level:                                | 3                              |
| Version:                              | 3021.101                       |
| Image Quality:                        | Standard                       |
| <b>PCL</b>                            |                                |
| Version:                              | 6                              |
| Pitch Size:                           | 10.00                          |
| Point Size:                           | 12.00                          |
| Font Name:                            | Courier                        |
| Lines Per Page:                       | 64                             |
| <b>Custom Color Tables</b>            |                                |
| Label:                                | Enabled                        |
| <b>Embedded Fax:</b>                  |                                |
| Fax Line1:                            | Not Installed                  |
| Fax Line2:                            | Enabled/Displayed              |
| Server Fax:                           | 3338                           |
| Confirmation Sheet:                   | Enabled                        |
| Delay Start:                          | Errors Only                    |
| Repository Protocol:                  | Disabled                       |
| Repository Server:                    | FTP                            |
| Repository Document Path:             | 10.61.23.93:21                 |
| <b>Workflow Scanning:</b>             |                                |
| Confirmation Sheet:                   | /                              |
| Default Repository Protocol:          | Enabled                        |
| Default Repository Server:            | Errors Only                    |
| Default Repository Document Path:     | FTP                            |
| Default Repository Login Credentials: | 10.61.23.93:21                 |
| Alt1 Repository Protocol:             | /                              |
| Alt1 Repository Server:               | Device                         |
| Alt1 Repository Document Path:        | FTP                            |
| Alt1 Repository Login Credentials:    | 0.0.0.0                        |
| Workflow Pool Protocol:               | Device                         |
| Workflow Pool Server:                 | FTP                            |
| Workflow Pool Path:                   | 0.0.0.0                        |
| <b>Email:</b>                         |                                |
| Default From Address:                 | Enabled                        |
| Confirmation Sheet:                   | test@ts13.com                  |
| Auto Send to Self:                    | Errors Only                    |
| E-mail Security:                      | Disabled                       |
| <b>Scan to Mailbox:</b>               |                                |
| View Mailboxes by Default:            | Disabled                       |
| Storage Capacity (MB):                | Enabled                        |
| Storage Used (MB):                    | 23489 MB                       |
| Cleanup of Public Folders:            | 1276 MB                        |
| Cleanup of Created Folders:           | Enabled                        |
| Cleanup Time:                         | Enabled                        |
| <b>Scan to Home:</b>                  |                                |
| Friendly Name:                        | Daily                          |
| Workflow Name:                        | Disabled                       |
| Auto Create Subdir:                   | Disabled                       |
| Append User Name to Path:             | Disabled                       |
| Auto Create User Name Dir:            | Disabled                       |
| <b>Scan To:</b>                       |                                |
| Cloud Services:                       | Enabled                        |
| <b>Print From:</b>                    |                                |
| Saved Jobs for Reprint:               | Enabled                        |
| Print From USB:                       | Enabled                        |
| Print From Mailbox:                   | Enabled                        |
| Cloud Services:                       | Disabled                       |

Accounting

Accounting Mode: None  
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access: Disabled  
Secure Access Server: 0.0.0.443  
Secure Access Path:

Audit Log: Enabled  
IP Sec: Disabled  
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed  
Root Certificates Installed: 66  
802.1x: Disabled  
Authentication Method: EAP-MS-CHAPv2

Job Data Removal: Disabled  
Scheduled: Monthly  
Scheduled Frequency: Disabled

FIPS 140-3: Disabled  
TLS: TLS 1.1 and TLS 1.2  
TLS Hash: SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.32.4\_011\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.02 g9 20220901

