

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL

Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed

Embedded Fax:

Fax Line1:	Enabled/Displayed
Fax Line2:	951357
	159753

Server Fax:

Repository Protocol:	Enabled
Repository Server:	FTP
Repository Document Path:	0.0.0.0

Workflow Scanning:

	Enabled
--	---------

Email:

	Enabled
--	---------

Scan to Mailbox:

Storage Capacity (MB):	Disabled
Storage Used (MB):	23489 MB
Cleanup of Public Folders:	1288 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
	Daily

Scan to Home:

	Disabled
--	----------

Scan To:

	Enabled
--	---------

Cloud Services:

	Disabled
--	----------

Print From:

	Enabled
--	---------

Saved Jobs for Reprint:

	Enabled
--	---------

Print From USB:

	Enabled
--	---------

Print From MailBox:

	Disabled
--	----------

Cloud Services:

	Disabled
--	----------

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

	Kerberos
--	----------

Xerox Secure Access:

	Disabled
--	----------

Audit Log:

	Enabled
--	---------

IP Sec:

	Disabled
--	----------

IP Filtering:

	Disabled
--	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	66

802.1x:

	Disabled
--	----------

Authentication Method:

	EAP-MS-CHAPv2
--	---------------

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

	Disabled
--	----------

TLS:

TLS Hash:	TLS 1.1 and TLS 1.2
-----------	---------------------

SHA-1, SHA-256 and above

Trellix Embedded Control:

	Enhanced Security
--	-------------------

Common User Data

Machine Name:	Xerox AltaLink B8245 (A2.1B.A9)
IP Address:	10.61.16.48
Machine Serial Number:	HQH257521
Fax Line1:	951357
Machine URL:	https://10.61.16.48
Machine Activation Date:	Nov 23, 2023 19:20:13
Total Impressions:	365

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MIB Server:	10.23.140.108.80

Machine Hardware

Fax Card	present
Extended Fax Card	present
Fax Card Memory Size	967 MB
Foreign Interface Card	not present
Device RAM Size	4096 MB
Device Storage Size	used=3790MB/total=256060MB (SSD)
EPC Memory Size	900 MB
Finisher Type	Offsetting Catch Tray
Finisher Punch	None
Finisher Folder	not present
Multi-feed Detection Kit	Not Installed

General Setup

Remote Services	Enabled
Remote Software Download	Enabled
Remote Services Trans. Time	18.16
Xerox Workplace Cloud	Disabled
E-mail Alerts	Disabled
Service Plan	PagePack
Billing Impression Mode	A3 Impressions
Geographic Region	Western Hemisphere
GMT Offset	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
BJIG2	Lossless

Energy Saver

Deep Sleep	Disabled
Energy Saver Mode	Job Activated

Smart Proximity Sensor

Wake on Arrival	Enabled
Sleep on Departure	Disabled

Software Versions

Device Software	120.041.103.33810
Patch Version	None
Network Controller	120.041.33810
UI Panel Firmware	003.002.000000
Marking Engine	062.022.000
Document Feeder	023.026.000
Finisher	000.000.000
Fax	003.018.004
Scanner	017.022.004
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	December 13, 2023 12:24:49

Media Trays

Tray 1	Plain, White and A4 (210 x 297 mm)
Tray 2	Plain, White and A4 (210 x 297 mm)
Tray 3	Plain, White and A3 (297 x 420 mm)
Tray 4	Plain, White and Letter (8.5 x 11")
Bypass Tray	Plain, White and SRA3 (320 x 450 mm)

Installed Options

PS	Installed
----	-----------

Connectivity

Mobile Workflows	
Mopria Printing Discovery	Enabled
Mopria Scanning	Enabled
Authentication	Disabled
Physical Connections	
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:a9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.48
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Sat Dec 23 13:43:42 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1ba9
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:1ba9
Stateless Global Address 2:	..
Manual Address:	
DHCP Addressing	Use DHCP as directed by a router
DHCP Address:	
Default Gateway	fe80::8afc:5dff:fe75:e282
UUID (DHCP Unique Identifier)	

DNS Settings:	
Requested Host Name:	XRX9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4	Enabled

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8245 (A2.1B.A9)
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP	Enabled

SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL

Version:	6
Font Name:	Courier

Custom Color Tables

Label:	Not Installed
--------	---------------

Embedded Fax:

Enabled/Displayed	
-------------------	--

Fax Line1:	951357
------------	--------

Fax Line2:	159753
------------	--------

Server Fax:

Enabled	
---------	--

Repository Protocol:	FTP
----------------------	-----

Repository Server:	0.0.0.0:0
--------------------	-----------

Repository Document Path:	
---------------------------	--

Workflow Scanning:

Enabled	
---------	--

Email:

Enabled	
---------	--

Scan to Mailbox:

Disabled	
----------	--

Storage Capacity (MB):	23489 MB
------------------------	----------

Storage Used (MB):	1288 MB
--------------------	---------

Cleanup of Public Folders:	Enabled
----------------------------	---------

Cleanup of Created Folders:	Enabled
-----------------------------	---------

Cleanup Time:	Daily
---------------	-------

Scan to Home:

Disabled	
----------	--

Scan To:

Enabled	
---------	--

Cloud Services:	Disabled
-----------------	----------

Print From:

Enabled	
---------	--

Saved Jobs for Reprint:	Enabled
-------------------------	---------

Print From USB:	Enabled
-----------------	---------

Print From MailBox:	Disabled
---------------------	----------

Cloud Services:	Disabled
-----------------	----------

Accounting

Accounting Mode:	None
------------------	------

Network Accounting:	Disabled
---------------------	----------

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
----------------------------	-----------------------

Home:	Unlocked
-------	----------

Jobs:	Unlocked
-------	----------

Device:	Unlocked
---------	----------

Device Website Authentication:	Locally on the Device
--------------------------------	-----------------------

Authorization:	Locally on the Device
----------------	-----------------------

Retrieve E-mail from LDAP:	Enabled
----------------------------	---------

Authentication Server:

Kerberos	
----------	--

Xerox Secure Access:

Disabled	
----------	--

Audit Log:

Enabled	
---------	--

IP Sec:

Disabled	
----------	--

IP Filtering:

Disabled	
----------	--

Security Certificates

Signed	
--------	--

Machine Certificate:	66
----------------------	----

802.1x:

Disabled	
----------	--

Authentication Method:	EAP-MS-CHAPv2
------------------------	---------------

Job Data Removal:

Disabled	
----------	--

Scheduled:	Disabled
------------	----------

FIPS 140-3:

Disabled	
----------	--

TLS:

TLS 1.1 and TLS 1.2	
---------------------	--

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:

Enhanced Security	
-------------------	--

Common User Data

Machine Name:	Xerox AltaLink B8245 (A2:1B:A9)
IP Address:	10.61.16.48
Machine Serial Number:	HQH257521
Fax Line1:	951357
Machine URL:	https://10.61.16.48
Machine Activation Date:	Nov 23, 2023 19:20:13
Total Impressions:	363

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	10.23.140.108:80

Machine Hardware

Fax Card:	present
Extended Fax Card:	present
Fax Card Memory Size:	967 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3790MB/total=256060MB (SSD)
CPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-Feed Detection Kit:	Not installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	18:16
Xerox Workplace Cloud:	Disabled
External Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.041.103.33810
Patch Version:	None
Network Controller:	120.041.33810
UI Panel Firmware:	003.002.00000
Marking Engine:	062.022.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.018.004
Scanner:	017.022.004
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	December 13, 2023 12:24:49

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A3 (297 x 420 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and SRA3 (320 x 450 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows	
Mopria Printing Discovery:	Enabled
Mopria Scanning:	Enabled
Authentication:	Disabled
Physical Connections	
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:a9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.48
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Sat Dec 23 13:43:42 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1ba9
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:1ba9
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8a1c:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:	
Requested Host Name:	XXRX9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8245 (A2:1B:A9)
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP:	Enabled

SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled

SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL

Version:	6
Font Name:	Courier

Custom Color Tables

Label:	Not Installed
--------	---------------

Embedded Fax:

Fax Line1:	Enabled/Displayed
Fax Line2:	951357
	159753

Server Fax:

Repository Protocol:	Enabled
Repository Server:	FTP
Repository Document Path:	0.0.0.0

Workflow Scanning:

Email:	Enabled
--------	---------

Scan to Mailbox:

Storage Capacity (MB):	Disabled
Storage Used (MB):	23489 MB
Cleanup of Public Folders:	1288 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
	Daily

Scan to Home:

Scan To:	Disabled
----------	----------

Scan To:

Cloud Services:	Enabled
-----------------	---------

Print From:

Cloud Services:	Disabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

Xerox Secure Access:	Kerberos
----------------------	----------

Audit Log:

IP Sec:	Disabled
---------	----------

IP Filtering:

Security Certificates	Disabled
-----------------------	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	66

802.1x:

Authentication Method:	Disabled
	EAP-MS-CHAPv2

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

TLS:	Disabled
------	----------

TLS:

TLS Hash:	TLS 1.1 and TLS 1.2
	SHA-1, SHA-256 and above

Trellix Embedded Control:

	Enhanced Security
--	-------------------

Common User Data

Machine Name:	Xerox AltaLink B8245 (A2:1B:A9)
IP Address:	10.61.16.48
Machine Serial Number:	HQH257521
Fax Line1:	951357
Machine URL:	https://10.61.16.48
Machine Activation Date:	Nov 23, 2023 19:20:13
Total Impressions:	361

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By:	
Primary MIB Server:	10.23.140.108:80

Machine Hardware

Fax Card:	present
Extended Fax Card:	present
Fax Card Memory Size:	967 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3789MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Panel:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	18.16
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
iBIG2:	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.041.103.33810
Patch Version:	None
Network Controller:	120.041.33810
UI Panel Firmware:	003.002.00000
Marking Engine:	062.022.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.018.004
Scanner:	017.022.004
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	December 13, 2023 12:24:49

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A3 (297 x 420 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and SRA3 (320 x 450 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows	
Mopria Printing Discovery:	Enabled
Mopria Scanning:	Enabled
Authentication:	Disabled
Physical Connections	
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:a9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.48
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Sat Dec 23 13:43:42 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1ba9
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:1ba9
Stateless Global Address 2:	..
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc::5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:	
Requested Host Name:	XXR9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multi-cast DNS:	Enabled
Release DHCP Leases and DNS Registrat...	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8245 (A2:1B:A9)
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP:	Enabled

SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)	
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing	
Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript Level:	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Embedded Fax:	
Enabled/Displayed	
Fax Line1:	951357
Fax Line2:	159753
Server Fax:	
Enabled	
Repository Protocol:	FTP
Repository Server:	0.0.0.0
Repository Document Path:	
Workflow Scanning:	
Enabled	
Email:	
Enabled	
Scan to Mailbox:	
Disabled	
Storage Capacity (MB):	23489 MB
Storage Used (MB):	1288 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
Scan to Home:	
Disabled	
Scan To:	
Enabled	
Cloud Services:	Disabled
Print From:	
Enabled	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration	
Machine UI Authentication:	
Home:	Locally on the Device
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Unlocked
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Locally on the Device
Authentication Server:	Enabled
Xerox Secure Access:	Kerberos
Audit Log:	Disabled
IP Sec:	Disabled
IP Filtering:	Disabled
Security Certificates	
Machine Certificate:	Signed
Root Certificates Installed:	66
802.1x:	
Disabled	
Authentication Method:	EAP-MS-CHAPv2
Job Data Removal:	
Scheduled:	
Disabled	
FIPS 140-3:	
Disabled	
TLS:	
TLS 1.1 and TLS 1.2	
TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	
Enhanced Security	

Common User Data

Machine Name:	Xerox AltaLink B8245 (A2.1B.A9)
IP Address:	10.61.16.48
Machine Serial Number:	HQH2S7S21
Fax Line1:	951357
Machine URL:	https://10.61.16.48
Machine Activation Date:	Nov 23, 2023 19:20:13
Total Impressions:	359

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By:	
Primary MIB Server:	10.23.140.108.80

Machine Hardware

Fax Card:	present
Extended Fax Card:	present
Fax Card Memory Size:	967 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3789MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	18:16
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.041.103.338.10
Patch Version:	None
Network Controller:	120.041.338.10
UI Panel Firmware:	003.002.00000
Marking Engine:	062.022.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.018.004
Scanner:	017.022.004
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	December 13, 2023 12:24:49

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A3 (297 x 420 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and SRA3 (320 x 450 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows	
Mopria Printing Discovery	Enabled
Mopria Scanning	Enabled
Authentication	Disabled
Physical Connections	
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:a9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.48
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Sat Dec 23 13:43:42 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1ba9
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:1ba9
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:	
Requested Host Name:	XRX9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8245 (A2.1B.A9)
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP:	Enabled

SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP	
LDAP Server 1 Primary LDAP Address:	0.0.0.389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP	
SMTP Server:	0.0.0.25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)	
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing	
Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray #Priority:	1,2,3,4,5
PostScript Level:	Installed
Version:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Embedded Fax:	
Enabled/Displayed	
Fax Line 1:	951357
Fax Line 2:	159753
Server Fax:	
Enabled	
Repository Protocol:	FTP
Repository Server:	0.0.0.0
Repository Document Path:	
Workflow Scanning:	
Enabled	
Email:	
Enabled	
Scan to Mailbox:	
Disabled	
Storage Capacity (MB):	23489 MB
Storage Used (MB):	1288 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
Scan to Home:	
Disabled	
Scan To:	
Enabled	
Cloud Services:	Disabled
Print From:	
Enabled	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration	
Machine UI Authentication:	
Home:	Locally on the Device
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Unlocked
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Locally on the Device
Authentication Server:	Enabled
Xerox Secure Access:	Kerberos
Audit Log:	Disabled
IP Sec:	Disabled
IP Filtering:	Disabled
Security Certificates	
Machine Certificate:	Signed
Root Certificates Installed:	66
802.1x:	
Disabled	
Authentication Method:	EAP-MS-CHAPv2
Job Data Removal:	
Scheduled:	
Disabled	
FIPS 140-3:	
Disabled	
TLS:	
TLS 1.1 and TLS 1.2	
TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Enhanced Security

Common User Data

Machine Name:	Xerox AltaLink B8245 (A2.1B.A9)
IP Address:	10.61.16.48
Machine Serial Number:	HQH257521
Fax Line 1:	951.357
Machine URL:	https://10.61.16.48
Machine Activation Date:	Nov 23, 2023 19:20:13
Total Impressions:	357

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By:	
Primary MB Server:	10.23.140.108:80

Machine Hardware

Fax Card:	present
Extended Fax Card:	present
Fax Card Memory Size:	967 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3789MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	18.16
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.041.103.33810
Patch Version:	None
Network Controller:	120.041.33810
UI Panel Firmware:	003.002.00000
Marking Engine:	062.022.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.018.004
Scanner:	017.022.004

Machine Upgrades:

Last Successful Upgrade:	December 13, 2023 12:24:49
--------------------------	----------------------------

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A3 (297 x 420 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and SRA3 (320 x 450 mm)

Installed Options

IPS:	Installed
------	-----------

Connectivity

Mobile Workflows	
Mopria Printing Discovery:	Enabled
Mopria Scanning:	Enabled
Authentication:	Disabled
Physical Connections	
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1ba9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.48
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Sat Dec 23 13:43:42 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1ba9
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00::2:116:9e93:4eff:fea2:1ba9
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:	
Requested Host Name:	XXRX9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrations:	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8245 (A2.1B.A9)
HTTP:	Enabled
Force Traffic over Secure Connection (HTTPS):	Yes
JPP:	Enabled

SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDAPS):	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled

SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	



Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled

Label:	Not Installed
--------	---------------

Embedded Fax:	Enabled/Displayed
Fax Line1:	951357
Fax Line2:	159753

Server Fax:	Enabled
Repository Protocol:	FTP
Repository Server:	0.0.0.0
Repository Document Path:	

Workflow Scanning:	Enabled
--------------------	---------

Email:	Enabled
--------	---------

Scan to Mailbox:	Disabled
Storage Capacity (MB):	23489 MB
Storage Used (MB):	1288 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:	Disabled
---------------	----------

Scan To:	Enabled
Cloud Services:	Disabled

Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:	Kerberos
------------------------	----------

Xerox Secure Access:	Disabled
----------------------	----------

Audit Log:	Enabled
------------	---------

IP Sec:	Disabled
---------	----------

IP Filtering:	Disabled
---------------	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	66

802.1x:	Disabled
Authentication Method:	EAP-MS-CHAPv2

Job Data Removal:	
Scheduled:	Disabled

FIPS 140-3:	Disabled
-------------	----------

TLS:	TLS 1.1 and TLS 1.2
TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Enhanced Security

Common User Data

Machine Name	Xerox AltaLink B8245 (A2;1B;A9)
IP Address:	10.61.16.48
Machine Serial Number:	HQH257521
Fax Line1:	951357
Machine URL:	https://10.61.16.48
Machine Activation Date:	Nov 23, 2023 19:20:13
Total Impressions:	355

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	10.23.140.108:80

Machine Hardware

Fax Card	present
Extended Fax Card	present
Fax Card Memory Size:	967 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3788MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch	None
Finisher Folder	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	18.16
Xerox Workplace Cloud	Disabled
E-mail Alerts	Disabled
Service Plan	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
IBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.041.103.33810
Patch Version:	None
Network Controller:	120.041.33810
UI Panel Firmware:	003.002.00000
Marking Engine:	062.022.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.018.004
Scanner:	017.022.004
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	December 13, 2023 12:24:49

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A3 (297 x 420 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and SRA3 (320 x 450 mm)

Installed Options

IPS:	Installed
------	-----------

Connectivity

Mobile Workflows	
Mopria Printing Discovery:	Enabled
Mopria Scanning	Enabled
Authentication	Disabled
Physical Connections	
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:a9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.48
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Sat Dec 23 13:43:42 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1ba9
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:1ba9
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
OUID (DHCP Unique Identifier):	

DNS Settings:	
Requested Host Name:	XRX9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati:	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8245 (A2 1B A9)
HTTP:	Enabled
Force Traffic over Secure Connection (H:	Yes
JPP	Enabled

SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA:	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled

SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps**Printing**

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed

Embedded Fax: Enabled/Displayed

Fax Line1:	951357
Fax Line2:	159753

Server Fax:	Enabled
Repository Protocol:	FTP
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning: Enabled**Email:** Enabled

Scan to Mailbox:	Disabled
Storage Capacity (MB):	23489 MB
Storage Used (MB):	1288 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home: Disabled**Scan To:** Enabled**Cloud Services:** Disabled**Print From:** Enabled

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security**Authentication Configuration**

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server: Kerberos**Xerox Secure Access:** Disabled**Audit Log:** Enabled**IP Sec:** Disabled**IP Filtering:** Disabled**Security Certificates**

Machine Certificate:	Signed
Root Certificates Installed:	66

802.1x: Disabled

Authentication Method:	EAP-MS-CHAPv2
------------------------	---------------

Job Data Removal:

Scheduled:	Disabled
	Disabled

FIPS 140-3: Disabled**TLS:** TLS 1.1 and TLS 1.2

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control: Enhanced Security

Common User Data

Machine Name:	Xerox AltaLink B8245 (A2:1B:A9)
IP Address:	10.61.16.48
Machine Serial Number:	HQH257521
Fax Line1:	951357
Machine URL:	https://10.61.16.48
Machine Activation Date:	Nov 23, 2023 19:20:13
Total Impressions:	353

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By:	
Primary MIB Server:	10.23.140.108.80

Machine Hardware

Fax Card:	present
Extended Fax Card:	present
Fax Card Memory Size:	967 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3788MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Follower:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	18:16
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.041.103.33810
Patch Version:	None
Network Controller:	120.041.33810
UI Panel Firmware:	003.002.00000
Marking Engine:	062.022.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.018.004
Scanner:	017.022.004
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	December 13, 2023 12:24:49

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A3 (297 x 420 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and SRA3 (320 x 450 mm)

Installed Options

IPS:	Installed
------	-----------

Connectivity

Mobile Workflows

Mopria Printing Discovery:	Enabled
Mopria Scanning:	Enabled
Authentication:	Disabled

Physical Connections

Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:a9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.48
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Sat Dec 23 13:43:42 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1ba9
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00::2:116:9e93:4eff:fea2:1ba9
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XXRX9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati:	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox AltaLink B8245 (A2:1B:A9)
HTTP:	Enabled
Force Traffic over Secure Connection (H1, I1P):	Yes
IPP:	Enabled
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Raw IP Printing:	Enabled
LDAP:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA:	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled

SMTP:

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript Level:	Installed 3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed

Embedded Fax:	Enabled/Displayed
Fax Line1:	951357
Fax Line2:	159753

Server Fax:	Enabled
Repository Protocol:	FTP
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:	Enabled
Email:	Enabled

Scan to Mailbox:	Disabled
Storage Capacity (MB):	23489 MB
Storage Used (MB):	1288 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:	Disabled
---------------	----------

Scan To:	Enabled
----------	---------

Cloud Services:	Disabled
-----------------	----------

Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From Mailbox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:	Kerberos
------------------------	----------

Xerox Secure Access:	Disabled
----------------------	----------

Audit Log:	Enabled
------------	---------

IP Sec:	Disabled
---------	----------

IP Filtering:	Disabled
---------------	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	66

802.1x:	Disabled
Authentication Method:	EAP-MS-CHAPv2

Job Data Removal:	
Scheduled:	Disabled

FIPS 140-3:	Disabled
-------------	----------

TLS:	TLS 1.1 and TLS 1.2
TLS Hash:	SHA-1, SHA-256 and above

Trellix Embedded Control:	Enhanced Security
---------------------------	-------------------

Common User Data

Machine Name:	Xerox AltaLink B8245 (A2-1B-A9)
IP Address:	10.61.16.48
Machine Serial Number:	HQH257521
Fax Line1:	951357
Machine URL:	https://10.61.16.48
Machine Activation Date:	Nov 23, 2023 19:20:13
Total Impressions:	348

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MIB Server:	10.23.140.108:80

Machine Hardware

Fax Card	present
Extended Fax Card	present
Fax Card Memory Size:	967 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used = 3865MB/total = 256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch	None
Finisher Folder	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services	Enabled
Remote Software Download	Enabled
Remote Services Trans. Time	18:16
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Made:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.041.103 33810
Patch Version:	None
Network Controller:	120.041.33810
UI Panel Firmware:	003.002.00000
Marking Engine:	062.022.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.018.004
Scanner:	017.022.004
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	December 13, 2023 12:24:49

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A3 (297 x 420 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and SRA3 (320 x 450 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows	
Mopria Printing Discovery:	Enabled
Mopria Scanning	Enabled
Authentication	Disabled
Physical Connections	
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:a9
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.48
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Fri Dec 22 16:07:44 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1ba9
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:1ba9
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XRX9C934EA21BA9
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrat:	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox AltaLink B8245 (A2-1B-A9)
-----------------------	---------------------------------

HTTP:

Force Traffic over Secure Connection (HTTPS):	Enabled
IPP:	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

Raw IP Printing:	Enabled
------------------	---------

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDAPS):	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	