



Common User Data

Machine Name:	Xerox AltaLink C8270 Color MFP (A2:1...
IP Address:	10.61.16.61
Machine Serial Number:	EFQ644116
Fax Line1:	
Machine URL:	https://10.61.16.61
Machine Activation Date:	Dec 19, 2023 13:47:46
Black Impressions:	149
Color Impressions:	174
Total Impressions:	323

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	8192 MB
Device Storage Size:	used=3637MB/total=256060MB (SSD)
EPC Memory Size:	1000 MB
Finisher Type:	BR Booklet Maker Finisher
Finisher Punch:	2/4 Hole
Finisher Folder:	C Fold/Z Fold Unit
Multi-feed Detection Kit:	Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	14:10
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
GMT Offset:	+02:00
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.040.103.34700
Patch Version:	None
Network Controller:	120.040.34700
UI Panel Firmware:	003.002.00000
Marking Engine:	034.045.000
Document Feeder:	001.035.000
Finisher:	006.003.000
Fax:	000.000.000
Scanner:	017.022.004
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	December 18, 2023 12:55:54

Media Trays

Tray 1:	Plain, White and Legal (8.5 x 14")
Tray 2:	Plain, White and Tabloid (11 x 17")
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Labels, White and A4 (210 x 297 mm)

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

Mopria Printing Discovery:	Enabled
Mopria Scanning	Enabled
Authentication	Disabled

Physical Connections

Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:0b
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not installed
Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.61
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Wed Dec 27 10:21:41 2023
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:1b0b
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:1b0b
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XRX9C934EA21B0B
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox AltaLink C8270 Color MFP (A2:1...
-----------------------	-----------------------------------------

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

	Enabled
--	---------

Raw IP Printing:

LDAP	0.0.0.0:389
------	-------------

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Enabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Embedded Fax:	not installed

Fax Line1:	
Fax Line2:	

Server Fax: Enabled

Repository Protocol:	FTP
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning: Enabled

Email: Enabled

Scan to Mailbox: Enabled/Displayed

Storage Capacity (MB):	23489 MB
Storage Used (MB):	1293 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home: Disabled

Scan To: Enabled

Cloud Services:	Disabled
-----------------	----------

Print From: Enabled

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server: Kerberos

Xerox Secure Access: Disabled

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	S4

802.1x: Disabled

Authentication Method:	EAP-MS-CHAPv2
------------------------	---------------

Job Data Removal: Disabled

Scheduled:	Disabled
------------	----------

FIPS 140-3: Disabled

TLS: TLS 1.1 and TLS 1.2

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control: Enhanced Security

Common User Data

Machine Name:	Xerox AltaLink C8270 Color MFP (A2:1...
IP Address:	10.61.16.61
Machine Serial Number:	EFQ644116
Fax Line1:	
Machine URL:	https://10.61.16.61
Machine Activation Date:	Dec 19, 2023 13:47:46
Black Impressions:	147
Color Impressions:	173
Total Impressions:	320

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	8192 MB
Device Storage Size:	used=3636MB/total=256060MB (SSD)
EPC Memory Size:	1000 MB
Finisher Type:	BR Booklet Maker Finisher
Finisher Punch:	2/4 Hole
Finisher Folder:	C Fold/Z Fold Unit
Multi-feed Detection Kit:	Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	14:10
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+02:00
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
Document Feeder Multi-feed Detection:	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	120.040.103.34700
Patch Version:	None
Network Controller:	120.040.34700
UI Panel Firmware:	003.002.00000
User Interface:	120.040.34700
Marking Engine:	034.045.000
Copy Controller:	120.040.34700
Document Feeder:	001.035.000
Finisher:	006.003.000
Fax:	000.000.000
OS:	120.103.34700
Scanner:	017.022.004
Software Upgrade:	120.040.34700
Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	December 18, 2023 12:55:54
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and Legal (8.5 x 14")
Tray 2:	Plain, White and Tabloid (11 x 17")
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Labels, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows	
Mopria Printing Discovery:	Enabled
Mopria Scanning	Enabled
Authentication	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:1b:0b
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled

Protocols

TCP/IPv4:	
IP Address:	Enabled
Subnet Mask:	10.61.16.61
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.223
BOOTP Broadcast:	Wed Dec 27 10:21:41 2023
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled
TCP/IPv6:	
Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fea2:1b0b
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	fd00:0:2:116:9e93:4eff:fea2:1b0b
Manual Address:	::
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XXR9C934EA21B0B
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.13.20
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink C8270 Color MFP (A2;1...
HTTP:	Enabled
Port Number:	80
Force Traffic over Secure Connection (H...	Yes
Secure HTTP Port Number:	443
Proxy Server:	Automatic
Proxy Server Address:	0.0.0.0:8080
IPP	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.61:631
SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
Port Number 2:	0
Port Number 3:	0
LDAP	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled
SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTTP:	Enabled
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services	
Copy Submission:	Enabled
Digital Certificate Management and Securi...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Top Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	No Staple
Offsetting Between Jobs:	Offset Between Jobs
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	Enabled
Label:	Not Installed
Embedded Fax:	not installed
Fax Line 1:	
Fax Line 2:	
Server Fax:	Enabled
Confirmation Sheet:	Errors Only
Delay Start:	Disabled
Repository Protocol:	FTP
Repository Server:	0.0.0.0:0
Repository Document Path:	
Workflow Scanning:	Enabled
Confirmation Sheet:	Errors Only
Default Repository Protocol:	FTP
Default Repository Server:	10.61.23.93:21
Default Repository Document Path:	/
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	FTP
Alt1 Repository Server:	0.0.0.0:0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	FTP
Workflow Pool Server:	0.0.0.0:0
Workflow Pool Path:	
Email:	Enabled
Default From Address:	
Confirmation Sheet:	Errors Only
Auto Send to Self:	Disabled
E-mail Security:	Disabled
Scan to Mailbox:	Enabled/Displayed
View Mailboxes by Default:	Enabled
Storage Capacity (MB):	23489 MB
Storage Used (MB):	1293 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
Scan to Home:	Disabled
Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled
Scan To:	Enabled
Cloud Services:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:None

Network Accounting:Disabled

Security

Authentication Configuration

Machine UI Authentication:Locally on the Device

Home:Unlocked

Jobs:Unlocked

Device:Unlocked

Device Website Authentication:Locally on the Device

Authorization:Locally on the Device

Retrieve E-mail from LDAP:Enabled

Authentication Server:

Kerberos Primary Realm:Kerberos

Kerberos Primary Address:0.0.0.0:88

Kerberos Alt 1 Realm:0.0.0.0:88

Kerberos Alt 1 Address:0.0.0.0:88

SMB NT Domain:0.0.0.0:443

SMB Alt 1 NT Domain:0.0.0.0:443

Smartcard Ctrl Server:0.0.0.0:443

Smartcard Ctrl Domain:0.0.0.0:443

SmartCard OCSP URL:0.0.0.0:443

Card Reader Upgrade Policy:Enabled

Card Reader Firmware Version:0.0.0.0:443

Xerox Secure Access:

Secure Access Server:Disabled

Secure Access Path:0.0.0.0:443

Audit Log:

IP Sec:Disabled

IP Filtering:Disabled

Security Certificates

Machine Certificate:Signed

Root Certificates Installed:S4

802.1x:

Authentication Method:Disabled

EAP-MS-CHAPv2:EAP-MS-CHAPv2

Job Data Removal:

Scheduled:Disabled

Scheduled Frequency:Monthly

FIPS 140-3:

TLS:Disabled

TLS Hash:TLS 1.1 and TLS 1.2

Trellix Embedded Control:SHA-1, SHA-256 and above

Extensibile Service Setup

Third Generation Browser:X3G_3.24.23_2.32.4_011_01.00.00

Widget Version:v1.3.17 c8 20140613

Widget Version:v2.5.02 g9 20220901

