

Common User Data

Machine Name:	Xerox AltaLink C8235 Color MFP (A2:6...
IP Address:	10.61.5.95
Machine Serial Number:	ZRE674017
Fax Line1:	
Machine URL:	https://10.61.5.95
Machine Activation Date:	Jan 01, 2021 05:35:33
Black Impressions:	1464
Color Impressions:	1133
Total Impressions:	2597

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3721MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	03:36
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Disabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	120.038.104.12100
Patch Version:	None
Network Controller:	120.038.12100
UI Panel Firmware:	003.003.00000
Marking Engine:	030.045.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	017.022.011
Machine Upgrades:	Allowed
Last Successful Upgrade:	May 2, 2024 10:24:13

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A3 (297 x 420 mm)
Tray 3:	Hole Punched, White and Letter (8.5 ...
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and x=12.99 inches, y=12.01 in...

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication	Disabled

Physical Connections

Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:e3
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed

Wi-Fi Protected Setup (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPV4:	Enabled
IP Address:	10.61.5.95
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.5.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Thu May 9 12:51:12 2024
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPV6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:6ee3
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	

DNS Settings:	
Requested Host Name:	XXR9C934EA26EE3
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox AltaLink C8235 Color MFP (A2:6...
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

Raw IP Printing:	Enabled
------------------	---------

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL

Version:	6
Font Name:	Courier

Custom Color Tables

Label:	Not Installed
--------	---------------

Embedded Fax:

	Enabled/Not Displayed
--	-----------------------

Fax Line1:

Fax Line2:

Server Fax:

Repository Protocol:	FTP
Repository Server:	10.61.23.93:21
Repository Document Path:	/

Workflow Scanning:

Email:	Enabled
--------	---------

Scan to Mailbox:

Storage Capacity (MB):	46978 MB
Storage Used (MB):	2494 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Scan To:	Enabled
----------	---------

Cloud Services:	Disabled
-----------------	----------

Print From:

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

Xerox Secure Access:	Kerberos
----------------------	----------

Audit Log:	Disabled
------------	----------

IP Sec:	Disabled
---------	----------

IP Filtering:	Disabled
---------------	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	54

802.1x:

Authentication Method:	Disabled
	EAP-MS-CHAPv2

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

TLS:	Disabled
------	----------

TLS Hash:	TLS 1.1 and TLS 1.2
-----------	---------------------

Trellix Embedded Control:	SHA-1, SHA-256 and above
---------------------------	--------------------------

	Enhanced Security
--	-------------------

Common User Data

Machine Name:	Xerox AltaLink C8235 Color MFP (A2:6...
IP Address:	10.61.5.95
Machine Serial Number:	ZRE674017
Fax Line1:	
Machine URL:	https://10.61.5.95
Machine Activation Date:	Jan 01, 2021 05:35:33
Black Impressions:	1465
Color Impressions:	1134
Total Impressions:	2599

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3721MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	03:36
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Disabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	120.038.104.12100
Patch Version:	None
Network Controller:	120.038.12100
UI Panel Firmware:	003.003.00000
User Interface:	120.038.12100
Marking Engine:	030.045.000
Copy Controller:	120.038.12100
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
OS:	120.104.12100
Scanner:	017.022.011
Software Upgrade:	120.038.12100
Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	May 2, 2024 10:24:13
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A3 (297 x 420 mm)
Tray 3:	Hole Punched, White and Letter (8.5 ...
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and x=12.99 inches, y=12.01 in.

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:e3
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:

IP Address:	Enabled
Subnet Mask:	10.61.5.95
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.5.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.223
BOOTP Broadcast:	Thu May 9 12:51:12 2024
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fea2:6ee3
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	::
Manual Address:	::
DHCP Addressing:	
DHCP Address:	Use DHCP as directed by a router
Default Gateway:	
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	
Verified Host Name:	XXR9C934EA26EE3
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.7.16
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	HCLT.CORP.HCL.IN.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:

Bonjour Printer Name: Xerox AltaLink C8235 Color MFP (A2:6...
 HTTP: Enabled
 Port Number: 80
 Force Traffic over Secure Connection (H... Yes
 Secure HTTP Port Number: 443
 Proxy Server: Manual
 Proxy Server Address: 10.177.8.91:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.5.95:631

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled

Raw IP Printing:

Port Number 1: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled
 Port Number 2: 0
 Port Number 3: 0

LDAP

LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA... Disabled
 LDAP Server 1 Validate Server Certificate... Disabled

SMTP

SMTP Server: 0.0.0.0:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None

POP3

POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled

NTP:

Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123

SLP:

FTP: Disabled

Web Services on Device:

WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled

Web Services

Copy Submission: Enabled
 Digital Certificate Management and Secur... Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur... Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=8.50 inches, y=11.00 inches
 Default Paper Color: White
 Default 2 Sided Printing: 1 Sided
 Default Output Tray: Top Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: Offset Between Jobs
 PostScript: Installed
 Level: 3
 Version: 3021.101
 Image Quality: Standard

PCL

Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
 Custom Color Tables: Enabled
 Label: Not Installed
 installed/enabled

Embedded Fax:

Fax Line1:
 Fax Line2:

Server Fax:

Confirmation Sheet: Enabled
 Delay Start: Errors Only
 Repository Protocol: Disabled
 Repository Server: FTP
 Repository Document Path: 10.61.23.93.21
 #

Workflow Scanning:

Confirmation Sheet: Enabled
 Default Repository Protocol: Errors Only
 Default Repository Server: FTP
 Default Repository Document Path: 10.61.23.93.21
 #
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: FTP
 Alt1 Repository Server: 0.0.0.0:0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: FTP
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:

Email:

Default From Address:
 Confirmation Sheet: Enabled
 Auto Send to Self: Disabled
 E-mail Security: Disabled
 Enabled/Displayed

Scan to Mailbox:

View Mailboxes by Default: Enabled
 Storage Capacity (MB): 46978 MB
 Storage Used (MB): 2494 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily

Scan to Home:

Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled
 Print From: Enabled
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode:None

Network Accounting:Disabled

Security

Authentication Configuration

Machine UI Authentication:Locally on the Device

Home:Unlocked

Jobs:Unlocked

Device:Unlocked

Device Website Authentication:Locally on the Device

Authorization:Locally on the Device

Retrieve E-mail from LDAP:Enabled

Authentication Server:

Kerberos Primary Realm:Kerberos

Kerberos Primary Address:0.0.0.0:88

Kerberos Alt 1 Realm:0.0.0.0:88

Kerberos Alt 1 Address:0.0.0.0:88

SMB NT Domain:0.0.0.0:443

SMB Alt 1 NT Domain:0.0.0.0:443

Smartcard Ctrl Server:0.0.0.0:443

Smartcard Ctrl Domain:0.0.0.0:443

SmartCard OCSP URL:0.0.0.0:443

Card Reader Upgrade Policy:Enabled

Card Reader Firmware Version:0.0.0.0:443

Xerox Secure Access:

Secure Access Server:Disabled

Secure Access Path:0.0.0.0:443

Audit Log:

IP Sec:Enabled

IP Filtering:Disabled

Security Certificates

Machine Certificate:Signed

Root Certificates Installed:54

802.1x:Disabled

Authentication Method:EAP-MS-CHAPv2

Job Data Removal:

Scheduled:Disabled

Scheduled Frequency:Monthly

FIPS 140-3:

TLS:Disabled

TLS Hash:TLS 1.1 and TLS 1.2

Trellix Embedded Control:SHA-1, SHA-256 and above

Extensible Service Setup

Third Generation Browser:X3G_3.24.23_2.32.4_011_01.00.00

Widget Version:v1.3.17 c8 20140613

Widget Version:v2.5.02 g9 20220901

