

Common User Data

Machine Name:	Xerox AltaLink C8230 Color MFP (A2:6...
IP Address:	10.61.9.165
Machine Serial Number:	ZRE674017
Fax Line1:	3337
Machine URL:	https://10.61.9.165
Machine Activation Date:	Jan 01, 2021 05:33:42
Black Impressions:	799
Color Impressions:	185
Total Impressions:	984

Machine Profile

Xerox Asset Tag:	Test RC3 Corrib
Customer Asset Tag:	Test RC3
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By:	SR-D7489F2.80
Primary MB Server:	

Machine Hardware

Fax Card:	present
Extended Fax Card:	present
Fax Card Memory Size:	1936 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=4434MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	17:05
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	60 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	121.038.004.14300
Patch Version:	None
Network Controller:	121.038.14300
UI Panel Firmware:	003.004.00000
User Interface:	121.038.14300
Marking Engine:	030.045.000
Copy Controller:	121.038.14300
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.020.008
OS:	121.004.14300
Scanner:	017.023.011
Software Upgrade:	121.038.14300
Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	Allowed
Scheduled Auto Upgrades:	May 27, 2024 18:54:45
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and SRA3 (320 x 450 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and Tabloid (11 x 17")

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
Usb Type A Ports	All Enabled
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:e3
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	Enabled
Wi-Fi Direct:	Not Installed
Wireless Hardware:	
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	Enabled
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint DL...	Not Installed
iBeacon Hardware:	
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPV4:	Enabled
IP Address:	10.61.9.165
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.9.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Fri Jun 7 12:03:50 2024
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPV6:	Enabled
Link Local Address:	fe80::9a93:4eff:fea2:6ee3
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00::0:2:109:9e93:4eff:fea2:6ee3
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	
DNS Settings:	XXRX9C934EA26EE3
Requested Host Name:	
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	Enabled
Multicast DNS:	Disabled
Release DHCP Leases and DNS Registrati...	10.61.7.15
Primary DNS Server:	10.61.13.20
Alternate DNS Server 1:	
Alternate DNS Server 2:	5
DNS Connection Timeout:	Enabled
Append Device Domain:	Disabled
Append Parent Domains:	XEROXQA.COM
DNS Domain Search List:	Enabled
Prefer IPv6 DNS over IPv4:	

Installed Options

PS:	Installed
Lockdown Security Solution:	Installed

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink C8230 Color MFP (A2:6...
HTTP:	
Port Number:	80
Force Traffic over Secure Connection (H...	Yes
Secure HTTP Port Number:	443
Proxy Server:	Manual
Proxy Server Address:	10.177.8.91:8080
IPP	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.9.165:631
SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled
SMTP	
SMTP Server:	10.61.13.241:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	
FTP Client:	Disabled
FTP Client Mode:	Enabled
Web Services on Device:	
WS-Discovery:	Passive
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services	
Copy Submission:	Enabled
Digital Certificate Management and Securi...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Main Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard

PCL

Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	Enabled
Label:	Not Installed
Embedded Fax:	Enabled/Displayed
Fax Line1:	3337
Fax Line2:	

Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	On
Repository Protocol:	Disabled
Repository Server:	SMB
Repository Document Path:	10.61.23.93:445

Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	FTP
Default Repository Document Path:	0.0.0.0:0
Default Repository Login Credentials:	
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	FTP
Alt1 Repository Document Path:	0.0.0.0:0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	FTP
Workflow Pool Path:	0.0.0.0:0

Email:

Default From Address:	Enabled
Confirmation Sheet:	rathimeenas@xeroxqa.com
Auto Send to Self:	Errors Only
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled/Displayed
Storage Capacity (MB):	Enabled
Storage Used (MB):	46978 MB
Cleanup of Public Folders:	2531 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:

Print From:

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled/Displayed
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
	Kerberos

Authentication Server:

Kerberos Primary Realm:	0.0.0.0:88
Kerberos Primary Address:	
Kerberos Alt 1 Realm:	0.0.0.0:88
Kerberos Alt 1 Address:	
SMB NT Domain:	
SMB Alt 1 NT Domain:	0.0.0.0:443
Smartcard Ctrl Server:	
Smartcard Ctrl Domain:	
SmartCard OCSP URL:	
Card Reader Upgrade Policy:	Enabled
Card Reader Firmware Version:	

Xerox Secure Access:

Secure Access Server:	Disabled
Secure Access Path:	0.0.0.0:443

Audit Log:

IP Sec:	Enabled
IP Filtering:	Disabled
	Disabled

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	54
	Disabled

802.1x:

Job Data Removal:

Scheduled:	Standard
Scheduled Frequency:	Daily
	Disabled

FIPS 140-3:

TLS:	TLS 1.1 and TLS 1.2
TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Enhanced Security

Extensible Service Setup

Third Generation Browser:	X3G_3.24.23_2.40.5_011_01.00.00
Widget Version:	v1.3.17 c8 20140613
Widget Version:	v2.5.04 g9 20240123

©2017–2019 Xerox Corporation. All Rights Reserved. Xerox® and AltaLink® are trademarks of Xerox Corporation in the United States and/or other countries. Adobe and PostScript are either registered trademarks or trademarks of Adobe in the United States and/or other countries. AirPrint, Bonjour and iBeacon are trademarks of Apple Inc., registered in the U.S. and other countries. The Bluetooth® word mark is a registered trademark owned by the Bluetooth SIG, Inc. and any use of such marks by Xerox is under license. Kerberos is a trademark of the Massachusetts Institute of Technology (MIT). Mopria is a trademark of Mopria Alliance, Inc. PCL is a trademark of the Hewlett-Packard Company. Trellix is a trademark of Musarubra US LLC. Wi-Fi® and Wi-Fi Direct® are registered trademarks of Wi-Fi Alliance®. Wi-Fi Protected Setup™, WPA™, WPA2™ and WPA3™ are trademarks of Wi-Fi Alliance®.

