

Common User Data

Machine Name:
IP Address:
Machine Serial Number:
Fax Line 1:
Machine URL:
Machine Activation Date:
Black Impressions:
Color Impressions:
Total Impressions:

Xerox AltaLink C8230 Color MFP (A2:6.
10.61.9.165
ZRE674017
3337
https://10.61.9.165
Jan 01, 2021 05:33:42
806
190
996

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed By
Primary MB Server:

Test RC3 Corrib
Test RC3

System Administrator name not set
machine location not set

SR-D7489F2:80

Machine Hardware

Machine Card:
Extended Fax Card:
Machine Card Memory Size:
Machine Interface Card:
Machine RAM Size:
Machine Storage Size:
Machine Memory Size:
Machine Type:
Machine Punch:
Machine Folder:
Machine Feed Detection Kit:

present
present
1936 MB
not present
4096 MB
used=4494MB/total=256060MB (SSD)
900 MB
Offsetting Catch Tray
None
not present
Not Installed

Machine Setup

Machine Services:
Machine Software Download:
Machine Services Trans. Time:
Machine Workplace Cloud
Machine Alerts:
Machine Plan:
Machine Compression Mode:
Machine Location Region:
Machine Config Report:
Machine Set:
Machine Installation
Machine Submission of Clone Files:
Machine Log

Enabled
Enabled
17:05
Disabled
Disabled
Metered
A3 Impressions
unknown
Enabled
+05:30
Allowed (Encrypted Files Only)
Disabled
Enabled
Lossless

Saver

Machine Saver:
Machine Saver Mode:
Machine Saver Timer:
Machine Saver:

Enabled
Job Activated
60 minutes
Disabled

Proximity Sensor

Machine Proximity Sensor:
Machine Proximity Sensor:
Machine Proximity Sensor:
Machine Proximity Sensor:

Enabled
Disabled
Disabled

Versions

Machine Version:
Machine Filer:
Machine Pre:
Machine 121.038.004.14300
Machine None
Machine 121.038.14300
Machine 003.004.00000
Machine 121.038.14300
Machine 030.045.000
Machine 121.038.14300
Machine 023.026.000
Machine 000.000.000
Machine 003.020.008
Machine 121.004.14300
Machine 017.023.011
Machine 121.038.14300

Allowed
May 27, 2024 18:54:45
Disabled
Daily
0.0.0.0.21

Plain, White and A4 (210 x 297 mm)
Plain, White and SRA3 (320 x 450 mm)
Plain, White and A4 (210 x 297 mm)
Plain, White and A4 (210 x 297 mm)
Plain, White and Tabloid (11 x 17")

Configuration Report

Printed at 31 May, 2024 04:21 PM

Connectivity

Mobile Workflows

AirPrint Printing:
Mopria Printing Discovery:
AirPrint / Mopria Scanning
Authentication
Universal Print:
Universal Print Registration Status:

Enabled
Enabled
Enabled
Disabled
Disabled
Not Registered

Physical Connections

USB Settings
Usb Type A Ports
Printing Timeout:

All Enabled
5 seconds
Enabled
9c93:4e:a2:6e:e3
auto
Disabled

Wired:

Ethernet MAC Address:
Ethernet Speed/Duplex Setting:

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:

Security Mode:
Encryption Algorithm:
Status:

Wi-Fi Direct:

Wireless Hardware:
Wi-Fi Protected Setup (WPS) Name:
Connection Method:
Subnet Prefix Address:

Enabled
Not Installed

Access Point (SSID):
Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...
iBeacon Hardware:
Bluetooth Device Address:
iBeacon IP Address:

Enabled
Enabled
Not Installed

Protocols

TCP/IPv4:

IP Address:
Subnet Mask:
Router/Gateway:
Automatic Addressing:
DHCP Server:
DHCP Lease Expiration:
BOOTP Broadcast:
Self Assigned Address State:
Self Assigned Address:

Enabled
10.61.9.165
255.255.255.0
10.61.9.1
DHCP
10.61.13.223
Fri Jun 7 12:03:50 2024
Disabled
Enabled

TCP/IPv6:

Link Local Address:
Use Router Supplied Prefix:
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:
DHCP Addressing:
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):

Enabled
fe80::9e93:4eff:fea2:6ee3
Enabled
fd00::2:109:9e93:4eff:fea2:6ee3
Use DHCP as directed by a router
fe80::8afe:5dff:fe75:e282

DNS Settings:

Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS:
Release DHCP Leases and DNS Registrati...
Primary DNS Server:
Alternate DNS Server 1:
Alternate DNS Server 2:
DNS Connection Timeout:
Append Device Domain:
Append Parent Domains:
DNS Domain Search List:
Prefer IPv6 DNS over IPv4:

Enabled
Disabled
10.61.7.15
10.61.13.20
5
Enabled
Disabled
XEROXQA.COM
Enabled

Installed Options

PS:
Lockdown Security Solution:

Installed
Installed

AccountingAccounting Mode:
Network Accounting:None
Disabled**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled
Kerberos

Authentication Server:

Kerberos Primary Realm: 0.0.0.0:88
Kerberos Primary Address:
Kerberos Alt 1 Realm: 0.0.0.0:88
Kerberos Alt 1 Address:
SMB NT Domain:
SMB Alt 1 NT Domain: 0.0.0.0:443
Smartcard Ctrl Server:
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
0.0.0.0:443
Secure Access Path:

Audit Log:

IP Sec: Enabled
Disabled
Disabled

IP Filtering:**Security Certificates**

Machine Certificate: Signed
Root Certificates Installed: 54
802.1x: Disabled

Job Data Removal:

Scheduled: Standard
Scheduled Frequency: Daily
Disabled

FIPS 140-3:

TLS: TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

