

Common User Data

Machine Name: Xerox AltaLink B8245 MFP (A9:F3:A1)
IP Address: 10.61.9.176
Machine Serial Number: ZQV624007
Fax Line1:
Machine URL: https://10.61.9.176
Machine Activation Date: Jan 01, 2021 00:04:05
Total Impressions: 660

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location: System Administrator name not set
machine location not set
Managed By
Primary MB Server:

Machine Hardware

Fax Card: not present
Extended Fax Card: not present
Fax Card Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 8192 MB
Device Storage Size: used=4178MB/total=256060MB (SSD)
EPC Memory Size: 1000 MB
Finisher Type: Offsetting Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 13:48
Xerox Workplace Cloud: Disabled
E-mail Alerts: Disabled
Service Plan: PagePack
Billing Impression Mode: A3 Impressions
Geographic Region: unknown
Startup Config Report: Disabled
GMT Offset: 00:00
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Disabled
File Sharing: Enabled
JBig2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 30 minutes
Auto-Off: Disabled

Smart Proximity Sensor

Wake on Arrival: Enabled
Sleep on Departure: Disabled
Maximize Detection Range: Disabled

Software Versions

Device Software: 121.041.004.15100
Patch Version: None
Network Controller: 121.041.15100
UI Panel Firmware: 003.004.00000
User Interface: 121.041.15100
Marking Engine: 072.001.000
Copy Controller: 121.041.15100
Document Feeder: 023.026.000
Finisher: 000.000.000
Fax: 000.000.000
OS: 121.004.15100
Scanner: 017.023.011
Software Upgrade: 121.041.15100
Tray 2:
Tray 3:
Tray 4:

Machine Upgrades:

Last Successful Upgrade: Not Allowed
January 21, 2021 17:11:11
Scheduled Auto Upgrades: Disabled
Auto Upgrade Start Time: Daily
Auto Upgrade Server: 0.0.0.0:21

Media Trays

Tray 1: Plain, White and A3 (297 x 420 mm)
Tray 2: Plain, White and Tabloid Oversized (432 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and A5 (148 x 210 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication: Disabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
Usb Type A Ports: All Enabled
Printing Timeout: 5 seconds
Wired: Enabled
Ethernet MAC Address: 9c:93:4e:a9:f3:a1
Ethernet Speed/Duplex Setting: auto
Wireless: Disabled

Wireless MAC Address:

Network Name (SSID):

BSSID:

Security Mode:

Encryption Algorithm:

Status:

Wi-Fi Direct: Enabled

Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:

Connection Method:

Subnet Prefix Address:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...

iBeacon Hardware: Enabled

Bluetooth Device Address: Not Installed

iBeacon IP Address:

Protocols

TCP/IPV4:

IP Address: Enabled
10.61.9.176
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.9.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Fri Jan 29 17:17:57 2021
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
fe80::9e93:4eff:fea9:f3a1
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fd00:0:2:109:9e93:4eff:fea9:f3a1
Stateless Global Address 2: ::
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address: fd00:0:2:109:9901:ec27:4dfa:662d
Default Gateway:
DUID (DHCP Unique Identifier): 00010001279dc5459c934ea9f3a1

DNS Settings:

Requested Host Name: XRX9C934EA9F3A1
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Alternate DNS Server 1: 10.61.13.20
Alternate DNS Server 2: ::
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM.
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS:

Installed

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8245 MFP (A9:F3:A1)
HTTP:	
Port Number:	80
Force Traffic over Secure Connection (HTTPS):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Automatic
Proxy Server Address:	0.0.0.0:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.9.176:631
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDAPS):	Disabled
LDAP Server 1 Validate Server Certificate:	Disabled
SMTP:	
SMTP Server:	10.61.23.93:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Security:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configuration:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing	
Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Main Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript Level:	Installed
Version:	3
Image Quality:	3021 101 Standard
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables:	Enabled
Label:	Not Installed
Embedded Fax:	
Fax Line 1:	not installed
Fax Line 2:	
Server Fax:	
Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	FTP
Repository Document Path:	10.61.23.93:21
Workflow Scanning:	
Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	FTP
Default Repository Document Path:	0.0.0.0
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	FTP
Alt1 Repository Server:	0.0.0.0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	FTP
Workflow Pool Server:	0.0.0.0
Workflow Pool Path:	
Email:	
Default From Address:	Enabled
Confirmation Sheet:	test@ts13.com
Auto Send to Self:	Errors Only
E-mail Security:	Disabled
Scan to Mailbox:	
View Mailboxes by Default:	Disabled/Displayed
Storage Capacity (MB):	Enabled
Storage Used (MB):	46978 MB
Cleanup of Public Folders:	2516 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
Scan to Home:	
Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled
Scan To:	
Cloud Services:	Enabled
Print From:	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From Mailbox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled
Authentication Server: Kerberos

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access: Disabled
Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log: Enabled
IP Sec: Disabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 54

802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
Scheduled Frequency: Monthly

FIPS 140-3:

TLS: Disabled
TLS Hash: TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 ©8 20140613
Widget Version: v2.5.04 g9 20240123

