

## Common User Data

Machine Name: Xerox AltaLink B8245 MFP (A9:F3:A1)  
 IP Address: 10.61.9.176  
 Machine Serial Number: ZQV624007  
 Fax Line1:  
 Machine URL: https://10.61.9.176  
 Machine Activation Date: Jan 01, 2021 00:04:05  
 Total Impressions: 670

## Machine Profile

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location:  
**Managed By**  
 Primary MB Server:

System Administrator name not set  
 machine location not set

## Machine Hardware

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 8192 MB  
 Device Storage Size: used=4192MB/total=256060MB (SSD)  
 EPC Memory Size: 1000 MB  
 Finisher Type: Offsetting Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 13:48  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: PagePack  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 GMT Offset: 00:00  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless

## Energy Saver

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 30 minutes  
 Auto-Off: Disabled

## Smart Proximity Sensor

Wake on Arrival: Enabled  
 Sleep on Departure: Disabled  
 Maximize Detection Range: Disabled

## Software Versions

Device Software: 121.041.004.15100  
 Patch Version: None  
 Network Controller: 121.041.15100  
 UI Panel Firmware: 003.004.00000  
 User Interface: 121.041.15100  
 Marking Engine: 072.001.000  
 Copy Controller: 121.041.15100  
 Document Feeder: 023.026.000  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 121.004.15100  
 Scanner: 017.023.011  
 Software Upgrade: 121.041.15100  
 Tray 2:  
 Tray 3:  
 Tray 4:

## Machine Upgrades:

Last Successful Upgrade: Not Allowed  
 January 21, 2021 17:11:11  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.21

## Media Trays

Tray 1: Plain, White and A3 (297 x 420 mm)  
 Tray 2: Plain, White and Tabloid Oversized (...)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and A5 (148 x 210 mm)

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

## Physical Connections

**USB Settings**  
 Usb Type A Ports: All Enabled  
 Printing Timeout: 5 seconds  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:a9:f3:a1  
 auto  
 Disabled

## Wireless:

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed  
 Wi-Fi Protected Setup (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:** Enabled  
**iBeacon (Bluetooth®) for AirPrint Di...** Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

## Protocols

## TCP/IPv4:

IP Address: Enabled  
 10.61.9.176  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.9.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Fri Jan 29 17:17:57 2021  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

## TCP/IPv6:

Link Local Address: Enabled  
 fe80::9e93:4eff:fea9:f3a1  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:109:9e93:4eff:fea9:f3a1  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address: fd00:0:2:109:9901:ec27:4dfa:662d  
 Default Gateway:  
 DUID (DHCP Unique Identifier): 00010001279dc5459c934ea9f3a1

## DNS Settings:

Requested Host Name: XR9C934EA9F3A1  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati... Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.13.20  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: XEROXQA.COM.  
 Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

PS: Installed

## Protocols (cont.)

## Bonjour:

Bonjour Printer Name:	Xerox AltaLink B8245 MFP (A9:F3:A1)
HTTP:	Enabled
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Automatic
Proxy Server Address:	0.0.0.0:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.9.176:631

## SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

## LPR/LPD:

Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled

## Raw IP Printing:

Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled

## LDAP

LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

## SMTP

SMTP Server:	10.61.23.93:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None

## POP3

POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled

## NTP:

Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123

## SLP:

FTP Client:	Enabled
FTP Client Mode:	Passive

## Web Services on Device:

WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled

## Web Services

Copy Submission:	Enabled
Digital Certificate Management and Securi...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

## Apps

## Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Main Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript Level:	Installed
Version:	3
Image Quality:	3021.101

## PCL

Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables:	Enabled
Label:	Not Installed

## Embedded Fax:

Fax Line1:	not installed
Fax Line2:	

## Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	FTP
Repository Document Path:	10.61.23.93:21

## Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	FTP
Default Repository Document Path:	0.0.0.0
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	FTP
Alt1 Repository Server:	0.0.0.0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	FTP
Workflow Pool Server:	0.0.0.0
Workflow Pool Path:	

## Email:

Default From Address:	Enabled
Confirmation Sheet:	test@tts13.com
Auto Send to Self:	Errors Only
E-mail Security:	Disabled
Scan to Mailbox:	Disabled
View Mailboxes by Default:	Enabled/Displayed
Storage Capacity (MB):	Enabled
Storage Used (MB):	46978 MB
Cleanup of Public Folders:	2517 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
Scan to Home:	Daily
Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

## Scan to:

Cloud Services:	Enabled
Print From:	Disabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Enabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access: Disabled  
Secure Access Server: 0.0.0.0:443  
Secure Access Path:

Audit Log: Enabled  
IP Sec: Disabled  
IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
Root Certificates Installed: 54  
802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled  
Scheduled Frequency: Monthly  
FIPS 140-3: Disabled

TLS: TLS 1.1 and TLS 1.2  
TLS Hash: SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123

