

Protocols (cont.)

Bonjour:

Bonjour Printer Name:

HTTP:

Port Number:

Force Traffic over Secure Connection (H...)

Secure HTTP Port Number:

Proxy Server:

Proxy Server Address:

IPP

Secure IPP Mode:

IPP Network Path:

SNMP

SNMP v1/v2:

SNMP v3:

LPR/LPD:

Port Number:

PDL Switching:

PDL Banner Override:

Raw IP Printing:

Port Number 1:

Bidirectional:

End of Job Timeout:

PDL Switching:

LDAP

LDAP Server 1 Friendly Name:

LDAP Server 1 Primary LDAP Address:

LDAP Server 1 Alternate LDAP Address:

LDAP Server 1 Search Directory Root:

LDAP Server 1 Secure Connection (LDA...)

LDAP Server 1 Validate Server Certificate...

SMTP

SMTP Server:

Connect Encryption (TLS):

Validate Server Certificate (TLS):

Max Message Size (KB):

Number of Fragments:

Total Job Size (KB):

Job Splitting Boundary:

Credentials for Auto E-mails:

Credentials for Walkup User:

POP3

POP3 Server:

POP3 Secure Connection (TLS):

E-mail Address:

Receipt of E-mail via POP3:

Send Confirm on Request:

Incoming E-mail cover sheet:

NTP:

Primary Server:

Alternate Server:

SLP:

FTP Client:

FTP Client Mode:

Web Services on Device:

WS-Discovery:

WS-Discovery Multicast:

WS-Print:

WS-Scan:

Web Services

Copy Submission:

Digital Certificate Management and Securi...

Extensible Service Registration:

Job Limits:

Job Management Extension:

Device Configuration:

Scan Submission:

Scan Workflow Management:

Session Data:

User Interface Configuration:

EIP Proxy Configuration:

Xerox Secure Access:

EIP SNMP Configuration:

Print Submission:

Scan Template Mgmt:

Mass Storage Access:

Card Reader Access:

Authentication & Accounting Configur...

Export Audit Log:

Trellix Embedded Control:

Xerox AltaLink B8245 MFP (A9:F3:A1)

Enabled

80

Yes

443

Automatic

0.0.0.0:8080

Enabled

IPP and Secure IPPS

http://10.61.9.44:631

Enabled

Disabled

Enabled

515

Disabled

Disabled

Enabled

9100

Disabled

300

Disabled

Enabled

0.0.0.0:389

0.0.0.0:389

Disabled

Disabled

Disabled

Disabled

10.61.23.93:25

No Encryption

10240

1

300000

Page Boundary

None

None

0.0.0.0:110

Disabled

Disabled

Disabled

Enabled

Enabled

Enabled

Enabled

0.0.0.0:123

0.0.0.0:123

Disabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Enabled

Apps

Printing

Banner Sheet:

Sys/Start Job:

Delete Held Jobs After:

Error Sheets:

Paper Substitution:

Tray Priority:

Default Copies:

Default Job Type:

Default Paper Size:

Default Paper Color:

Default 2 Sided Printing:

Default Output Tray:

Default Output Color:

Default Collated Sets:

Default Stapling:

Offsetting Between Jobs:

PostScript

Level:

Version:

Image Quality:

PCL

Version:

Pitch Size:

Point Size:

Font Name:

Lines Per Page:

Custom Color Tables

Label:

Embedded Fax:

Fax Line1:

Fax Line2:

Server Fax:

Confirmation Sheet:

Delay Start:

Repository Protocol:

Repository Server:

Repository Document Path:

Workflow Scanning:

Confirmation Sheet:

Default Repository Protocol:

Default Repository Server:

Default Repository Document Path:

Default Repository Login Credentials:

Alt1 Repository Protocol:

Alt1 Repository Server:

Alt1 Repository Document Path:

Alt1 Repository Login Credentials:

Workflow Pool Protocol:

Workflow Pool Server:

Workflow Pool Path:

Email:

Default From Address:

Confirmation Sheet:

Auto Send to Self:

E-mail Security:

Scan to Mailbox:

View Mailboxes by Default:

Storage Capacity (MB):

Storage Used (MB):

Cleanup of Public Folders:

Cleanup of Created Folders:

Cleanup Time:

Scan to Home:

Friendly Name:

Workflow Name:

Auto Create Subdir:

Append User Name to Path:

Auto Create User Name Dir:

Scan To:

Cloud Services:

Print From:

Saved Jobs for Reprint:

Print From USB:

Print From MailBox:

Cloud Services:

Enabled

Disabled

3 Day(s) 0 Hour(s) 0 Minute(s)

Enabled

Enabled

1,2,3,4,5

1

Normal Print

x=8.50 inches, y=11.00 inches

White

1 Sided

Main Tray

Black & White

Enabled

Not Available

Offset Between Jobs

Installed

3

3021.101

Standard

6

10.00

12.00

Courier

60

Enabled

Not Installed

not installed

Enabled

Errors Only

Disabled

FTP

10.61.23.93:21

/

Enabled

Errors Only

FTP

0.0.0.0:0

Device

FTP

0.0.0.0:0

Device

FTP

0.0.0.0:0

Device

FTP

0.0.0.0:0

Enabled

test@ts13.com

Errors Only

Disabled

Disabled

Enabled/Displayed

Enabled

46978 MB

2490 MB

Enabled

Enabled

Daily

Disabled

Disabled

Disabled

Disabled

Disabled

Enabled

Disabled

Enabled

Enabled

Enabled

Disabled

Disabled

Common User Data

Machine Name:	Xerox AltaLink B8245 MFP (A9:F3:A1)
IP Address:	10.61.9.44
Machine Serial Number:	ZQV624007
Fax Line1:	
Machine URL:	https://10.61.9.44
Machine Activation Date:	Jan 01, 2021 00:04:05
Total Impressions:	713

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	not present
Extended Fax Card:	not present
Fax Card Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	8192 MB
Device Storage Size:	used=4195MB/total=256060MB (SSD)
EPC Memory Size:	1000 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	13:48
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	PagePack
Billing Impression Mode:	A3 Impressions
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	00:00
Cloning Installation:	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	121.041.004.15100
Patch Version:	None
Network Controller:	121.041.15100
UI Panel Firmware:	003.004.00000
User Interface:	121.041.15100
Marking Engine:	072.001.000
Copy Controller:	121.041.15100
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
OS:	121.004.15100
Scanner:	017.023.011
Software Upgrade:	121.041.15100

Tray 2:
Tray 3:
Tray 4:

Machine Upgrades:

Last Successful Upgrade:	Not Allowed
Scheduled Auto Upgrades:	January 22, 2021 22:12:59
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A3 (297 x 420 mm)
Tray 2:	Plain, White and Tabloid Oversized (L)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and A5 (148 x 210 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mapria Printing Discovery:	Enabled
AirPrint / Mapria Scanning Authentication:	Enabled
Universal Print:	Disabled
Universal Print Registration Status:	Disabled
	Not Registered

Physical Connections

USB Settings

Usb Type A Ports:	All Enabled
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a9:f3:a1
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:

Network Name (SSID):

BSSID:

Security Mode:

Encryption Algorithm:

Status:

Wi-Fi Direct:

Wireless Hardware:

Wi-Fi Protected Setup (WPS) Name:

Connection Method:

Subnet Prefix Address:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:**iBeacon (Bluetooth®) for AirPrint Di...**

iBeacon Hardware:

Bluetooth Device Address:

iBeacon IP Address:

Protocols

TCP/IPv4:

IP Address:	Enabled
Subnet Mask:	10.61.9.44
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.9.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.223
BOOTP Broadcast:	Fri Jan 29 22:21:44 2021
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fea9:f3a1
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	fd00:0:2:109:9e93:4eff:fea9:f3a1
Manual Address:	::
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:109:e484:26d7:92f0:c9e
Default Gateway:	
UUID (DHCP Unique Identifier):	00010001279e0c6b9c934ea9f3a1

DNS Settings:

Requested Host Name:	XXR9C934EA9F3A1
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrat...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.13.20
Alternate DNS Server 2:	
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps**Printing**

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL

Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed

Embedded Fax:

Fax Line1:	not installed
Fax Line2:	

Server Fax:

	Enabled
Repository Protocol:	FTP
Repository Server:	10.61.23.93:21
Repository Document Path:	/

Workflow Scanning:

	Enabled
	Enabled

Email:

	Enabled/Displayed
--	-------------------

Scan to Mailbox:

Storage Capacity (MB):	46978 MB
Storage Used (MB):	2490 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

	Disabled
--	----------

Scan To:

	Enabled
--	---------

Cloud Services:

	Disabled
--	----------

Print From:

	Enabled
--	---------

Saved Jobs for Reprint:	Enabled
-------------------------	---------

Print From USB:	Enabled
-----------------	---------

Print From MailBox:	Disabled
---------------------	----------

Cloud Services:	Disabled
-----------------	----------

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security**Authentication Configuration**

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

Kerberos

Xerox Secure Access:

Disabled

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate:	Signed
----------------------	--------

Root Certificates Installed:	54
------------------------------	----

802.1x:

Disabled

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

Disabled

TLS:

TLS Hash:	TLS 1.1 and TLS 1.2
-----------	---------------------

	SHA-1, SHA-256 and above
--	--------------------------

Trellix Embedded Control:

Enhanced Security

Common User Data

Machine Name: Xerox AltaLink B8245 MFP (A9:F3:A1)
 IP Address: 10.61.9.44
 Machine Serial Number: ZQV624007
 Fax Line1:
 Machine URL: https://10.61.9.44
 Machine Activation Date: Jan 01, 2021 00:04:05
 Total Impressions: 711

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator:
 Machine Location:
Managed By
 Primary MB Server:

System Administrator name not set
 machine location not set

Machine Hardware

Fax Card: not present
 Extended Fax Card: not present
 Fax Card Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 8192 MB
 Device Storage Size: used=4195MB/total=256060MB (SSD)
 EPC Memory Size: 1000 MB
 Finisher Type: Offsetting Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 13:48
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: PagePack
 Billing Impression Mode: A3 Impressions
 Geographic Region: unknown
 GMT Offset: 00:00
 Cloning Installation: Allowed (Encrypted Files Only)
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated

Smart Proximity Sensor

Wake on Arrival: Enabled
 Sleep on Departure: Disabled

Software Versions

Device Software: 121.041.004.15100
 Patch Version: None
 Network Controller: 121.041.15100
 UI Panel Firmware: 003.004.00000
 Marking Engine: 072.001.000
 Document Feeder: 023.026.000
 Finisher: 000.000.000
 Fax: 000.000.000
 Scanner: 017.023.011
Machine Upgrades: Not Allowed
 Last Successful Upgrade: January 22, 2021 22:12:59

Media Trays

Tray 1: Plain, White and A3 (297 x 420 mm)
 Tray 2: Plain, White and Tabloid Oversized (356 x 544 mm)
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Plain, White and A5 (148 x 210 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning: Enabled
 Authentication: Disabled

Physical Connections

USB Settings
 Usb Type A Ports: All Enabled
Wired:
 Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: 9c:93:4e:a9:f3:a1
 auto
 Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
 Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...
 iBeacon Hardware: Enabled
 iBeacon Device Address: Not Installed
 iBeacon IP Address:

Protocols

TCP/IPv4:

IP Address: Enabled
 10.61.9.44
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.9.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Fri Jan 29 22:21:44 2021
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPv6:

Link Local Address: Enabled
 fe80::9e93:4eff:fea9:f3a1
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:109:9e93:4eff:fea9:f3a1
 Stateless Global Address 2:
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address: fd00:0:2:109:9e484:26d7:92f0:c9e

Default Gateway:

DUID (DHCP Unique Identifier): 00010001279e0c6b9c934ea9f3a1

DNS Settings:

Requested Host Name: XRX9C934EA9F3A1
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox AltaLink B8245 MFP (A9:F3:A1)

HTTP:

Force Traffic over Secure Connection (HTTPS): Enabled
 IPP: Enabled

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Enabled

Raw IP Printing:

Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDAP...): Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):

Installed Options

PS: Installed