

Apps Printing

- Banner Sheet: Enabled
- Delete Field Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
- Error Sheets: Enabled
- Paper Substitution: Enabled
- Troy Priority: 1, 2, 3, 4, 5, 6
- Default Copies: 1
- Default Job Type: Normal Print
- Default Paper Size: x 8.50 inches, y= 11.00 inches
- Default Paper Color: White
- Default 2 Sided Printing: 1 Sided
- Default Output Tray: Center Tray
- Default Output Color: Color
- Default Colored Sides: Enabled
- Default Stapling: Not Available
- Offsetting Between Jobs: No
- PostScript: Installed
- Level: 3
- Version: 3021.101
- Image Quality: Enhanced
- PCL: 6
- Version: 1.00
- Pitch Size: 12.00
- Font Name: Courier
- Lines Per Page: 60
- Custom Color Tables: Enabled
- lobel: Not Installed

Embedded Fax

- Fax Line 1: not installed

Server Fax:

- Confirmation Sheet: On
- Delay Start: Disabled
- Repository Protocol: SMB
- Repository Server: 10.61.23.93:445
- Repository Document Path: /

Workflow Scanning:

- Confirmation Sheet: Off
- Default Repository Server: 0.0.0.0
- Default Repository Protocol: Device
- Default Repository Document Path: Device
- Default Repository Login Credentials: FTP
- Alt1 Repository Protocol: 0.0.0.0
- Alt1 Repository Server: 0.0.0.0
- Alt1 Repository Document Path: 0.0.0.0
- Alt1 Repository Login Credentials: Device
- Workflow Pool Protocol: FTP
- Workflow Pool Server: 0.0.0.0
- Workflow Pool Path: 0.0.0.0

Email:

- Default From Address: Enabled
- Confirmation Sheet: Errors Only
- Auto Send to Self: Disabled
- E-mail Security: Disabled

Scan to Mailbox:

- View Mailboxes by Default: Enabled/Displayed
- Storage Capacity (MB): 672 MB
- Storage Used (MB): 83 MB
- Cleanup of Public Folders: Enabled
- Cleanup of Created Folders: Enabled
- Clearup Time: Daily

Scan to Home:

- Friendly Name: Disabled
- Workflow Name: Disabled
- Auto Create Subdir: Disabled
- Append User Name to Path: Disabled
- Auto Create User Name Dir: Disabled

Scan To:

- Cloud Services: Enabled
- Print From: Disabled
- Print From USB: Enabled
- Print From Mailbox: Disabled
- Cloud Services: Disabled

Print From:

- Cloud Services: Enabled
- Saved Jobs for Reprint: Enabled
- Print From Mailbox: Disabled
- Cloud Services: Disabled

Carroll MFP (PFandH room)

- HTTP: Enabled
- Bonjour Printer Name: Bonjour
- Force Traffic over Secure Connection (HTTP): Port Number: 80
- Secure HTTP Port Number: 443
- Proxy Server: Manual
- Proxy Server Address: www.mtc.xerox.com:8000
- IPP: Enabled
- Secure IPP Mode: IPP and Secure IPPS
- IPP Network Path: http://10.61.16.25:631
- SNMP v1/v2: Enabled
- SNMP v3: Disabled
- LDAP: Disabled
- LDAP Server 1 Friendly Name: LDAP Server 1
- LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
- LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
- LDAP Server 1 Search Directory Root: LDAP Server 1 Secure Connection (LDAP)
- LDAP Server 1 Secure Connection (LDAP): Disabled
- SMTP Server: 10.61.5.241:25
- Connect Encryption (TLS): No Encryption
- Validate Server Certificate (TLS): 10240
- Max Message Size (KB): 1
- Number of Fragments: 30000
- Total Job Size (KB): Page Boundary
- Job Splitting Boundary: Credentials for Auto E-mails: None
- POP3 Server: 0.0.0.0:110
- POP3 Secure Connection (TLS): Disabled
- E-mail Address: Disabled
- Receipt of E-mail via POP3: Disabled
- Incoming E-mail cover sheet: Enabled
- Send Confirm on Request: Enabled
- NTP: Disabled
- Primary Server: 0.0.0.0:123
- Alternate Server: 0.0.0.0:123
- SLP: Disabled
- FTP Client Mode: Passive
- FTP Client Mode: Enabled
- Web Services on Device: Enabled
- WS-Discovery Multicast: Enabled
- WS-Discovery: Enabled
- WS-Print: Enabled
- WS-Scan: Enabled
- Web Services: Enabled
- Copy Submissions: Enabled
- Digital Certificate Management and Security: Enabled
- Job Limits: Enabled
- Job Management Extension: Enabled
- Device Configuration: Enabled
- Scan Submissions: Enabled
- Scan Workflow Management: Enabled
- Session Data: Enabled
- User Interface Configuration: Enabled
- EIP Proxy Configuration: Enabled
- Xerox Secure Access: Disabled
- EIP SNMP Configuration: Enabled
- Scan Template Mgmt: Enabled
- Mass Storage Access: Enabled
- Card Reader Access: Enabled
- Authentication & Accounting Configuration: Enabled
- Export Audit Log: Enabled
- Trellix Embedded Control: Enabled



Common User Data

Machine Name: Coroll MFP_U(PFandH team)
IP Address: 10.61.16.25
Machine Serial Number: 5322480450

Fax Line1: Machine URL: https://10.61.16.25
Machine Activation Date: Jan 01, 2021 05:37:38

Black Impressions: 62
Color Impressions: 110
Total Impressions: 172

Xerox Asset Tag: Customer Asset Tag:
Customer Support Number: Service Phone Number:
Customer Support Number: Supplies Phone Number:

System Administrator: System Administrator name not set
Machine Location: Machine Location:

Managed By: Primary MFP Server:
System Administrator: Primary MFP Server:

Fax Card: Extended Fax Card: not present
Foreign Interface Card: not present
Device Storage Size: 0 MB
Device RAM Size: 3904 MB
EPC Memory Size: 187 MB

Productivity Kit: Not installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not installed

Remote Services: Remote Services Download: Enabled
Remote Services Trans. Time: 12.44
Xerox Workplace Cloud: Disabled
E-mail Alerts: Merged
Service Plan: Merged

Geographic Region: unknown
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless

Energy Saver: Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Smart Proximity Sensor: Not Available

Sleep on Departure: Wake on Arrival: Not Available
Device Software: 121.024.004.19200
Patch Version: None
Network Controller: 121.024.19200

UI Panel Firmware: 6.2
Marking Engine: 221.173
Document Feeder: 221.173
Finisher: 000.000.000
Scanner: 221.173

Machine Upgrades: Allowed
Last Successful Upgrade: July 15, 2024 13:12:51

Media Trays 6: Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Software Versions: Device Software: 121.024.004.19200
Patch Version: None
Network Controller: 121.024.19200

UI Panel Firmware: 6.2
Marking Engine: 221.173
Document Feeder: 221.173
Finisher: 000.000.000
Scanner: 221.173

Machine Upgrades: Allowed
Last Successful Upgrade: July 15, 2024 13:12:51

Media Trays 6: Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Software Versions: Device Software: 121.024.004.19200
Patch Version: None
Network Controller: 121.024.19200

UI Panel Firmware: 6.2
Marking Engine: 221.173
Document Feeder: 221.173
Finisher: 000.000.000
Scanner: 221.173

Machine Upgrades: Allowed
Last Successful Upgrade: July 15, 2024 13:12:51

Media Trays 6: Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Software Versions: Device Software: 121.024.004.19200
Patch Version: None
Network Controller: 121.024.19200

UI Panel Firmware: 6.2
Marking Engine: 221.173
Document Feeder: 221.173
Finisher: 000.000.000
Scanner: 221.173

Machine Upgrades: Allowed
Last Successful Upgrade: July 15, 2024 13:12:51

Media Trays 6: Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Software Versions: Device Software: 121.024.004.19200
Patch Version: None
Network Controller: 121.024.19200

UI Panel Firmware: 6.2
Marking Engine: 221.173
Document Feeder: 221.173
Finisher: 000.000.000
Scanner: 221.173

Machine Upgrades: Allowed
Last Successful Upgrade: July 15, 2024 13:12:51

Media Trays 6: Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Mobile Workflows

Airprint Printing: Enabled
Airprint / Mopria Scanning: Enabled
Mopria Printing Discovery: Enabled

Physical Connections: USB Settings: All Enabled
USB Type A Ports: 110
Wi-Fi: 172

Wireless: Ethernet MAC Address: 78:8C:77:FC:24:43
Ethernet Speed/Duplex Setting: auto
Wireless MAC Address: Disabled

Network Name (SSID): Wireless Name (SSID):
Network Name (SSID): Wireless Name (SSID):

Security Mode: BSSSID:
Encryption Algorithm: Security Mode:
Status: Wi-Fi Direct: Enabled

Wi-Fi Protected Setup (WPS) Name: Not installed
Wi-Fi Protected Setup (WPS) Name: Not installed

Show Password on Device Touch Screen: Enabled
NFC: Enabled

iBeacon (Bluetooth®) for AirPrint Di...: Not installed
iBeacon Hardware: Not installed
Bluetooth Device Address: Not installed

Subnet Mask: 10.61.16.25
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP Server: 10.61.13.223

DHCP Lease Expiration: 10.61.13.223
DHCP Server: 10.61.13.223
DHCP Server: 10.61.13.223

Self Assigned Address: 10.61.13.223
Self Assigned Address: 10.61.13.223
Self Assigned Address: 10.61.13.223

Link Local Address: 10.61.13.223
Use Router Supplied Prefix: 10.61.13.223
Stateless Global Address 1: 10.61.13.223

Stateless Global Address 2: 10.61.13.223
Manual Address: 10.61.13.223
Dhcp Addressing: Use DHCP as directed by a router

DHCP Addressing: Lossless
Default Gateway: fe80::8afc:5dff:fe75:e282
DHCP Unique Identifier: fe80::8afc:5dff:fe75:e282

DNS Settings: Requested Host Name: XRX788C77FC2443
Requested Domain Name: XRX788C77FC2443
Verified Host Name: XRX788C77FC2443

Requested Domain Name: XRX788C77FC2443
Verified Host Name: XRX788C77FC2443
Verified Domain Name: XRX788C77FC2443

Multicast DNS: 121.024.004.19200
Release DHCP Leases and DNS Registrat...: Disabled
Primary DNS Server: 10.61.7.15

Primary DNS Server: 10.61.7.15
Prefer IPv6 DNS over IPv4: Enabled
Bonjour Printer Name: Coroll MFP_U(PFandH team)

Bonjour: Bonjour Printer Name: Coroll MFP_U(PFandH team)
Force Traffic over Secure Connection (H...): Yes
IPP: Enabled

SNMP v3: Enabled
SNMP v1/v2: Enabled
SNMP v3: Enabled

SNMP v1/v2: Enabled
SNMP v3: Enabled
SNMP v3: Enabled

Raw IP Printing: Enabled
LDAP: Enabled
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root: Disabled
LDAP Server 1 Secure Connection (LDA...): Disabled

LDAP Server 1 Secure Connection (LDA...): Disabled
LDAP Server 1 Validate Server Certificate: Disabled
SMTP Server: 10.61.5.241:25

SMTP Server: 10.61.5.241:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS): No Encryption

Connectivity 8

Airprint Printing: Enabled
Airprint / Mopria Scanning: Enabled
Mopria Printing Discovery: Enabled

Physical Connections: USB Settings: All Enabled
USB Type A Ports: 110
Wi-Fi: 172

Wireless: Ethernet MAC Address: 78:8C:77:FC:24:43
Ethernet Speed/Duplex Setting: auto
Wireless MAC Address: Disabled

Network Name (SSID): Wireless Name (SSID):
Network Name (SSID): Wireless Name (SSID):

Security Mode: BSSSID:
Encryption Algorithm: Security Mode:
Status: Wi-Fi Direct: Enabled

Wi-Fi Protected Setup (WPS) Name: Not installed
Wi-Fi Protected Setup (WPS) Name: Not installed

Show Password on Device Touch Screen: Enabled
NFC: Enabled

iBeacon (Bluetooth®) for AirPrint Di...: Not installed
iBeacon Hardware: Not installed
Bluetooth Device Address: Not installed

Subnet Mask: 10.61.16.25
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP Server: 10.61.13.223

DHCP Lease Expiration: 10.61.13.223
DHCP Server: 10.61.13.223
DHCP Server: 10.61.13.223

Self Assigned Address: 10.61.13.223
Self Assigned Address: 10.61.13.223
Self Assigned Address: 10.61.13.223

Link Local Address: 10.61.13.223
Use Router Supplied Prefix: 10.61.13.223
Stateless Global Address 1: 10.61.13.223

Stateless Global Address 2: 10.61.13.223
Manual Address: 10.61.13.223
Dhcp Addressing: Use DHCP as directed by a router

DHCP Addressing: Lossless
Default Gateway: fe80::8afc:5dff:fe75:e282
DHCP Unique Identifier: fe80::8afc:5dff:fe75:e282

DNS Settings: Requested Host Name: XRX788C77FC2443
Requested Domain Name: XRX788C77FC2443
Verified Host Name: XRX788C77FC2443

Requested Domain Name: XRX788C77FC2443
Verified Host Name: XRX788C77FC2443
Verified Domain Name: XRX788C77FC2443

Multicast DNS: 121.024.004.19200
Release DHCP Leases and DNS Registrat...: Disabled
Primary DNS Server: 10.61.7.15

Primary DNS Server: 10.61.7.15
Prefer IPv6 DNS over IPv4: Enabled
Bonjour Printer Name: Coroll MFP_U(PFandH team)

Bonjour: Bonjour Printer Name: Coroll MFP_U(PFandH team)
Force Traffic over Secure Connection (H...): Yes
IPP: Enabled

SNMP v3: Enabled
SNMP v1/v2: Enabled
SNMP v3: Enabled

SNMP v1/v2: Enabled
SNMP v3: Enabled
SNMP v3: Enabled

Raw IP Printing: Enabled
LDAP: Enabled
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root: Disabled
LDAP Server 1 Secure Connection (LDA...): Disabled

LDAP Server 1 Secure Connection (LDA...): Disabled
LDAP Server 1 Validate Server Certificate: Disabled
SMTP Server: 10.61.5.241:25

SMTP Server: 10.61.5.241:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS): No Encryption

Media Trays 6: Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Software Versions: Device Software: 121.024.004.19200
Patch Version: None
Network Controller: 121.024.19200

UI Panel Firmware: 6.2
Marking Engine: 221.173
Document Feeder: 221.173
Finisher: 000.000.000
Scanner: 221.173

Machine Upgrades: Allowed
Last Successful Upgrade: July 15, 2024 13:12:51

Media Trays 6: Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Software Versions: Device Software: 121.024.004.19200
Patch Version: None
Network Controller: 121.024.19200

UI Panel Firmware: 6.2
Marking Engine: 221.173
Document Feeder: 221.173
Finisher: 000.000.000
Scanner: 221.173

