

Common User Data

Machine Name: Xerox VersaLink B415 MFP (08:5E:51)
 IP Address: 10.61.16.152
 Machine Serial Number: 5330005914
 Fax Line 1:
 Machine URL: https://10.61.16.152
 Machine Activation Date: Jul 07, 2024 13:16:49
 Total Impressions: 1461

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: not present
 Extended Fax Card: not present
 Fax Card Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 1984 MB
 Device Storage Size: used: 3407MB/total: 14004MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 06:44
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Plan Activated
 Geographic Region: unknown
 Startup Config Report: Disabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Disabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 120 minutes
 Auto-Off: Disabled

Software Versions

Device Software: 121.029.004.19200
 Patch Version: None
 Network Controller: 121.029.19200
 UI Panel Firmware: 6.3
 User Interface: 121.029.19200
 Marking Engine: 221.173
 Copy Controller: 121.029.19200
 Document Feeder: 221.173
 Finisher: 000.000.000
 Fax: 000.000.000
 OS: 221.173
 Scanner: 221.173
 Software Upgrade: 004.024
 ALTB00T Software Upgrade: 004.024
 Tray 2: A19.1_B3.1
 Tray 3: A19.1_B3.1

Machine Upgrades:

Last Successful Upgrade: Allowed
 Scheduled Auto Upgrades: July 14, 2024 14:12:43
 Auto Upgrade Start Time: Disabled
 Auto Upgrade Server: Daily
 0.0.0.21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Plain, White and x=210mm, y=216mm
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Universal Print: Disabled
 Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
 Usb Type A Ports: All Enabled
 Printing Timeout: 5 seconds
Wired:
 Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: e8:4dec:08:5e:51
 auto
 Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:

NFC: Enabled
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPv4:

IP Address: Enabled
 10.61.16.152
 Subnet Mask: 255.255.255.0
 Router /Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Sun Jul 21 14:24:04 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPv6:

Link Local Address: Enabled
 fe80::ea4d:ecff:fe08:5e51
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:ea4d:ecff:fe08:5e51
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRXE84DEC085E51
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrat...: Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: ::
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQA.COM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Xerox VersaLink B415 MFP (08:5E:51)
HTTP:
 Port Number: Enabled
 Force Traffic over Secure Connection (H...: 80
 Secure HTTP Port Number: Yes
 Proxy Server: 443
 Proxy Server Address: Automatic
 IPP: 0.0.0.0:8080
 Secure IPP Mode: Enabled
 IPP Network Path: IPP and Secure IPPS
 http://10.61.16.152:631
SNMP
 SNMP v1/v2: Enabled
 SNMP v3: Disabled
LPR/LPD:
 Port Number: Enabled
 PDL Switching: 515
 PDL Banner Override: Disabled
Raw IP Printing:
 Port Number 1: Enabled
 Bidirectional: 9100
 End of Job Timeout: Disabled
 PDL Switching: 300
LDAP
 LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled
SMTP
 SMTP Server: 10.61.10.8:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None
POP3
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled
NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123
SLP:
 Disabled
FTP Client:
 Enabled
 FTP Client Mode: Passive
Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled
Web Services
 Copy Submission: Enabled
 Digital Certificate Management and Securi...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Enabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,5
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=210mm, y=297mm
 Default Paper Color: White
 Default 2 Sided Printing: 1 Sided
 Default Output Tray: Center Tray
 Default Output Color: Black & White
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
PostScript
 Level: 3
 Version: 3021.101
 Image Quality: Enhanced
PCL
 Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 64
Custom Color Tables
 Label: Enabled
 Not Installed
Embedded Fax:
 Fax Line 1: not installed
 Fax Line 2:
Server Fax:
 Confirmation Sheet: Enabled
 Delay Start: Errors Only
 Repository Protocol: Disabled
 Repository Server: FTP
 Repository Document Path: 0.0.0.0:0
Workflow Scanning:
 Confirmation Sheet: Enabled
 Errors Only
 Default Repository Protocol: FTP
 Default Repository Server: 0.0.0.0:0
 Default Repository Document Path:
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: FTP
 Alt1 Repository Server: 0.0.0.0:0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: FTP
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:
Email:
 Default From Address: Enabled
 Confirmation Sheet: Errors Only
 Auto Send to Self: Disabled
 E-mail Security: Disabled
Scan to Mailbox:
 View Mailboxes by Default: Disabled
 Storage Capacity (MB): Enabled
 Storage Used (MB): 672 MB
 Cleanup of Public Folders: 50 MB
 Cleanup of Created Folders: Enabled
 Cleanup Time: Enabled
 Daily
Scan to Home:
 Friendly Name: Disabled
 Workflow Name: Disabled
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled
Scan To:
 Cloud Services: Enabled
 Disabled
Print From:
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps**Printing**

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Embedded Fax:	not installed
Fax Line1:	
Fax Line2:	

Server Fax:

Server Fax:	Enabled
Repository Protocol:	FTP
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:

Workflow Scanning:	Enabled
---------------------------	---------

Email:**Scan to Mailbox:**

Email:	Enabled
Scan to Mailbox:	Disabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	50 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Scan to Home:	Disabled
----------------------	----------

Scan To:

Scan To:	Enabled
-----------------	---------

Print From:

Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting:	None
Network Accounting:	Disabled

Security**Authentication Configuration**

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

Authentication Server:	Kerberos
-------------------------------	----------

Xerox Secure Access:

Xerox Secure Access:	Disabled
-----------------------------	----------

Audit Log:

Audit Log:	Enabled
-------------------	---------

IP Sec:

IP Sec:	Disabled
----------------	----------

IP Filtering:

IP Filtering:	Disabled
----------------------	----------

Security Certificates

Security Certificates	
Machine Certificate:	Signed
Root Certificates Installed:	57

802.1x:

802.1x:	Disabled
----------------	----------

Job Data Removal:

Job Data Removal:	Disabled
--------------------------	----------

Scheduled:

Scheduled:	Disabled
-------------------	----------

FIPS 140-3:

FIPS 140-3:	Disabled
--------------------	----------

TLS:

TLS:	TLS 1.1 and TLS 1.2
-------------	---------------------

TLS Hash:

TLS Hash:	SHA-1, SHA-256 and above
------------------	--------------------------

Trellix Embedded Control:

Trellix Embedded Control:	Enhanced Security
----------------------------------	-------------------

Common User Data

Machine Name: Xerox VersaLink B415 MFP (08:5E:51)
 IP Address: 10.61.16.152
 Machine Serial Number: 5330005914
 Fax Line1:
 Machine URL: https://10.61.16.152
 Machine Activation Date: Jul 07, 2024 13:16:49
 Total Impressions: 1459

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Fax Card: not present
 Extended Fax Card: not present
 Fax Card Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 1984 MB
 Device Storage Size: used: 3374MB/total: 14004MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 06:44
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Plan Activated
 Geographic Region: unknown
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 File Sharing: Enabled
 JBIG2: Lossless
Energy Saver
 Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
Smart Proximity Sensor
 Wake on Arrival: Not Available
 Sleep on Departure:

Software Versions

Device Software: 121.029.004.19200
 Patch Version: None
 Network Controller: 121.029.19200
 UI Panel Firmware: 6.3
 Marking Engine: 221.173
 Document Feeder: 221.173
 Finisher: 000.000.000
 Fax: 000.000.000
 Scanner: 221.173
Machine Upgrades:
 Last Successful Upgrade: July 14, 2024 14:12:43

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Plain, White and x=210mm, y=216mm
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Disabled

Physical Connections

USB Settings
 Usb Type A Ports: All Enabled

Wired:

Ethernet MAC Address: Enabled
 e8:4d:ec:08:5e:51
 Ethernet Speed/Duplex Setting: auto
Wireless:
 Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:

Wi-Fi Direct:

Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:

Access Point (SSID):
 Show Password on Device Touch Screen:

NFC:

Enabled
 iBeacon (Bluetooth®) for AirPrint Di...
 Enabled
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPV4:

Enabled
 IP Address: 10.61.16.152
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Sun Jul 21 14:24:04 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Enabled
 Link Local Address: fe80::ea4d:ecff:fe08:5e51
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:ea4d:ecff:fe08:5e51
 Stateless Global Address 2:
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRXE84DEC085E51
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B415 MFP (08:5E:51)

HTTP:

Force Traffic over Secure Connection (H...: Enabled
 JPP: Yes
 Enabled

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Enabled

Raw IP Printing:

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.10.8.25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):



Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
 Kerberos Primary Address: 0.0.0.0:88
 Kerberos Alt 1 Realm: Kerberos
 Kerberos Alt 1 Address: 0.0.0.0:88
 SMB NT Domain: SMB NT Domain
 SMB Alt 1 NT Domain: SMB Alt 1 NT Domain
 Smartcard Ctrl Server: 0.0.0.0:443
 Smartcard Ctrl Domain: Smartcard Ctrl Domain
 SmartCard OCSP URL: SmartCard OCSP URL
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version: Card Reader Firmware Version

Xerox Secure Access:

Secure Access Server: Disabled
 Secure Access Server: 0.0.0.0:443
 Secure Access Path: Secure Access Path

Audit Log:

Audit Log: Enabled

IP Sec:

IP Sec: Disabled

IP Filtering:

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 57
 802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
 Scheduled Frequency: Monthly

FIPS 140-3:

FIPS 140-3: Disabled

TLS:

TLS: TLS 1.1 and TLS 1.2
 TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_240.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123