

**Common User Data**

Machine Name: Xerox VersaLink B415 MFP (08:5E:51)  
 IP Address: 10.61.16.152  
 Machine Serial Number: 5330005914  
 Fax Line 1:  
 Machine URL: https://10.61.16.152  
 Machine Activation Date: Jul 07, 2024 13:16:49  
 Total Impressions: 1461

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used: 3407MB/total: 14004MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 06:44  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: Plan Activated  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 120 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 121.029.004.19200  
 Patch Version: None  
 Network Controller: 121.029.19200  
 UI Panel Firmware: 6.3  
 User Interface: 121.029.19200  
 Marking Engine: 221.173  
 Copy Controller: 121.029.19200  
 Document Feeder: 221.173  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 221.173  
 Scanner: 221.173  
 Software Upgrade: 004.024  
 ALTB00T Software Upgrade: 004.024  
 Tray 2: A19.1\_B3.1  
 Tray 3: A19.1\_B3.1

**Machine Upgrades:**

Last Successful Upgrade: Allowed  
 Scheduled Auto Upgrades: July 14, 2024 14:12:43  
 Auto Upgrade Start Time: Disabled  
 Auto Upgrade Server: Daily  
 0.0.0.21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and Letter (8.5 x 11")  
 Tray 3: Plain, White and x=210mm, y=216mm  
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning Authentication: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 Usb Type A Ports: All Enabled  
 Printing Timeout: 5 seconds  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: e8:4dec:08:5e:51  
 auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:** Enabled  
 Wireless Hardware: Not Installed

**Wi-Fi Protected Setup (WPS) Name:**

Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di... Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IP Address: Enabled  
 10.61.16.152  
 Subnet Mask: 255.255.255.0  
 Router /Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Sun Jul 21 14:24:04 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address: Enabled  
 fe80::ea4d:ecff:fe08:5e51  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:116:ea4d:ecff:fe08:5e51  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRXE84DEC085E51  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrat... Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: XEROXQA.COM.  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink B415 MFP (08:5E:51)  
**HTTP:**  
 Port Number: Enabled  
 Force Traffic over Secure Connection (H...: 80  
 Secure HTTP Port Number: Yes  
 Proxy Server: 443  
 Proxy Server Address: Automatic  
 IPP: 0.0.0.0:8080  
 Secure IPP Mode: Enabled  
 IPP Network Path: IPP and Secure IPPS  
 http://10.61.16.152:631  
**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:**  
 Part Number: Enabled  
 PDL Switching: 515  
 PDL Banner Override: Disabled  
**Raw IP Printing:**  
 Port Number 1: Enabled  
 Bidirectional: 9100  
 End of Job Timeout: Disabled  
 PDL Switching: 300  
 Disabled  
**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled  
**SMTP**  
 SMTP Server: 10.61.10.8:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
**POP3**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled  
**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123  
**SLP:**  
 Disabled  
**FTP Client:**  
 Enabled  
 FTP Client Mode: Passive  
**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled  
**Web Services**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Enabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=210mm, y=297mm  
 Default Paper Color: White  
 Default 2 Sided Printing: 1 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Black & White  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
**PostScript**  
 Level: 3  
 Version: 3021.101  
 Image Quality: Enhanced  
**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 64  
**Custom Color Tables**  
 Label: Enabled  
 Not Installed  
**Embedded Fax:**  
 Fax Line 1: not installed  
 Fax Line 2:  
**Server Fax:**  
 Confirmation Sheet: Enabled  
 Delay Start: Errors Only  
 Repository Protocol: Disabled  
 Repository Server: FTP  
 Repository Document Path: 0.0.0.0:0  
**Workflow Scanning:**  
 Confirmation Sheet: Enabled  
 Default Repository Protocol: Errors Only  
 Default Repository Server: FTP  
 Default Repository Document Path: 0.0.0.0:0  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: FTP  
 Alt1 Repository Server: 0.0.0.0:0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: FTP  
 Workflow Pool Server: 0.0.0.0:0  
 Workflow Pool Path:  
**Email:**  
 Default From Address: Enabled  
 Confirmation Sheet: Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled  
**Scan to Mailbox:**  
 View Mailboxes by Default: Disabled  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 50 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily  
**Scan to Home:**  
 Friendly Name: Disabled  
 Workflow Name: Disabled  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled  
**Scan To:**  
 Cloud Services: Enabled  
 Disabled  
**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled

**Protocols (cont.)**

<b>POP3</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
<b>NTP:</b>	Enabled
<b>FTP Client:</b>	Enabled
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	Enabled

**Apps****Printing**

<b>Banner Sheet:</b>	Enabled
<b>Error Sheets:</b>	Enabled
<b>Paper Substitution:</b>	Enabled
<b>Tray Priority:</b>	1,2,3,5
<b>PostScript</b>	Installed
Level:	3
Version:	3021.101
<b>PCL</b>	
Version:	6
Font Name:	Courier
<b>Custom Color Tables</b>	Enabled
Label:	Not Installed
<b>Embedded Fax:</b>	not installed
Fax Line1:	
Fax Line2:	

**Server Fax:**

<b>Repository Protocol:</b>	Enabled
Repository Server:	FTP
Repository Document Path:	0.0.0.0:0

**Workflow Scanning:**

	Enabled
--	---------

**Email:****Scan to Mailbox:**

<b>Storage Capacity (MB):</b>	Disabled
Storage Used (MB):	672 MB
Storage Used (MB):	50 MB
<b>Cleanup of Public Folders:</b>	Enabled
<b>Cleanup of Created Folders:</b>	Enabled
<b>Cleanup Time:</b>	Daily

**Scan to Home:**

	Disabled
--	----------

**Scan To:**

	Enabled
--	---------

**Cloud Services:**

	Disabled
--	----------

**Print From:**

	Enabled
--	---------

Saved Jobs for Reprint:	Enabled
-------------------------	---------

Print From USB:	Enabled
-----------------	---------

Print From MailBox:	Disabled
---------------------	----------

Cloud Services:	Disabled
-----------------	----------

**Accounting**

Accounting Mode:	None
------------------	------

Network Accounting:	Disabled
---------------------	----------

**Security****Authentication Configuration**

<b>Machine UI Authentication:</b>	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked

<b>Device Website Authentication:</b>	Locally on the Device
---------------------------------------	-----------------------

Authorization:	Locally on the Device
----------------	-----------------------

Retrieve E-mail from LDAP:	Enabled
----------------------------	---------

**Authentication Server:**

	Kerberos
--	----------

**Xerox Secure Access:**

	Disabled
--	----------

**Audit Log:**

	Enabled
--	---------

**IP Sec:**

	Disabled
--	----------

**IP Filtering:**

	Disabled
--	----------

**Security Certificates**

Machine Certificate:	Signed
----------------------	--------

Root Certificates Installed:	57
------------------------------	----

**802.1x:**

	Disabled
--	----------

**Job Data Removal:**

Scheduled:	Disabled
------------	----------

**FIPS 140-3:**

	Disabled
--	----------

**TLS:**

	TLS 1.1 and TLS 1.2
--	---------------------

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

**Trellix Embedded Control:**

	Enhanced Security
--	-------------------

## Common User Data

Machine Name: Xerox VersaLink B415 MFP (08:5E:51)  
 IP Address: 10.61.16.152  
 Machine Serial Number: 5330005914  
 Fax Line1:  
 Machine URL: https://10.61.16.152  
 Machine Activation Date: Jul 07, 2024 13:16:49  
 Total Impressions: 1459

## Machine Profile

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

## Machine Hardware

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used: 3374MB/total: 14004MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 06:44  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: Plan Activated  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

## Software Versions

Device Software: 121.029.004.19200  
 Patch Version: None  
 Network Controller: 121.029.19200  
 UI Panel Firmware: 6.3  
 Marking Engine: 221.173  
 Document Feeder: 221.173  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 Scanner: 221.173  
**Machine Upgrades:**  
 Last Successful Upgrade: July 14, 2024 14:12:43

## Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and Letter (8.5 x 11")  
 Tray 3: Plain, White and x=210mm, y=216mm  
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

## Installed Options

PS: Installed

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning Authentication: Enabled  
 Disabled

## Physical Connections

## USB Settings

Usb Type A Ports: All Enabled

## Wired:

Ethernet MAC Address: Enabled  
 e8:4d:ec:08:5e:51  
 Ethernet Speed/Duplex Setting: auto

## Wireless:

Wireless MAC Address: Disabled  
 Network Name (SSID):

## BSSID:

Security Mode:

Encryption Algorithm:

Status:

## Wi-Fi Direct:

Wireless Hardware: Enabled  
 Not Installed

Wi-Fi Protected Setup (WPS) Name:

Access Point (SSID):

Show Password on Device Touch Screen:

## NFC:

iBeacon (Bluetooth®) for AirPrint Di... Enabled  
 Enabled

iBeacon Hardware: Not Installed

Bluetooth Device Address:

iBeacon IP Address:

## Protocols

## TCP/IPV4:

Enabled  
 IP Address: 10.61.16.152  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Sun Jul 21 14:24:04 2024  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

## TCP/IPV6:

Enabled  
 Link Local Address: fe80::ea4d:ecff:fe08:5e51  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:116:ea4d:ecff:fe08:5e51  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway: fe80::8afc:5dff:fe75:e282  
 DUID (DHCP Unique Identifier):

## DNS Settings:

Requested Host Name: XRXE84DEC085E51  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati... Disabled  
 Primary DNS Server: 10.61.7.15  
 Prefer IPv6 DNS over IPv4: Enabled

## Bonjour:

Bonjour Printer Name: Xerox VersaLink B415 MFP (08:5E:51)

## HTTP:

Force Traffic over Secure Connection (H... Enabled  
 JPP Yes  
 Enabled

## SNMP

SNMP v1/v2: Enabled  
 Disabled

## LPR/LPD:

Enabled

## Raw IP Printing:

## LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA... Disabled  
 LDAP Server 1 Validate Server Certificate... Disabled

## SMTP

SMTP Server: 10.61.10.8:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.88  
 Kerberos Alt 1 Realm: Kerberos  
 Kerberos Alt 1 Address: 0.0.0.88  
 SMB NT Domain: SMB NT Domain  
 SMB Alt 1 NT Domain: SMB Alt 1 NT Domain  
 Smartcard Ctrl Server: 0.0.0.443  
 Smartcard Ctrl Domain: Smartcard Ctrl Domain  
 SmartCard OCSP URL: SmartCard OCSP URL  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version: Card Reader Firmware Version

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Server: 0.0.0.443  
 Secure Access Path: Secure Access Path

**Audit Log:**

Audit Log: Enabled

**IP Sec:**

IP Sec: Disabled

**IP Filtering:**

IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 57  
 802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled  
 Scheduled Frequency: Monthly

**FIPS 140-3:**

FIPS 140-3: Disabled

**TLS:**

TLS: TLS 1.1 and TLS 1.2  
 TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_240.5\_012\_01.00.00  
 Widget Version: v1.3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123