

Common User Data

Machine Name:	Xerox VersaLink B415 MFP (08:5E:51)
IP Address:	10.61.5.25
Machine Serial Number:	5330005914
Fax Line1:	
Machine URL:	https://10.61.5.25
Machine Activation Date:	Jan 01, 2021 06:34:38
Total Impressions:	187

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	
Extended Fax Card:	not present
Fax Card Memory Size:	738 MB
Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=3470MB/total=14004MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	used=83MB/total=0MB (SSD)
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	01:42
Xerox Workplace Cloud	Disabled
E-mail Alerts:	Disabled
Service Plan:	Neutral
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless
Energy Saver	
Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	0 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	122.029.004.19800
Patch Version:	None
Network Controller:	122.029.19800
UI Panel Firmware:	6.3
User Interface:	122.029.19800
Marking Engine:	230.307
Copy Controller:	122.029.19800
Document Feeder:	230.307
Finisher:	000.000.000
Fax:	003.021.002
OS:	230.307
Scanner:	230.307
Software Upgrade:	005.000
ALTBOOT Software Upgrade:	005.000
Tray 2:	A19.1_B3.1
Tray 3:	A19.1_B3.1
Machine Upgrades:	Allowed
Last Successful Upgrade:	July 16, 2024 21:51:53
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and Letter (8.5 x 11")
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and x=216mm, y=210mm
Bypass Tray:	Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows	
AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning Authentication	Enabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
Usb Type A Ports	All Enabled
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	e8:4d:ec:08:5e:51
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.5.25
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.5.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Thu May 9 00:06:01 2024
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::ea4d:ecff:fe08:5e51
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XXRE84DEC085E51
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.7.16
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	HCLT.CORP.HCL.IN.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
Lockdown Security Solution:	Installed

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox VersaLink B415 MFP (08:5E:51)
HTTP:	
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Automatic
Proxy Server Address:	0.0.0.0:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.5.25:631
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Enabled
LPR/LPD:	
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
SMTP:	
SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	
SLP:	Disabled
FTP Client:	
FTP Client Mode:	Passive
Web Services on Device:	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	1 Sided
Default Output Tray:	Center Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
PostScript	
Level:	Installed
Version:	3
Image Quality:	3021.101 Enhanced
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	
Label:	Enabled
Embedded Fax:	Not Installed
Fax Line1:	Disabled
Fax Line2:	

Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	On
Repository Protocol:	Disabled
Repository Server:	SMB
Repository Document Path:	10.61.23.93:445

Workflow Scanning:

Confirmation Sheet:	On
Default Repository Protocol:	FTP
Default Repository Server:	0.0.0.0
Default Repository Document Path:	
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	FTP
Alt1 Repository Server:	0.0.0.0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	FTP
Workflow Pool Server:	0.0.0.0
Workflow Pool Path:	

Email:

Default From Address:	Enabled
Confirmation Sheet:	xerox@xerox.com
Auto Send to Self:	On
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled/Displayed
Storage Capacity (MB):	Enabled
Storage Used (MB):	672 MB
Cleanup of Public Folders:	50 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
Scan to Home:	Daily
Friendly Name:	Disabled

Scan to Home:

Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:	Enabled
-----------------	---------

Print From:

Saved Jobs for Reprint:	Disabled
Print From USB:	Enabled
Print From MailBox:	Enabled/Displayed
Cloud Services:	Disabled



Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
Authentication Server:	Kerberos

Kerberos Primary Realm:	
Kerberos Primary Address:	0.0.0.0:88
Kerberos Alt 1 Realm:	
Kerberos Alt 1 Address:	0.0.0.0:88
SMB NT Domain:	
SMB Alt 1 NT Domain:	
Smartcard Ctl Server:	0.0.0.0:443
Smartcard Ctl Domain:	
SmartCard OCSP URL:	
Card Reader Upgrade Policy:	Enabled
Card Reader Firmware Version:	

Xerox Secure Access:	Disabled
Secure Access Server:	0.0.0.0:443
Secure Access Path:	

Audit Log:	Enabled
IP Sec:	Disabled
IP Filtering:	Disabled

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	54
802.1x:	Disabled

Job Data Removal:

Scheduled:	Standard
Scheduled Frequency:	Daily

FIPS 140-3:	Disabled
-------------	----------

TLS:	TLS 1.1 and TLS 1.2
TLS Hash:	SHA-1, SHA-256 and above

Trellix Embedded Control:	Disabled
---------------------------	----------

Extensible Service Setup

Third Generation Browser:	X3G_3.24.23_2.40.5_012_01.00.00
Widget Version:	v1.3.17 c8 20140613
Widget Version:	v2.5.04 g9 20240123