

**Common User Data**

Machine Name: Xerox AltaLink B8255 MFP (A2:6E:EA)  
 IP Address: Connecting...  
 Machine Serial Number: ZQV624012  
 Fax Line1:  
 Machine URL: Connecting...  
 Machine Activation Date: Jan 01, 2021 05:33:37  
 Total Impressions: 111

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location:  
**Managed By**  
 Primary MB Server:

System Administrator name not set  
 machine location not set

**Machine Hardware**

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used=4082MB/total=256060MB (SSD)  
 EPC Memory Size: 900 MB  
 Finisher Type: Offsetting Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 11:36  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 60 minutes  
 Auto-Off: Disabled

**Smart Proximity Sensor**

Wake on Arrival: Enabled  
 Sleep on Departure: Disabled  
 Maximize Detection Range: Disabled

**Software Versions**

Device Software: 121.041.004.22720  
 Patch Version: None  
 Network Controller: 121.041.22720  
 UI Panel Firmware: 003.004.00000  
 User Interface: 121.041.22720  
 Marking Engine: 072.001.000  
 Copy Controller: 121.041.22720  
 Document Feeder: 023.026.000  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 121.004.22720  
 Scanner: 017.023.013  
 Software Upgrade: 121.041.22720  
 Tray 2:  
 Tray 3:  
 Tray 4:

**Machine Upgrades**

Last Successful Upgrade: August 21, 2024 15:27:11  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning Authentication: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 Usb Type A Ports: All Disabled  
 Printing Timeout: 5 seconds  
**Wired:**  
 Ethernet MAC Address: Disabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:a2:6e:ea auto  
**Wireless:**  
 Wireless MAC Address: Enabled  
 Network Name (SSID): Lab User 2  
 BSSID:  
 Security Mode: WPA2\_PERSONAL  
 Encryption Algorithm: AUTO  
 Status: Not Connected  
**Wi-Fi Direct:**  
 Wireless Hardware: Enabled  
 Wi-Fi Protected Setup (WPS) Name: Not Installed  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:**  
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

IP Address: Enabled  
 Connecting...  
 Subnet Mask: 255.0.0.0  
 Router/Gateway: ::  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address:  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: =  
 Stateless Global Address 2: =  
 Manual Address:  
 DHCP Addressing:  
 DHCP Address:  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XR9C934EA26EEA  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: ::  
 Alternate DNS Server 1: ::  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List:  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox AltaLink B8255 MFP (A2:6E:EA)  
**HTTP:**  
 Enabled  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Automatic  
 Proxy Server Address: 0.0.0.0:8080  
 IPP: Enabled  
 Secur@ IPP Mode: IPP and Secur@ IPPS  
 IPP Network Path: http://:631

**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**  
 Enabled  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled

**Raw IP Printing:**  
 Enabled  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled

**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**  
 SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None

**POP3**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled

**NTP:**  
 Enabled  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123

**SLP:**  
 Disabled

**FTP Client:**  
 Enabled  
 FTP Client Mode: Passive

**Web Services on Device:**  
 Enabled  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled

**Web Services**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Enabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=210mm, y=297mm  
 Default Paper Color: White  
 Default 2 Sided Printing: 1 Sided  
 Default Output Tray: Main Tray  
 Default Output Color: Black & White  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: Installed  
**PostScript**  
 Level: 3  
 Version: 3021,101  
 Image Quality: Standard

**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 64  
 Custom Color Tables: Enabled  
 Label: Not Installed  
 not installed

**Embedded Fax:**  
 Fax Line1:  
 Fax Line2:

**Server Fax:**  
 Enabled  
 Confirmation Sheet: Errors Only  
 Delay Start: Disabled  
 Repository Protocol: FTP  
 Repository Server: 0.0.0.0  
 Repository Document Path:

**Workflow Scanning:**  
 Enabled  
 Confirmation Sheet: Errors Only  
 Default Repository Protocol: FTP  
 Default Repository Server: 0.0.0.0  
 Default Repository Document Path:  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: FTP  
 Alt1 Repository Server: 0.0.0.0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: FTP  
 Workflow Pool Server: 0.0.0.0  
 Workflow Pool Path:

**Email:**  
 Enabled  
 Default From Address:  
 Confirmation Sheet: Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled

**Scan to Mailbox:**  
 Enabled  
 View Mailboxes by Default: Enabled  
 Storage Capacity (MB): 46978 MB  
 Storage Used (MB): 2472 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:**  
 Disabled  
 Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**  
 Enabled  
 Cloud Services: Disabled

**Print From:**  
 Enabled  
 Saved Jobs for Reprint: Enabled/Displayed  
 Print From USB: Disabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked

Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device

Retrieve E-mail from LDAP: Enabled  
**Authentication Server:** Kerberos

Kerberos Primary Realm:  
 Kerberos Primary Address: 0.0.0.88  
 Kerberos Alt 1 Realm:  
 Kerberos Alt 1 Address: 0.0.0.88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:** Disabled  
 Secure Access Server: 0.0.0.443  
 Secure Access Path:

**Audit Log:** Enabled

**IP Sec:** Disabled

**IP Filtering:** Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: S4

**802.1x:** Disabled

**Job Data Removal:**

Scheduled: Disabled  
 Scheduled Frequency: Monthly

**FIPS 140-3:** Disabled

**TLS:** TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:** Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00  
 Widget Version: v1.3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123

**Common User Data**

Machine Name: Xerox AltaLink B8255 MFP (A2:6E:EA)  
 IP Address: Connecting...  
 Machine Serial Number: ZQV624012  
 Fax Line1:  
 Machine URL: Connecting...  
 Machine Activation Date: Jan 01, 2021 05:33:37  
 Total Impressions: 109

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Fax Card: not present  
 Extended Fax Card: not present  
 Fax Card Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used=4081MB/total=256060MB (SSD)  
 EPC Memory Size: 900 MB  
 Finisher Type: Offsetting Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 11:36  
 Xerox Workplace Cloud: Disabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated

**Smart Proximity Sensor**

Wake on Arrival: Enabled  
 Sleep on Departure: Disabled

**Software Versions**

Device Software: 121.041.004.22720  
 Patch Version: None  
 Network Controller: 121.041.22720  
 UI Panel Firmware: 003.004.00000  
 Marking Engine: 072.001.000  
 Document Feeder: 023.026.000  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 Scanner: 017.023.013

**Machine Upgrades:**

Last Successful Upgrade: Allowed  
 August 21, 2024 15:27:11

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning Authentication: Enabled  
 Disabled

**Physical Connections**

**USB Settings**

Usb Type A Ports: All Disabled

**Wired:**

Ethernet MAC Address: Disabled  
 9c:93:4e:a2:6e:ea  
 Ethernet Speed/Duplex Setting: auto  
 Enabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID): Lab User 2  
 BSSID:  
 Security Mode: WPA2\_PERSONAL  
 Encryption Algorithm: AUTO  
 Status: Not Connected  
**Wi-Fi Direct:**  
 Enabled  
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

Enabled  
 Enabled  
 iBeacon (Bluetooth®) for AirPrint Di...  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

Enabled  
 IP Address: Connecting...  
 Subnet Mask: 255.0.0.0  
 Router/Gateway: ::  
 Automatic Addressing: DHCP  
 DHCP Server:  
 DHCP Lease Expiration:  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address:  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: =  
 Stateless Global Address 2: =  
 Manual Address:  
 DHCP Addressing:  
 DHCP Address:  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX9C934EA26EEA  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrat...: Disabled  
 Primary DNS Server: ::  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox AltaLink B8255 MFP (A2:6E:EA)

**HTTP:**

Force Traffic over Secure Connection (H...: Enabled  
 IPP: Yes  
 Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

**Protocols (cont.)**

<b>POP3</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
<b>NTP:</b>	Enabled
<b>FTP Client:</b>	Enabled
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	Enabled

**Apps****Printing**

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
<b>PostScript</b>	Installed
Level:	3
Version:	3021 101
<b>PCL</b>	
Version:	6
Font Name:	Courier
<b>Custom Color Tables</b>	Enabled
Label:	Not Installed
<b>Embedded Fax:</b>	not installed
Fax Line1:	
Fax Line2:	

**Server Fax:**

<b>Server Fax:</b>	Enabled
Repository Protocol:	FTP
Repository Server:	0.0.0.0:0
Repository Document Path:	

**Workflow Scanning:**

<b>Workflow Scanning:</b>	Enabled
---------------------------	---------

**Email:**

<b>Email:</b>	Enabled
---------------	---------

**Scan to Mailbox:**

<b>Scan to Mailbox:</b>	Disabled
Storage Capacity (MB):	46978 MB
Storage Used (MB):	2472 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

**Scan to Home:**

<b>Scan to Home:</b>	Disabled
----------------------	----------

**Scan To:**

<b>Scan To:</b>	Enabled
-----------------	---------

**Cloud Services:**

<b>Cloud Services:</b>	Disabled
------------------------	----------

**Print From:**

<b>Print From:</b>	Enabled
Saved Jobs for Reprint:	Enabled/Displayed
Print From USB:	Disabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

**Accounting**

<b>Accounting Mode:</b>	None
<b>Network Accounting:</b>	Disabled

**Security****Authentication Configuration**

<b>Machine UI Authentication:</b>	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
<b>Device Website Authentication:</b>	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
<b>Authentication Server:</b>	Kerberos
<b>Xerox Secure Access:</b>	Disabled
<b>Audit Log:</b>	Enabled
<b>IP Sec:</b>	Disabled
<b>IP Filtering:</b>	Disabled

**Security Certificates**

<b>Machine Certificate:</b>	Signed
Root Certificates Installed:	54
<b>802.1x:</b>	Disabled

**Job Data Removal:**

<b>Job Data Removal:</b>	Disabled
--------------------------	----------

**Scheduled:**

<b>Scheduled:</b>	Disabled
-------------------	----------

**FIPS 140-3:**

<b>FIPS 140-3:</b>	Disabled
--------------------	----------

**TLS:**

<b>TLS:</b>	TLS 1.1 and TLS 1.2
-------------	---------------------

**TLS Hash:**

<b>TLS Hash:</b>	SHA-1, SHA-256 and above
------------------	--------------------------

**Trellix Embedded Control:**

<b>Trellix Embedded Control:</b>	Enhanced Security
----------------------------------	-------------------