

Common User Data

Machine Name: Xerox AltaLink B8255 MFP (A2:6E:EA)
IP Address: 10.61.21.11
Machine Serial Number: ZQV624012
Fax Line1:
Machine URL: https://10.61.21.11
Machine Activation Date: Jan 01, 2021 05:33:37
Total Impressions: 116

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: System Administrator name not set
Machine Location: machine location not set
Managed By:
Primary MB Server:

Machine Hardware

Fax Card: not present
Extended Fax Card: not present
Fax Card Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 4096 MB
Device Storage Size: used=4086MB/total=256060MB (SSD)
EPC Memory Size: 900 MB
Finisher Type: Offsetting Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 11:36
Xerox Workplace Cloud: Disabled
E-mail Alerts: Disabled
Service Plan: Metered
Billing Impression Mode: A3 Impressions
Geographic Region: unknown
Startup Config Report: Enabled
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Disabled
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Disabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 60 minutes
Auto-Off: Disabled

Smart Proximity Sensor

Wake on Arrival: Enabled
Sleep on Departure: Disabled
Maximize Detection Range: Disabled

Software Versions

Device Software: 121.041.004.22720
Patch Version: None
Network Controller: 121.041.22720
UI Panel Firmware: 003.004.00000
User Interface: 121.041.22720
Marking Engine: 072.001.000
Copy Controller: 121.041.22720
Document Feeder: 023.026.000
Finisher: 000.000.000
Fax: 000.000.000
OS: 121.004.22720
Scanner: 017.023.013
Software Upgrade: 121.041.22720
Tray 2:
Tray 3:
Tray 4:
Machine Upgrades: Allowed
Last Successful Upgrade: August 21, 2024 15:27:11
Scheduled Auto Upgrades: Disabled
Auto Upgrade Start Time: Daily
Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and A4 (210 x 297 mm)
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning Authentication: Enabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings

Usb Type A Ports: Custom
Printing Timeout: 5 seconds
Wired: Disabled
Ethernet MAC Address: 9c:93:4e:a2:6e:ea
Ethernet Speed/Duplex Setting: auto

Wireless:

Wireless MAC Address: c0:ee:40:d8:49:ce
Network Name (SSID): Lab User 2
BSSID: e0:93:51:75:e6:cf
Security Mode: WPA2_PERSONAL
Encryption Algorithm: AUTO
Status: Connected
Wi-Fi Direct: Enabled
Wireless Hardware: Installed
Wi-Fi Protected Setup (WPS) Name: XRX AL B8255 MFP (A26EEA)
Connection Method: Push Button Configuration (PBC)
Subnet Prefix Address: 172.30.234.0/24
Access Point (SSID): DIRECT-ZQ-XRX AL B8255 MFP (A26E)
Show Password on Device Touch Screen: Enabled
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Installed
Bluetooth Device Address: C0:EE:40:D8:49:CF
iBeacon IP Address: fd00:0:2:121:c2ee:40ff:fed8:49ce

Protocols

TCP/IPV4:

IP Address: Enabled
10.61.21.11
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.21.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Wed Aug 28 15:47:27 2024
BOOTP Broadcast: Disabled
Self Assigned Address Status: Enabled
Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
fe80::c2ee:40ff:fed8:49ce
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fd00:0:2:121:c2ee:40ff:fed8:49ce
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address:
Default Gateway: fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX9C934EA26EEA
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2:
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Common User Data

Machine Name: Xerox AltaLink B8255 MFP (A2:6EEA)
 IP Address: Connecting...
 Machine Serial Number: ZQV624012
 Fax Line 1:
 Machine URL: Connecting...
 Machine Activation Date: Jan 01, 2021 05:33:37
 Total Impressions: 114

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Fax Card: not present
 Extended Fax Card: not present
 Fax Card Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 4096 MB
 Device Storage Size: used=4084MB/total=256060MB (SSD)
 EPC Memory Size: 900 MB
 Finisher Type: Offsetting Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 11:36
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Metered
 Billing Impression Mode: A3 Impressions
 Geographic Region: unknown
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Disabled
 Energy Saver Mode: Job Activated

Smart Proximity Sensor

Wake on Arrival: Enabled
 Sleep on Departure: Disabled

Software Versions

Device Software: 121.041.004.22720
 Patch Version: None
 Network Controller: 121.041.22720
 UI Panel Firmware: 003.004.00000
 Marking Engine: 072.001.000
 Document Feeder: 023.026.000
 Finisher: 000.000.000
 Fax: 000.000.000
 Scanner: 017.023.013
Machine Upgrades:
 Last Successful Upgrade: Allowed
 August 21, 2024 15:27:11

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
 Tray 2: Plain, White and A4 (210 x 297 mm)
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and A4 (210 x 297 mm)
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Disabled

Physical Connections

USB Settings

Usb Type A Ports: Custom
 Wired: Disabled
 Ethernet MAC Address: 9c:93:4e:a2:6e:ea
 Ethernet Speed/Duplex Setting: auto

Wireless:

Wireless MAC Address: c0:ee:40:d8:49:ce
 Network Name (SSID): Lab User 2
 BSSID: a0:93:51:75:e6:cf
 Security Mode: WPA2_PERSONAL
 Encryption Algorithm: AUTO
 Status: Connected

Wi-Fi Direct:

Wireless Hardware: Enabled
 Wi-Fi Protected Setup (WPS) Name: Installed
 Access Point (SSID): XRX AL B8255 MFP (A26EEA)
 Show Password on Device Touch Screen: DIRECT-ZQ -XRX AL B8255 MFP (A26E)
 Enabled

NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Installed
 Bluetooth Device Address: CO:EE:40:D8:49:CF
 iBeacon IP Address:

Protocols

TCP/IPV4:

IP Address: Enabled
 Connecting...
 Subnet Mask: 255.0.0.0
 Router/Gateway: ::
 Automatic Addressing: DHCP

DHCP Server:
 DHCP Lease Expiration:
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
 fe80::c2ee:40ff:fed8:49ce
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: ::
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc::5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX9C934EA26EEA
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: ::
 Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox AltaLink B8255 MFP (A2:6E:EA)

HTTP:

Force Traffic over Secure Connection (H...: Enabled
 IPP: Yes
 Enabled

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Enabled

Raw IP Printing:

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 0.0.0.0:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
 Kerberos Primary Address: 0.0.0.88
 Kerberos Alt 1 Realm: Kerberos
 Kerberos Alt 1 Address: 0.0.0.88
 SMB NT Domain: Kerberos
 SMB Alt 1 NT Domain: Kerberos
 Smartcard Ctrl Server: 0.0.0.443
 Smartcard Ctrl Domain: Kerberos
 SmartCard OCSP URL: Kerberos
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version: Kerberos

Xerox Secure Access:

Secure Access Server: Disabled
 Secure Access Path: 0.0.0.443

Audit Log:

Audit Log: Enabled

IP Sec:

IP Sec: Disabled

IP Filtering:

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 54

802.1x:

802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
 Scheduled Frequency: Monthly

FIPS 140-3:

FIPS 140-3: Disabled

TLS:

TLS: TLS 1.1 and TLS 1.2
 TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_240.5_011_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123