



Common User Data

Machine Name:	Xerox AltaLink C8235 Color MFP (A2.6..
IP Address:	10.61.16.87
Machine Serial Number:	ZRG689004
Fax Line1:	
Machine URL:	https://10.61.16.87
Machine Activation Date:	Feb 22, 2025 07:20:19
Black Impressions:	3418
Color Impressions:	2323
Total Impressions:	5741

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By:	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3285MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	09:24
Xerox Workplace Cloud:	Enabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
Startup Config Report:	Enabled
GMT Offset:	00:00
Cloning Installation:	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	80 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	122.038.004.24820
Patch Version:	None
Network Controller:	122.038.24820
UI Panel Firmware:	003.004.00000
User Interface:	122.038.24820
Marking Engine:	030.045.000
Copy Controller:	122.038.24820
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
OS:	122.004.24820
Scanner:	017.024.003
Software Upgrade:	122.038.24820

Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	Allowed
Scheduled Auto Upgrades:	September 12, 2024 13:14:06
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and x=47.28 inches, y=12.60 in..

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning:	Enabled
Authentication:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections:	
USB Settings:	
Usb Type A Ports:	All Enabled
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:c3
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di..	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.87
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Fri Sep 20 08:24:43 2024
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fea2:6ec3
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	fd00:0:2:116:9e93:4eff:fea2:6ec3
Manual Address:	::
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XR9C934EA26EC3
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati..	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour®	
Bonjour Printer Name:	Xerox AltaLink C8235 Color MFP (A2.6)
mDNS:	Enabled
Port Number:	30
Force Traffic over Secure Connection (mDNS):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Manual
Proxy Server Address:	192.168.1.100
Secure IPP Mode:	
IPP and Secure IPPS:	Enabled
IPP Network Path:	http://10.61.16.87:631
SNMP	
SNMP v1/v2c:	Enabled
SNMP v3:	Disabled
LPR/LPD:	
Port Number:	9100
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	9100
Registration:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP	
LDAP Server 1 Friendly Name:	LDAP Server 1
LDAP Server 1 Primary LDAP Address:	10.61.16.87
LDAP Server 1 Anonymous LDAP Address:	10.61.16.87
LDAP Server 1 Secure Connection (LDAP):	Disabled
LDAP Server 1 Multi-Step Search Configuration:	Disabled
SMTP	
SMTP Server:	10.61.16.87
Connect Encryption (TLS):	No Encryption
Mailbox Server Certificate (TLS):	10240
Mail Message Size (KB):	300000
Number of Envelopes:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mail:	None
Credentials for Walkup User:	None
POP3	
POP3 Server:	0.0.0.0:110
Port Security Connection (POP3):	Disabled
E-mail Address:	Disabled
Receipt of E-mail via POP3:	Enabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Disabled
NTP	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	
SLP:	Disabled
FTP Client:	
FTP Client Mode:	Enabled
Web Services on Device:	
WS-Discovery:	Passive
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services	
Copy Submission:	Enabled
Digital Certificate Management and Security:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configuration:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

banner sheet:	Disabled
Self-Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Pages per Sheet:	Enabled
Print Priority:	12345
Print Queue:	Normal Print
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Weight:	16lb
Default 2-Sided Printing:	2-Sided
Default Output Tray:	Main Tray
Default Output Color:	Color
Default Colored Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript	
Level:	Installed
Level:	3
Image Quality:	Standard
PCL	
Level:	6
Level:	1200
Level:	1200
Level:	1200
Level:	1200
Custom Color Tables:	Enabled
and:	Full Resolution

Fax:

Fax Line 1:	Enabled
Fax Line 2:	Errors Only
Server Fax:	
Confirmation Sheet:	Disabled
Delay Start:	Disabled
Repository Protocol:	SMTP
Repository Server:	000000
Repository Document Path:	000000

Workflow Scanning:

Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Printing to Repository:	Disabled
Default Repository Server:	0.0.0.0:0
Default Repository Document Path:	Device
Default Repository Login Credentials:	SMTP
Alt1 Repository Protocol:	000000
Alt1 Repository Server:	Device
Alt1 Repository Document Path:	Device
Alt1 Repository Login Credentials:	SMTP
Workflow Pool Protocol:	000000
Workflow Pool Server:	Device
Workflow Pool Path:	SMTP

Email:

Default From Address:	Enabled
Confirmation Sheet:	Errors Only
Auto Send to Self:	Disabled
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled/Disabled
Storage Capacity (MB):	Enabled
Storage Used (MB):	46924 MB
Cleanup of Public Folders:	2461 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
Cleanup Time:	Daily

Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:	Enabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled



Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
iGUS: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.88
Kerberos Alt 1 Realm: 0.0.0.88
Kerberos Alt 1 Address: 0.0.0.88
SMB NT Domain: 0.0.0.443
SMB Alt 1 NT Domain: 0.0.0.443
Smartcard Ctrl Server: 0.0.0.443
Smartcard Ctrl Domain: 0.0.0.443
SmartCard OCSP URL: 0.0.0.443
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version: 0.0.0.443

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.443

Audit Log:

IP Sec: Enabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 54
802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
Scheduled Frequency: Monthly

FIPS 140-3:

TLS: Disabled
TLS Hash: TLS 1.1 and TLS 1.2
SHA-1 SHA-256 and above

Trellix Embedded Control:

Third Generation Browser: Disabled
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

Extensible Service Setup

Third Generation Browser: x3G_3.24.23.2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

