

Common User Data

Machine Name:	Xerox AltaLink B8255 MFP (A2:6E:EA)
IP Address:	10.61.16.178
Machine Serial Number:	ZQV624012
Fax Line1:	3338
Machine URL:	https://10.61.16.178
Machine Activation Date:	Sep 09, 2024 19:41:53
Total Impressions:	3690

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Embedded; 2 Lines
Fax Memory Size:	1933 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=4003MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	16:25
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A4 Impressions
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	122.041.004.24820
Patch Version:	None
Network Controller:	122.041.24820
UI Panel Firmware:	003.004.00000
User Interface:	122.041.24820
Marking Engine:	072.001.000
Copy Controller:	122.041.24820
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.021.007
OS:	122.004.24820
Scanner:	017.024.003
Software Upgrade:	122.041.24820
Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	Not Allowed
Scheduled Auto Upgrades:	September 9, 2024 15:32:21
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	0.0.0.21

Media Trays

Tray 1:	Heavyweight Cardstock Reloaded, White an...
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and Letter (8.5 x 11")
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
Usb Type A Ports	All Enabled
Printing Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:ea
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:

IP Address:	Enabled
Subnet Mask:	10.61.16.178
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.16.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.224
BOOTP Broadcast:	Wed Sep 18 16:51:05 2024
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

TCP/IPv6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::9e93:4eff:fea2:6eea
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	fd00:0:2:116:9e93:4eff:fea2:6eea
Manual Address:	::
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XXRX9C934EA26EEA
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:

Bonjour Printer Name: Xerox AltaLink B8255 MFP (A2:6E:EA)

HTTP:

Port Number: 80
Force Traffic over Secure Connection (H...): Yes
Secure HTTP Port Number: 443
Proxy Server: Automatic
Proxy Server Address: 0.0.0.0:8080
IPP: Enabled
Secure IPP Mode: IPP and Secure IPPS
IPP Network Path: http://10.61.16.178:631

SNMP

SNMP v1/v2: Enabled
SNMP v3: Disabled

LPR/LPD:

Port Number: 515
PDL Switching: Disabled
PDL Banner Override: Disabled

Raw IP Printing:

Port Number 1: 9100
Bidirectional: Disabled
End of Job Timeout: 300
PDL Switching: Disabled

LDAP

LDAP Server 1 Friendly Name:
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...): Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.10.8:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):
Max Message Size (KB): 10240
Number of Fragments: 1
Total Job Size (KB): 300000
Job Splitting Boundary: Page Boundary
Credentials for Auto E-mails: None
Credentials for Walkup User: None

POP3

POP3 Server: 0.0.0.0:110
POP3 Secure Connection (TLS): Disabled
E-mail Address:
Receipt of E-mail via POP3: Disabled
Send Confirm on Request: Enabled
Incoming E-mail cover sheet: Enabled

NTP:

Primary Server: 0.0.0.0:123
Alternate Server: 0.0.0.0:123

SLP:

Disabled

FTP Client:

FTP Client Mode: Passive

Web Services on Device:

WS-Discovery: Enabled
WS-Discovery Multicast: Enabled
WS-Print: Enabled
WS-Scan: Enabled

Web Services

Copy Submission: Enabled
Digital Certificate Management and Secur...: Enabled
Extensible Service Registration: Enabled
Job Limits: Enabled
Job Management Extension: Enabled
Device Configuration: Enabled
Scan Submission: Enabled
Scan Workflow Management: Enabled
Session Data: Enabled
User Interface Configuration: Enabled
EIP Proxy Configuration: Enabled
Xerox Secure Access: Disabled
EIP SNMP Configuration: Enabled
Print Submission: Enabled
Scan Template Mgmt: Enabled
Mass Storage Access: Enabled
Card Reader Access: Enabled
Authentication & Accounting Configur...: Enabled
Export Audit Log: Enabled
Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled
Sys/Start Job: Disabled
Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets: Enabled
Paper Substitution: Enabled
Tray Priority: 1,2,3,4,5
Default Copies: 1
Default Job Type: Normal Print
Default Paper Size: x = 210mm, y = 297mm
Default Paper Color: White
Default 2 Sided Printing: 2 Sided
Default Output Tray: Main Tray
Default Output Color: Black & White
Default Collated Sets: Enabled
Default Stapling: Not Available
Offsetting Between Jobs: Offset Between Jobs
PostScript: Installed
Level: 3
Version: 3021.101
Image Quality: Standard

PCL

Version: 6
Pitch Size: 10.00
Point Size: 12.00
Font Name: Courier
Lines Per Page: 64
Custom Color Tables: Enabled
Label: Not Installed

Fax:

Fax Line1: Enabled/Displayed
Fax Line2: 3338

Server Fax:

Confirmation Sheet: Enabled
Errors Only: Errors Only
Delay Start: Disabled
Repository Protocol: SMB
Repository Server: 0.0.0.0

Workflow Scanning:

Confirmation Sheet: Enabled
Errors Only: Errors Only
Default Repository Protocol: SMB
Default Repository Server: 0.0.0.0
Default Repository Document Path:
Default Repository Login Credentials:
Alt1 Repository Protocol: Device
Alt1 Repository Server: SMB
Alt1 Repository Document Path: 0.0.0.0
Alt1 Repository Login Credentials: Device
Workflow Pool Protocol: SMB
Workflow Pool Server: 0.0.0.0
Workflow Pool Path:

Email:

Default From Address: Enabled
Confirmation Sheet: test@tts13.com
Errors Only: Errors Only
Auto Send to Self: Disabled
E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled/Displayed
Storage Capacity (MB): Enabled
Storage Used (MB): 46924 MB
Cleanup of Public Folders: 2507 MB
Cleanup of Created Folders: Enabled
Cleanup Time: Daily
Disabled

Scan to Home:

Friendly Name:
Workflow Name:
Auto Create Subdir: Disabled
Append User Name to Path: Disabled
Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled

Print From:

Cloud Services: Disabled
Saved Jobs for Reprint: Enabled
Print From USB: Enabled
Print From Mailbox: Disabled
Cloud Services: Disabled

Accounting

Accounting Mode:None

Network Accounting:Disabled

Security

Authentication Configuration

Machine UI Authentication:Locally on the Device

Home:Unlocked

Jobs:Unlocked

Device:Unlocked

Device Website Authentication:Locally on the Device

Authorization:Locally on the Device

Retrieve E-mail from LDAP:Enabled

Authentication Server:Kerberos

Kerberos Primary Realm:

Kerberos Primary Address:0.0.0.0:88

Kerberos Alt 1 Realm:

Kerberos Alt 1 Address:0.0.0.0:88

SMB NT Domain:

SMB Alt 1 NT Domain:

Smartcard Ctrl Server:0.0.0.0:443

Smartcard Ctrl Domain:

SmartCard OCSP URL:

Card Reader Upgrade Policy:Enabled

Card Reader Firmware Version:

Xerox Secure Access:Disabled

Secure Access Server:0.0.0.0:443

Secure Access Path:

Audit Log:Enabled

IP Sec:Disabled

IP Filtering:Disabled

Security Certificates

Machine Certificate:Signed

Root Certificates Installed:54

802.1x:Disabled

Job Data Removal:

Scheduled:Disabled

Scheduled Frequency:Monthly

FIPS 140-3:Disabled

TLS:TLS 1.1 and TLS 1.2

TLS Hash:SHA-1, SHA-256 and above

Trellix Embedded Control:Disabled

Extensible Service Setup

Third Generation Browser:X3G_3.24.23_2.40.5_011_01.00.00

Widget Version:v1.3.17 © 20140613

Widget Version:v2.5.04 g9 20240123

