

## Common User Data

Machine Name: Xerox AltaLink B8255 MFP (A2:6E:EA)  
IP Address: 10.61.16.178  
Machine Serial Number: ZQV624012  
Fax Line1: 3338  
Machine URL: https://10.61.16.178  
Machine Activation Date: Sep 11, 2024 14:42:47  
Total Impressions: 4064

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
System Administrator:  
Machine Location:  
Managed By:  
Primary MB Server:

System Administrator name not set  
machine location not set

## Machine Hardware

Fax Card: Embedded; 2 Lines  
Fax Memory Size: 1933 MB  
Foreign Interface Card: not present  
Device RAM Size: 4096 MB  
Device Storage Size: used=4021MB/total=256060MB (SSD)  
EPC Memory Size: 900 MB  
Finisher Type: Offsetting Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 16:25  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Billing Impression Mode: Metered  
Geographic Region: unknown  
Startup Config Report: Disabled  
GMT Offset: +01:00  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Disabled  
File Sharing: Enabled  
JBIG2: Lossless

## Energy Saver

Deep Sleep: Disabled  
Energy Saver Mode: Job Activated  
Sleep Mode Timer: 30 minutes  
Auto-Off: Disabled

## Smart Proximity Sensor

Wake on Arrival: Enabled  
Sleep on Departure: Disabled  
Maximize Detection Range: Disabled

## Software Versions

Device Software: 122.041.004.24820  
Patch Version: None  
Network Controller: 122.041.24820  
UI Panel Firmware: 003.004.00000  
User Interface: 122.041.24820  
Marking Engine: 072.001.000  
Copy Controller: 122.041.24820  
Document Feeder: 023.026.000  
Finisher: 000.000.000  
Fax: 003.021.007  
OS: 122.004.24820  
Scanner: 017.024.003  
Software Upgrade: 122.041.24820  
Tray 2:  
Tray 3:  
Tray 4:

## Machine Upgrades

Last Successful Upgrade: Not Allowed  
September 9, 2024 15:32:21  
Scheduled Auto Upgrades: Disabled  
Auto Upgrade Start Time: Daily  
Auto Upgrade Server: 0.0.0.21

## Media Trays

Tray 1: Heavyweight Cardstock Reloaded, White an...  
Tray 2: Plain, White and Letter (8.5 x 11")  
Tray 3: Plain, White and Letter (8.5 x 11")  
Tray 4: Plain, White and Letter (8.5 x 11")  
Bypass Tray: Plain, White and Letter (8.5 x 11")

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing Discovery: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

## Physical Connections

USB Settings  
USB Type A Ports: All Enabled  
Printing Timeout: 5 seconds  
Wired:  
Ethernet MAC Address: Enabled  
9c:93:4e:a2:6e:ea  
Ethernet Speed/Duplex Setting: auto  
Wireless:  
Wireless MAC Address: Disabled  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status:  
Wi-Fi Direct: Enabled  
Wireless Hardware: Not Installed  
Wi-Fi Protected Setup (WPS) Name:  
Connection Method:  
Subnet Prefix Address:  
Access Point (SSID):  
Show Password on Device Touch Screen:  
NFC: Enabled  
iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
iBeacon Hardware: Not Installed  
Bluetooth Device Address:  
iBeacon IP Address:

## Protocols

## TCP/IPV4:

IP Address: Enabled  
10.61.16.178  
Subnet Mask: 255.255.255.0  
Router/Gateway: 10.61.16.1  
Automatic Addressing: DHCP  
DHCP Server: 10.61.13.224  
DHCP Lease Expiration: Thu Sep 19 13:28:50 2024  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

## TCP/IPV6:

Link Local Address: Enabled  
fe80::9e93:4eff:fea2:6eea  
Use Router Supplied Prefix: Enabled  
fe80::02:116:9e93:4eff:fea2:6eea  
Stateless Global Address 1:  
Stateless Global Address 2:  
Manual Address:  
DHCP Addressing: Use DHCP as directed by a router  
DHCP Address:  
Default Gateway: fe80::8afc:5dff:fe75:e282  
DUID (DHCP Unique Identifier):

## DNS Settings:

Requested Host Name: XRX9C934EA26EEA  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrati...: Disabled  
Primary DNS Server: 10.61.7.15  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: 5  
DNS Connection Timeout:  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: XEROXQA.COM.  
Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

PS: Installed

## Protocols (cont.)

Bonjour:	Xerox AltaLink B8255 MFP (A2:6E:EA)
Bonjour Printer Name:	Enabled
HTTP:	80
Port Number:	Yes
Force Traffic over Secure Connection (H...):	443
Secure HTTP Port Number:	Automatic
Proxy Server:	0.0.0.0:8080
Proxy Server Address:	Enabled
IPP:	IPP and Secure IPPS
Secure IPP Mode:	http://10.61.16.178:631
IPP Network Path:	
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
SMTP:	
SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	Enabled
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

## Apps

## Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Main Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript:	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard

## PCL

Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables:	Enabled
Label:	Not Installed

## Fax:

Fax Line1:	Enabled/Displayed
Fax Line2:	3338

## Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	SMB
Repository Document Path:	0.0.0.0

## Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	SMB
Default Repository Document Path:	0.0.0.0
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	SMB
Alt1 Repository Server:	0.0.0.0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	SMB
Workflow Pool Server:	0.0.0.0
Workflow Pool Path:	

## Email:

Default From Address:	Enabled
Confirmation Sheet:	test@ts13.com
Auto Send to Self:	Errors Only
E-mail Security:	Disabled
	Disabled

## Scan to Mailbox:

View Mailboxes by Default:	Enabled/Displayed
Storage Capacity (MB):	Enabled
Storage Used (MB):	46924 MB
Cleanup of Public Folders:	2503 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
	Daily

## Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

## Scan To:

Cloud Services:	Enabled
	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked

Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos

Kerberos Primary Realm:

Kerberos Primary Address: 0.0.0.0:88

Kerberos Alt 1 Realm:

Kerberos Alt 1 Address: 0.0.0.0:88

SMB NT Domain:

SMB Alt 1 NT Domain:

Smartcard Ctrl Server: 0.0.0.0:443

Smartcard Ctrl Domain:

SmartCard OCSP URL:

Card Reader Upgrade Policy: Enabled

Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled

Secure Access Path: 0.0.0.0:443

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 54

**802.1x:**

Disabled

**Job Data Removal:**

Scheduled: Disabled

Scheduled Frequency: Monthly

**FIPS 140-3:**

Disabled

**TLS:**

TLS Hash: TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Disabled

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123

