

Common User Data

Machine Name: Xerox AltaLink B8255 MFP (A2-8E-FA)
IP Address: 10.61.16.178
Machine Serial Number: ZQV624012
Fax Line 1: 3338
Machine URL: https://10.61.16.178
Machine Activation Date: Sep 11, 2024 14:42:47
Total Impressions: 4072

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed By:
Primary MB Server:

System Administrator name not set
machine location not set

Machine Hardware

Fax Card: Embedded; 2 Lines
Fax Memory Size: 1933 MB
Foreign Interface Card: not present
Device RAM Size: 4096 MB
Device Storage Size: used: 4032 MB / total: 256060 MB (SSD)
EPC Memory Size: 900 MB
Finisher Type: Offsetting Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 16:25
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Sold
Billing Impression Mode: All Impressions
Geographic Region: unknown
Startup Config Report: Disabled
GMT Offset: +01:00
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Disabled
File Sharing: Enabled
JBLG2: Lossless

Energy Saver

Deep Sleep: Disabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 30 minutes
Auto Off: Disabled

Smart Proximity Sensor

Wake on Arrival: Enabled
Sleep on Departure: Disabled
Maximize Detection Range: Disabled

Software Versions

Device Software: 122.041.004.24820
Patch Version: None
Network Controller: 122.041.24820
UI Panel Firmware: 003.004.00000
User Interface: 122.041.24820
Marking Engine: 072.001.000
Copy Controller: 122.041.24820
Document Feeder: 023.026.000
Finisher: 000.000.000
Fax: 003.021.007
OS: 122.004.24820
Scanner: 017.024.003
Software Upgrade: 122.041.24820

Tray 2:

Tray 3:

Tray 4:

Machine Upgrades:

Last Successful Upgrade: Not Allowed
Scheduled Auto Upgrades: September 9, 2024 15:32:21
Auto Upgrade Start Time: Disabled
Auto Upgrade Server: Daily
0.0.0.0.21

Media Trays

Tray 1: Heavyweight Cardstock Reloaded, White an...
Tray 2: Plain, White and Letter (8.5 x 11")
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication: Disabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
Usb Type A Ports: All Enabled
Printing Timeout: 5 seconds
Wired: Enabled
Ethernet MAC Address: 9c:93:4e:a2:6e:ea
Ethernet Speed/Duplex Setting: auto
Wireless: Disabled

Wireless MAC Address:

Network Name (SSID):

BSSID:

Security Mode:

Encryption Algorithm:

Status:

Wi-Fi Direct:

Wireless Hardware:

Wi-Fi Protected Setup (WPS) Name:

Connection Method:

Subnet Prefix Address:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint DL:

iBeacon Hardware:

Bluetooth Device Address:

iBeacon IP Address:

Protocols

TCP/IP v4:

IP Address: Enabled
10.61.16.178
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Thu Sep 19 13:28:50 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IP v6:

Link Local Address: Enabled
fe80::9e93:4eff:fea2:6eaa
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fd00::0:2:1169:93:4eff:fea2:6eaa
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Use DHCP as Directed by Router
DHCP Address:
Default Gateway: fe80::8a1c:5dff:fe75:e282
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XR9C934EA26EEA
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registration: Disabled
Primary DNS Server: 10.61.7.15
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2:
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8255 MFP (A2:6E:EA)
HTTP:	
Port Number:	Enabled
Force Traffic over Secure Connection (H	80
Secure HTTP Port Number:	Yes
Proxy Server:	443
Proxy Server Address:	Automatic
IPP	0.0.0.0:8080
Secure IPP Mode:	Enabled
IPP Network Path:	IPP and Secure IPPS
SNMP	
SNMP v1/v2:	http://10.61.16.178:631
SNMP v3:	Enabled
LPR/LPD:	
Port Number:	Disabled
PDL Switching:	515
PDL Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	Enabled
Bidirectional:	9100
End of Job Timeout:	Disabled
PDL Switching:	300
LDAP	
LDAP Server 1 Friendly Name:	Disabled
LDAP Server 1 Primary LDAP Address:	Disabled
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	0.0.0.0:389
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate	Disabled
SMTP	
SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	Enabled
Alternate Server:	0.0.0.0:123
SLP:	
SLP:	Disabled
FTP Client:	
FTP Client Mode:	Enabled
Web Services on Device:	Passive
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services	
Copy Submission:	Enabled
Digital Certificate Management and Secur...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Main Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	Enabled
Label:	Not Installed

Fax:

Fax Line1:	Enabled/Displayed
Fax Line2:	3338

Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	SMB
Repository Document Path:	0.0.0.0

Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	SMB
Default Repository Document Path:	0.0.0.0
Default Repository Login Credentials:	
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	SMB
Alt1 Repository Document Path:	0.0.0.0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	SMB
Workflow Pool Path:	0.0.0.0

Email:

Default From Address:	Enabled
Confirmation Sheet:	test@tts13.com
Auto Send to Self:	Errors Only
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled/Displayed
Storage Capacity (MB):	Enabled
Storage Used (MB):	46924 MB
Cleanup of Public Folders:	2505 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled

Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Enabled

Scan To:

Cloud Services:	Disabled
Print From:	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Enabled
Cloud Services:	Disabled



Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm: 0.0.0.0:88
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain: 0.0.0.0:443
SMB Alt 1 NT Domain: 0.0.0.0:443
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain: 0.0.0.0:443
SmartCard OCSP URL: 0.0.0.0:443
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version: 0.0.0.0:443

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

IP Sec: Enabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 54

802.1x:

Job Data Removal: Disabled

Scheduled: Disabled
Scheduled Frequency: Monthly

FIPS 140-3:

TLS: Disabled
TLS Hash: TLS 1.1 and TLS 1.2
SHA-1, SHA-256 and above

Trellix Embedded Control:

Extensible Service Setup
Third Generation Browse: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

