

Common User Data

Machine Name: Xerox VersaLink C415 Color MFP (46:6...
 IP Address: 10.61.16.35
 Machine Serial Number: 5334205608
 Fax Line 1:
 Machine URL: https://10.61.16.35
 Machine Activation Date: Jul 02, 2024 15:46:01
 Block Impressions: 2317
 Color Impressions: 2116
 Total Impressions: 4433

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Cord: Not Present
 Fax Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 1984 MB
 Device Storage Size: used=3637MB/total=14004MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 09:47
 Xerox Workplace Cloud: Enabled
 E-mail Alerts: Disabled
 Service Plan: Metered
 Geographic Region: unknown
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
Smart Proximity Sensor
 Wake on Arrival: Not Available
 Sleep on Departure:

Software Versions

Device Software: 122.028.004.32530
 Patch Version: None
 Network Controller: 122.028.32530
 UI Panel Firmware: 6.2
 Marking Engine: 230.314
 Document Feeder: 230.314
 Finisher: 000.000.000
 Fax: 000.000.000
 Scanner: 230.314
Machine Upgrades:
 Last Successful Upgrade: November 29, 2024 11:19:44

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Plain, White and Letter (8.5 x 11")
 Tray 4: Plain, White and Letter (8.5 x 11")
 Manual Feeder: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Plain, White and Letter (8.5 x 11")

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Disabled

Physical Connections

USB Settings

USB Type A Ports: All Enabled
 USB Type B Port: Disabled
Wired:
 Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: 78:8c:77:46:60:59
 auto
 Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:
 Access Point (SSID):
 Show Password on Device Touch Screen:
NFC:
 iBeacon (Bluetooth®) for AirPrint DL...
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPV4:

Enabled
 IP Address: 10.61.16.35
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Fri Dec 6 13:22:50 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Enabled
 Link Local Address: fe80::7a8c:77ff:fe46:6059
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:fe46:6059
 Stateless Global Address 2: ::
 Manual Address: Use DHCP as directed by a router
 DHCP Addressing: Enabled
 DHCP Address: fe80::8afc:5dff:fe75:e282
 Default Gateway:
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77466059
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink C415 Color MFP (46:6...

HTTP:

Force Traffic over Secure Connection (H...: Enabled
 IPP: Yes
 Enabled

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Enabled

Raw IP Printing:

LDAP

LDAP Server 1 Primary LDAP Address: 10.61.23.93:389
 LDAP Server 1 Search Directory Root: cn=users;dc=tls13;dc=com
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):

Protocols (cont.)

POP3
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
NTP: Disabled
FTP Client: Enabled
 FTP Client Mode: Passive
Web Services on Device: Enabled

Apps

Printing

Banner Sheet: Disabled
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5,6
Archival Marking Mode Off
PostScript Installed
 Level: 3
 Version: 3021.101
PCL
 Version: 6
 Font Name: Courier
Custom Color Tables Enabled
 Label: Not Installed
Fax: Not Present
 Fax Line1:
 Fax Line2:

Server Fax:

Repository Protocol: Enabled
 Repository Server: SMB
 Repository Document Path: 0.0.0.0:0

Workflow Scanning:

Enabled

Email:

Enabled

Scan to Mailbox:

Enabled/Displayed
 Storage Capacity (MB): 672 MB
 Storage Used (MB): 49 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily

Scan to Home:

Disabled

Scan To:

Enabled

Print From:

Cloud Services: Disabled
 Enabled
Print From: Enabled
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Remotely on the Network
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
Device Website Authentication: Remotely on the Network
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

SMB

Xerox Secure Access:

Disabled

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed

Root Certificates Installed: 54

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled

FIPS 140-3:

Disabled

TLS:

TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Disabled

Common User Data

Machine Name: Xerox VersaLink C415 Color MFP (46:6...
 IP Address: 10.61.16.35
 Machine Serial Number: 5334205608
 Fax Line1:
 Machine URL: https://10.61.16.35
 Machine Activation Date: Jul 02, 2024 15:46:01
 Black Impressions: 2318
 Color Impressions: 2117
 Total Impressions: 4435

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: Not Present
 Fax Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 1984 MB
 Device Storage Size: used=3654MB/total=14004MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 09:47
 Xerox Workplace Cloud: Enabled
 E-mail Alerts: Disabled
 Service Plan: Metered
 Geographic Region: unknown
 Startup Config Report: Enabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Enabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 120 minutes
 Auto-Off: Disabled

Software Versions

Device Software: 122.028.004.32530
 Patch Version: None
 Network Controller: 122.028.32530
 UI Panel Firmware: 6.2
 User Interface: 122.028.32530
 Marking Engine: 230.314
 Copy Controller: 122.028.32530
 Document Feeder: 230.314
 Finisher: 000.000.000
 Fax: 000.000.000
 OS: 230.314
 Scanner: 230.314
 Software Upgrade: 005.007
 ALTB00T Software Upgrade: 005.007
 Tray 2: A16.84_B2.3
 Tray 3: A16.84_B2.3
 Tray 4: A16.85_B2.3

Machine Upgrades:

Last Successful Upgrade: November 29, 2024 11:19:44
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Plain, White and Letter (8.5 x 11")
 Tray 4: Plain, White and Letter (8.5 x 11")
 Manual Feeder: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Universal Print: Disabled
 Universal Print Registration Status: Disabled
 Not Registered

Physical Connections

USB Settings
 USB Type A Ports: All Enabled
 USB Type B Port: Disabled
 Connection Timeout: 5 seconds

Wired:

Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: 78.8c:77:46:60:59 auto

Wireless:

Wireless MAC Address: Disabled
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:

Wi-Fi Direct:

Wireless Hardware: Enabled
 Not Installed

Wi-Fi Protected Setup (WPS) Name:

Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Enabled
 Bluetooth Device Address: Not Installed
 iBeacon IP Address:

Protocols

TCP/IPv4:

Enabled
 IP Address: 10.61.16.35
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Fri Dec 6 13:22:50 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPv6:

Enabled
 Link Local Address: fe80::7a8c:77ff:fe46:6059
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: 10.61.16.1
 Stateless Global Address 2: fd00:0:2:116:7a8c:77ff:fe46:6059
 Manual Address: ::
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77466059
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: ::
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQA.COM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Xerox VersaLink C415 Color MFP (46:6...
HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...: Yes
 Secure HTTP Port Number: 443
 Proxy Server: Disabled
 Proxy Server Address: 0.0.0.0:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.16.35:631
SNMP:
 SNMP v1/v2: Enabled
 SNMP v3: Disabled
LPR/LPD:
 Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled
Raw IP Printing:
 Port Number 1: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled
LDAP:
 LDAP Server 1 Friendly Name: Hello
 LDAP Server 1 Primary LDAP Address: 10.61.23.93:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root: cn=users;dc=tlsl3;dc=com
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled
SMTP:
 SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None
POP3:
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled
NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123
SLP:
 Disabled
FTP Client:
 FTP Client Mode: Passive
Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled
Web Services:
 Copy Submission: Enabled
 Digital Certificate Management and Secur...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing
 Banner Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5,6
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=8.50 inches, y=11.00 inches
 Default Paper Color: White
 Default 2 Sided Printing: 2 Sided
 Default Output Tray: Center Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
Archival Marking Mode
 Off
PostScript
 Level: 3
 Version: 3021.101
 Image Quality: Enhanced
PCL
 Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
Custom Color Tables
 Label: Enabled
 Not Installed
 Not Present
Fax:
 Fax Line1:
 Fax Line2:
Server Fax:
 Confirmation Sheet: Enabled
 Delay Start: Errors Only
 Repository Protocol: Disabled
 Repository Server: SMB
 Repository Document Path: 0.0.0.0:0
Workflow Scanning:
 Confirmation Sheet: Enabled
 Errors Only
 SMB
 0.0.0.0:0
 Default Repository Protocol:
 Default Repository Server:
 Default Repository Document Path:
 Default Repository Login Credentials:
 Alt1 Repository Protocol:
 Alt1 Repository Server:
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials:
 Workflow Pool Protocol:
 Workflow Pool Server:
 Workflow Pool Path:
 Device
 SMB
 0.0.0.0:0
 Device
 SMB
 0.0.0.0:0
Email:
 Default From Address: Enabled
 Confirmation Sheet: test@tlsl3.com
 Errors Only
 Auto Send to Self: Disabled
 E-mail Security: Disabled
Scan to Mailbox:
 Enabled/Displayed
 View Mailboxes by Default: Enabled
 Storage Capacity (MB): 672 MB
 Storage Used (MB): 49 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily
Scan to Home:
 Disabled
 Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled
Scan To:
 Enabled
 Cloud Services: Disabled
Print From:
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Enabled
 Cloud Services: Disabled



Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Remotely on the Network
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Remotely on the Network
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled
Authentication Server: SMB
Kerberos Primary Realm: tfs13.com
Kerberos Primary Address: 10.61.23.93:88
Kerberos Alt 1 Realm: 0.0.0.0:88
Kerberos Alt 1 Address: test.local:1234
SMB NT Domain: xeroxqa.com
SMB Alt 1 NT Domain: 0.0.0.0:443
Smartcard Ctrl Server:
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed

Root Certificates Installed: 54

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled

Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS Hash: TLS 1.2 and TLS 1.3

Trellix Embedded Control: SHA-1, SHA-256 and above

Disabled

Printable Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
Vidget Version: v1.3.17 (8 20140613
Vidget Version: v2.5.04 g9 20240123