

Common User Data

Machine Name:	Xerox AltaLink B8255 MFP (A2-6E:EA)
IP Address:	10.61.16.173
Machine Serial Number:	ZQV624012
Fax Line 1:	3337
Machine URL:	https://10.61.16.173
Machine Activation Date:	Oct 28, 2024 19:46:01
Total Impressions:	9414

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	10.23.141.25:80

Machine Hardware

Fax Card:	USB; 1 Line
Fax Memory Size:	1933 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=4047MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	19:30
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Third Party
Billing Impression Mode:	A4 Impressions
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	After 14 Seconds
Maximize Detection Range:	Enabled

Software Versions

Device Software:	122.041.004.31610
Patch Version:	None
Network Controller:	122.041.31610
UI Panel Firmware:	003.004.00000
User Interface:	122.041.31610
Marking Engine:	072.001.000
Copy Controller:	122.041.31610
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	003.021.010
OS:	122.004.31610
Scanner:	017.024.005
Software Upgrade:	122.041.31610
Tray 2:	
Tray 3:	
Tray 4:	

Machine Upgrades:

Last Successful Upgrade:	November 13, 2024 13:39:24
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A3 (297 x 420 mm)
Tray 2:	Plain, White and Letter (8.5 x 11")
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:ea
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.173
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.224
DHCP Lease Expiration:	Fri Nov 22 17:21:55 2024
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:6ee0
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:9e93:4eff:fea2:6ee0
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	XXR9C934EA26EEA
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrat...	Disabled
Primary DNS Server:	10.61.7.15
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	Xerox AltaLink B8255 MFP (A2:6E:EA)
HTTP:	
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Manual
Proxy Server Address:	10.177.8.91:8080
IPP:	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.173:631
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	Enabled
Bi-directional:	9100
End of Job Timeout:	Disabled
PDL Switching:	300
LDAP:	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate ...:	Disabled
SMTP:	
SMTP Server:	10.61.23.93:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
Receipt of E-mail via POP3:	Disabled
Send Confirmation Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	Disabled
Alternate Server:	0.0.0.0:123
SLP:	
FTP Client:	Disabled
FTP Client Mode:	Enabled
Web Services on Device:	
WS-Discovery:	Passive
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Securi...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Disabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Main Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript:	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard

PCL

Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables:	Enabled
Label:	Not Installed

Fax:

Fax Line1:	Enabled/Displayed
Fax Line2:	3337

Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	On
Repository Protocol:	Disabled
Repository Server:	SMB
Repository Document Path:	10.61.23.93:445

Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	SMB
Default Repository Document Path:	0.0.0.0:
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	SMB
Alt1 Repository Server:	0.0.0.0:
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	SMB
Workflow Pool Server:	0.0.0.0:
Workflow Pool Path:	

Email:

Default From Address:	Enabled
Confirmation Sheet:	test@its13.com
Auto Send to Self:	On
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled/Displayed
Storage Capacity (MB):	Enabled
Storage Used (MB):	46924 MB
Cleanup of Public Folders:	2507 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
	Daily

Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:	Enabled
Print From:	Disabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:None

Network Accounting:Disabled

Security

Authentication Configuration

Machine UI Authentication:Remotely on the Network

Home:Unlocked

Jobs:Unlocked

Device:Unlocked

Device Website Authentication:Remotely on the Network

Authorization:Locally on the Device

Retrieve E-mail from LDAP:Enabled

Authentication Server:

Kerberos Primary Realm:SMB

Kerberos Primary Address:0.0.0.0:88

Kerberos Alt 1 Realm:

Kerberos Alt 1 Address:0.0.0.0:88

SMB NT Domain:test.local1234

SMB Alt 1 NT Domain:

Smartcard Ctrl Server:0.0.0.0:443

Smartcard Ctrl Domain:

SmartCard OCSP URL:

Card Reader Upgrade Policy:Enabled

Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server:Disabled

Secure Access Path:0.0.0.0:443

Audit Log:

Enabled

IP Sec:Disabled

IP Filtering:Disabled

Security Certificates

Machine Certificate:Signed

Root Certificates Installed:S6

802.1x:Disabled

Job Data Removal:

Scheduled:Disabled

Scheduled Frequency:Monthly

FIPS 140-3:

Disabled

TLS:TLS 1.1 and TLS 1.2

TLS Hash:SHA-1, SHA-256 and above

Trellix Embedded Control:Disabled

Extensible Service Setup

Third Generation Browser:X3G_3.24.23_2.40.5_011_01.00.00

Widget Version:v1.3.17 e8 20140613

Widget Version:v2.5.04 g9 20240123