

Common User Data

Machine Name: Xerox VersaLink B625 MFP (AC:17:78)
IP Address: 10.61.16.75
Machine Serial Number: 5321605321
Fax Line 1:
Machine URL: https://10.61.16.75
Machine Activation Date: Jan 01, 2021 05:46:23
Total Impressions: 1871

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: System Administrator name not set
Machine Location: machine location not set
Managed By
Primary MB Server:

Machine Hardware

Fax Card: Not Present
Fax Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 3904 MB
Device Storage Size: used=2747MB/total=13925MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 19:10
Xerox Workplace Cloud: Disabled
E-mail Alerts: Disabled
Service Plan: Plan Activated
Geographic Region: unknown
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless
Energy Saver
Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Smart Proximity Sensor
Wake on Arrival: Not Available
Sleep on Departure:

Software Versions

Device Software: 122.025.004.31210
Patch Version: None
Network Controller: 122.025.31210
UI Panel Firmware: 6.1
Marking Engine: 230.314
Document Feeder: 230.314
Finisher: 000.000.000
Fax: 000.000.000
Scanner: 230.314
Machine Upgrades: Allowed
Last Successful Upgrade: November 11, 2024 21:07:53

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and Letter (8.5 x 11")
Bypass Tray: Cardstock, White and Letter (8.5 x 11")

Installed Options

PS: Installed

Connectivity

Mobile Workflows
AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning Authentication: Enabled
Physical Connections
USB Settings
USB Type A Ports: All Enabled
USB Type B Port: Enabled
Wired:
Ethernet MAC Address: Enabled
Ethernet Speed/Duplex Setting: 78.8c:77.ac:17:78
Wireless:
Wireless MAC Address: auto
Network Name (SSID): Disabled
BSSID:
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct: Enabled
Wireless Hardware: Not Installed
Wi-Fi Protected Setup (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Not Installed
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPV4: Enabled
IP Address: 10.61.16.75
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Thu Nov 21 10:47:13 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:
TCP/IPV6: Enabled
Link Local Address: fe80::7a8c:77ff:feac:1778
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:feac:1778
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address: fe80::8afc:5dff:fe75:e282
Default Gateway:
DUID (DHCP Unique Identifier):
DNS Settings:
Requested Host Name: XRX788C77AC1778
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Prefer IPv6 DNS over IPv4: Enabled
Bonjour:
Bonjour Printer Name: Xerox VersaLink B625 MFP (AC:17:78)
HTTP: Enabled
Force Traffic over Secure Connection (H...: Yes
IPP: Enabled
SNMP: Enabled
SNMP v1/v2: Disabled
SNMP v3: Enabled
LPR/LPD: Enabled
Raw IP Printing: Enabled
LDAP:
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...: Disabled
LDAP Server 1 Validate Server Certificate...: Disabled
SMTP:
SMTP Server: 10.61.9.241:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):

Protocols (cont.)

| | |
|-------------------------------|-------------|
| POP3 | |
| POP3 Server: | 0.0.0.0:110 |
| POP3 Secure Connection (TLS): | Disabled |
| E-mail Address: | |
| NTP: | Disabled |
| FTP Client: | Enabled |
| FTP Client Mode: | Passive |
| Web Services on Device: | Enabled |

Apps

Printing

| | |
|------------------------|---------------|
| Banner Sheet: | Enabled |
| Error Sheets: | Enabled |
| Paper Substitution: | Enabled |
| Troy Priority: | 1,2,3,4,5 |
| Archival Marking Mode: | Off |
| PostScript | Installed |
| Level: | 3 |
| Version: | 3021.101 |
| PCL | |
| Version: | 6 |
| Font Name: | Courier |
| Custom Color Tables: | Enabled |
| Label: | Not Installed |
| Fax: | Not Present |

| | |
|------------|--|
| Fax Line1: | |
| Fax Line2: | |

| | |
|---------------------------|---------|
| Server Fax: | Enabled |
| Repository Protocol: | FTP |
| Repository Server: | 0.0.0.0 |
| Repository Document Path: | |

| | |
|---------------------------|---------|
| Workflow Scanning: | Enabled |
|---------------------------|---------|

| | |
|-----------------------------|-------------------|
| Email: | Enabled |
| Scan to Mailbox: | Enabled/Displayed |
| Storage Capacity (MB): | 672 MB |
| Storage Used (MB): | 49 MB |
| Cleanup of Public Folders: | Enabled |
| Cleanup of Created Folders: | Enabled |
| Cleanup Time: | Daily |

| | |
|----------------------|----------|
| Scan to Home: | Disabled |
|----------------------|----------|

| | |
|-----------------|---------|
| Scan To: | Enabled |
|-----------------|---------|

| | |
|-----------------|---------|
| Cloud Services: | Enabled |
|-----------------|---------|

| | |
|--------------------|---------|
| Print From: | Enabled |
|--------------------|---------|

| | |
|-------------------------|---------|
| Saved Jobs for Reprint: | Enabled |
|-------------------------|---------|

| | |
|-----------------|---------|
| Print From USB: | Enabled |
|-----------------|---------|

| | |
|---------------------|----------|
| Print From MailBox: | Disabled |
|---------------------|----------|

| | |
|-----------------|---------|
| Cloud Services: | Enabled |
|-----------------|---------|

Accounting

| | |
|------------------|------|
| Accounting Mode: | None |
|------------------|------|

| | |
|---------------------|----------|
| Network Accounting: | Disabled |
|---------------------|----------|

Security

Authentication Configuration

| | |
|-----------------------------------|-----------------------|
| Machine UI Authentication: | Locally on the Device |
| Home: | Unlocked |
| Jobs: | Unlocked |
| Device: | Unlocked |

| | |
|--------------------------------|-----------------------|
| Device Website Authentication: | Locally on the Device |
|--------------------------------|-----------------------|

| | |
|----------------|-----------------------|
| Authorization: | Locally on the Device |
|----------------|-----------------------|

| | |
|----------------------------|---------|
| Retrieve E-mail from LDAP: | Enabled |
|----------------------------|---------|

| | |
|-------------------------------|----------|
| Authentication Server: | Kerberos |
|-------------------------------|----------|

| | |
|-----------------------------|----------|
| Xerox Secure Access: | Disabled |
|-----------------------------|----------|

| | |
|-------------------|---------|
| Audit Log: | Enabled |
|-------------------|---------|

| | |
|----------------|----------|
| IP Sec: | Disabled |
|----------------|----------|

| | |
|----------------------|----------|
| IP Filtering: | Disabled |
|----------------------|----------|

| | |
|------------------------------|--|
| Security Certificates | |
|------------------------------|--|

| | |
|----------------------|--------|
| Machine Certificate: | Signed |
|----------------------|--------|

| | |
|------------------------------|----|
| Root Certificates Installed: | 71 |
|------------------------------|----|

| | |
|----------------|----------|
| 802.1x: | Disabled |
|----------------|----------|

| | |
|--------------------------|--|
| Job Data Removal: | |
|--------------------------|--|

| | |
|------------|----------|
| Scheduled: | Disabled |
|------------|----------|

| | |
|--------------------|----------|
| FIPS 140-3: | Disabled |
|--------------------|----------|

| | |
|-------------|---------------------|
| TLS: | TLS 1.1 and TLS 1.2 |
|-------------|---------------------|

| | |
|-----------|--------------------------|
| TLS Hash: | SHA-1, SHA-256 and above |
|-----------|--------------------------|

| | |
|----------------------------------|----------|
| Trellix Embedded Control: | Disabled |
|----------------------------------|----------|

Common User Data

Machine Name: Xerox VersaLink B625 MFP (AC:17:78)
 IP Address: 10.61.16.75
 Machine Serial Number: 5321605321
 Fax Line1:
 Machine URL: https://10.61.16.75
 Machine Activation Date: Jan 01, 2021 05:46:23
 Total Impressions: 1871

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Fax Card: Not Present
 Fax Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 3904 MB
 Device Storage Size: used=2747MB/total=13925MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 19:10
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Plan Activated
 Geographic Region: unknown
 Startup Config Report: Disabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Enabled
 File Sharing: Enabled
 JBIG2: Lossless
Energy Saver
 Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 0 minutes
 Auto-Off: Disabled

Software Versions

Device Software: 122.025.004.31210
 Patch Version: None
 Network Controller: 122.025.31210
 UI Panel Firmware: 6.1
 User Interface: 122.025.31210
 Marking Engine: 230.314
 Copy Controller: 122.025.31210
 Document Feeder: 230.314
 Finisher: 000.000.000
 Fax: 000.000.000
 OS: 230.314
 Scanner: 230.314
 Software Upgrade: 005.007
 ALTBOOT Software Upgrade: 005.007
 Tray 2: A16.47_B2.3
 Tray 3: A16.47_B2.3
 Tray 4: A16.47_B2.3

Machine Upgrades:

Last Successful Upgrade: November 11, 2024 21:07:53
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.021

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
 Tray 2: Plain, White and A4 (210 x 297 mm)
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Cardstock, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning: Enabled
 Authentication: Disabled
 Universal Print: Disabled
 Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
 USB Type A Ports: All Enabled
 USB Type B Port: Enabled
 Connection Timeout: 5 seconds
Wired:
 Ethernet MAC Address: 78:8c:77:0c:17:78
 Ethernet Speed/Duplex Setting: auto
Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
Wi-Fi Direct:
 Wireless Hardware: Enabled
 Not Installed
 Wi-Fi Protected Setup (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:
NFC:
 iBeacon (Bluetooth®) for AirPrint Di... Enabled
 iBeacon Hardware: Enabled
 Bluetooth Device Address: Not Installed
 iBeacon IP Address:

Protocols

TCP/IPV4:
 Enabled
 IP Address: 10.61.16.75
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Thu Nov 21 10:47:13 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:
TCP/IPV6:
 Enabled
 Link Local Address: fe80::7a8c:77ff:feac:1778
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:feac:1778
 Stateless Global Address 2: ::
 Manual Addressing: Use DHCP as directed by a router
 DHCP Addressing: DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
DNS Settings:
 Requested Host Name: XR788C77AC1778
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati... Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: =
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQA.COM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed
 Scan to Cloud Licensing: Installed

Protocols (cont.)

| | |
|---|-------------------------------------|
| Bonjour: | |
| Bonjour Printer Name: | Xerox VersaLink B625 MFP (AC:17:78) |
| HTTP: | |
| Port Number: | 80 |
| Force Traffic over Secure Connection (H...): | Yes |
| Secure HTTP Port Number: | 443 |
| Proxy Server: | Manual |
| Proxy Server Address: | 10.177.8.91:8080 |
| IPP: | Enabled |
| Secure IPP Mode: | IPP and Secure IPPS |
| IPP Network Path: | http://10.61.16.75:631 |
| SNMP | |
| SNMP v1/v2: | Enabled |
| SNMP v3: | Disabled |
| LPR/LPD: | |
| Port Number: | 515 |
| PDL Switching: | Disabled |
| PDL Banner Override: | Disabled |
| Raw IP Printing: | |
| Port Number 1: | Enabled |
| Port Number 2: | 9100 |
| Bidirectional: | Disabled |
| End of Job Timeout: | 300 |
| PDL Switching: | Disabled |
| LDAP | |
| LDAP Server 1 Friendly Name: | |
| LDAP Server 1 Primary LDAP Address: | 0.0.0.0:389 |
| LDAP Server 1 Alternate LDAP Address: | 0.0.0.0:389 |
| LDAP Server 1 Search Directory Root: | |
| LDAP Server 1 Secure Connection (LDA...): | Disabled |
| LDAP Server 1 Validate Server Certificate...: | Disabled |
| SMTP | |
| SMTP Server: | 10.61.9.241:25 |
| Connect Encryption (TLS): | No Encryption |
| Validate Server Certificate (TLS): | |
| Max Message Size (KB): | 10240 |
| Number of Fragments: | 1 |
| Total Job Size (KB): | 300000 |
| Job Splitting Boundary: | Page Boundary |
| Credentials for Auto E-mails: | None |
| Credentials for Walkup User: | None |
| POP3 | |
| POP3 Server: | 0.0.0.0:110 |
| POP3 Secure Connection (TLS): | Disabled |
| E-mail Address: | |
| Receipt of E-mail via POP3: | Disabled |
| Send Confirm on Request: | Enabled |
| Incoming E-mail cover sheet: | Enabled |
| NTP: | |
| Primary Server: | 0.0.0.0:123 |
| Alternate Server: | 0.0.0.0:123 |
| SLP: | |
| SLP: | Disabled |
| FTP Client: | |
| FTP Client Mode: | Passive |
| Web Services on Device: | |
| WS-Discovery: | Enabled |
| WS-Discovery Multicast: | Enabled |
| WS-Print: | Enabled |
| WS-Scan: | Enabled |
| Web Services | |
| Copy Submission: | Enabled |
| Digital Certificate Management and Securi...: | Enabled |
| Extensible Service Registration: | Enabled |
| Job Limits: | Enabled |
| Job Management Extension: | Enabled |
| Device Configuration: | Enabled |
| Scan Submission: | Enabled |
| Scan Workflow Management: | Enabled |
| Session Data: | Enabled |
| User Interface Configuration: | Enabled |
| EIP Proxy Configuration: | Enabled |
| Xerox Secure Access: | Disabled |
| EIP SNMP Configuration: | Enabled |
| Print Submission: | Enabled |
| Scan Template Mgmt: | Enabled |
| Mass Storage Access: | Enabled |
| Card Reader Access: | Enabled |
| Authentication & Accounting Configur...: | Enabled |
| Export Audit Log: | Enabled |
| Trellix Embedded Control: | Enabled |

Apps

Printing

| | |
|---------------------------------------|--------------------------------|
| Banner Sheet: | Enabled |
| Sys/Start Job: | Disabled |
| Delete Held Jobs After: | 3 Day(s) 0 Hour(s) 0 Minute(s) |
| Error Sheets: | Enabled |
| Paper Substitution: | Enabled |
| Tray Priority: | 1,2,3,4,5 |
| Default Copies: | 1 |
| Default Job Type: | Normal Print |
| Default Paper Size: | x=8.50 inches, y=11.00 inches |
| Default Paper Color: | White |
| Default 2 Sided Printing: | 1 Sided |
| Default Output Tray: | Center Tray |
| Default Output Color: | Black & White |
| Default Collated Sets: | Enabled |
| Default Stapling: | Not Available |
| Offsetting Between Jobs: | No Offset Between Jobs |
| Archival Marking Mode: | Off |
| PostScript: | Installed |
| Level: | 3 |
| Version: | 3021.101 |
| Image Quality: | Enhanced |
| PCL | |
| Version: | 6 |
| Pitch Size: | 10.00 |
| Point Size: | 12.00 |
| Font Name: | Courier |
| Lines Per Page: | 60 |
| Custom Color Tables: | Enabled |
| Label: | Not Installed |
| Fax: | |
| Fax Line1: | Not Present |
| Fax Line2: | |
| Server Fax: | |
| Confirmation Sheet: | Enabled |
| Delay Start: | On |
| Repository Protocol: | Disabled |
| Repository Server: | FTP |
| Repository Document Path: | 0.0.0.0:0 |
| Workflow Scanning: | |
| Confirmation Sheet: | Enabled |
| Default Repository Protocol: | Errors Only |
| Default Repository Server: | FTP |
| Default Repository Document Path: | 0.0.0.0:0 |
| Default Repository Login Credentials: | Device |
| Alt1 Repository Protocol: | FTP |
| Alt1 Repository Server: | 0.0.0.0:0 |
| Alt1 Repository Document Path: | Device |
| Alt1 Repository Login Credentials: | FTP |
| Workflow Pool Protocol: | 0.0.0.0:0 |
| Workflow Pool Server: | |
| Workflow Pool Path: | |
| Email: | |
| Default From Address: | Enabled |
| Confirmation Sheet: | rathimeenas@xeroxqa.com |
| Auto Send to Self: | Errors Only |
| E-mail Security: | Disabled |
| Scan to Mailbox: | Disabled |
| View Mailboxes by Default: | Enabled/Displayed |
| Storage Capacity (MB): | Enabled |
| Storage Used (MB): | 672 MB |
| Cleanup of Public Folders: | 49 MB |
| Cleanup of Created Folders: | Enabled |
| Cleanup Time: | Enabled |
| Scan to Home: | Daily |
| Friendly Name: | Disabled |
| Workflow Name: | |
| Auto Create Subdir: | Disabled |
| Append User Name to Path: | Disabled |
| Auto Create User Name Dir: | Disabled |
| Scan To: | Enabled |
| Cloud Services: | Enabled |
| Print From: | Enabled |
| Saved Jobs for Reprint: | Enabled |
| Print From USB: | Enabled |
| Print From MailBox: | Disabled |
| Cloud Services: | Enabled |

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled
Authentication Server: Kerberos

Kerberos Primary Realm:
 Kerberos Primary Address: 0.0.0.88
 Kerberos Alt 1 Realm:
 Kerberos Alt 1 Address: 0.0.0.88
 SMB NT Domain:
 SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.443
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access: Disabled
 Secure Access Server: 0.0.0.443
 Secure Access Path:

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 71

802.1x: Disabled

Job Data Removal: Disabled

Scheduled: Daily

Scheduled Frequency: Disabled

FIPS 140-3: Disabled

TLS: TLS 1.1 and TLS 1.2

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Disabled

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123