

Common User Data

Machine Name: Xerox VersaLink B625 MFP (AC:17:78)
 IP Address: 10.61.16.75
 Machine Serial Number: 5321605321
 Fax Line1:
 Machine URL: https://10.61.16.75
 Machine Activation Date: Jan 01, 2021 05:46:23
 Total Impressions: 1896

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Fax Card: Not Present
 Fax Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 3904 MB
 Device Storage Size: used=2820MB/total=13925MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 19:10
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Sold
 Geographic Region: unknown
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
Smart Proximity Sensor
 Wake on Arrival: Not Available
 Sleep on Departure:

Software Versions

Device Software: 122.025.004.31210
 Patch Version: None
 Network Controller: 122.025.31210
 UI Panel Firmware: 6.1
 Marking Engine: 230.314
 Document Feeder: 230.314
 Finisher: 000.000.000
 Fax: 000.000.000
 Scanner: 230.314
Machine Upgrades:
 Last Successful Upgrade: Allowed
 November 11, 2024 21:07:53

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
 Tray 2: Plain, White and A4 (210 x 297 mm)
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Cardstock, White and Letter (8.5 x 11")

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning Authentication: Enabled
 Disabled

Physical Connections

USB Settings
 USB Type A Ports: Custom
 USB Type B Port: Disabled
Wired:
 Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: 78:8c:77:ac:17:78
 auto
 Disabled

Wireless:
 Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status: Enabled

Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:
 Access Point (SSID):
 Show Password on Device Touch Screen:

NFC: Enabled
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPV4: Enabled
 IP Address: 10.61.16.75
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Thu Nov 21 10:47:13 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6: Enabled
 Link Local Address: fe80::7a8c:77ff:feac:1778
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:feac:1778
 Stateless Global Address 2: ..
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:
 Requested Host Name: XR788C77AC1778
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Prefer IPv6 DNS over IPv4: Enabled

Bonjour:
 Bonjour Printer Name: Xerox VersaLink B625 MFP (AC:17:78)
HTTP: Enabled
 Force Traffic over Secure Connection (H...: Yes
 IPP: Enabled

SNMP
 SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD: Enabled
Raw IP Printing: Enabled

LDAP
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...: Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP
 SMTP Server: 10.61.9.241.25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps**Printing**

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present
Fax Line1:	
Fax Line2:	

Server Fax:

Repository Protocol:	Enabled
Repository Server:	FTP
Repository Document Path:	0.0.0.0

Workflow Scanning:

Workflow Scanning:	Enabled
--------------------	---------

Email:

Scan to Mailbox:	Enabled/Displayed
Storage Capacity (MB):	672 MB
Storage Used (MB):	49 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Scan to Home:	Disabled
---------------	----------

Scan To:

Cloud Services:	Enabled
-----------------	---------

Print From:

Print From:	Enabled
Saved Jobs for Reprint:	Enabled/Displayed
Print From USB:	Disabled
Print From MailBox:	Disabled
Cloud Services:	Enabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security**Authentication Configuration**

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

Authentication Server:	Kerberos
------------------------	----------

Xerox Secure Access:

Xerox Secure Access:	Disabled
----------------------	----------

Audit Log:

Audit Log:	Enabled
------------	---------

IP Sec:

IP Sec:	Disabled
---------	----------

IP Filtering:

IP Filtering:	Disabled
---------------	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	71

802.1x:

802.1x:	Disabled
---------	----------

Job Data Removal:

Job Data Removal:	Disabled
-------------------	----------

Scheduled:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

FIPS 140-3:	Disabled
-------------	----------

TLS:

TLS:	TLS 1.1 and TLS 1.2
TLS Hash:	SHA-1, SHA-256 and above

Trellix Embedded Control:

Trellix Embedded Control:	Disabled
---------------------------	----------

Common User Data

Machine Name: Xerox VersaLink B625 MFP (AC:17:78)
 IP Address: 10.61.16.75
 Machine Serial Number: 5321605321
 Fax Line1:
 Machine URL: https://10.61.16.75
 Machine Activation Date: Jan 01, 2021 05:46:23
 Total Impressions: 1896

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: System Administrator name not set
 Machine Location: machine location not set
Managed By
 Primary MB Server:

Machine Hardware

Fax Card: Not Present
 Fax Memory Size: 0 MB
 Foreign Interface Card: not present
 Device RAM Size: 3904 MB
 Device Storage Size: used=2820MB/total=13925MB (eMMC)
 EPC Memory Size: 187 MB
 Productivity Kit: Not Installed
 Finisher Type: Simple Catch Tray
 Finisher Punch: None
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 19:10
 Xerox Workplace Cloud: Disabled
 E-mail Alerts: Disabled
 Service Plan: Sold
 Geographic Region: unknown
 Startup Config Report: Disabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Enabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 0 minutes
 Auto-Off: Disabled

Software Versions

Device Software: 122.025.004.31210
 Patch Version: None
 Network Controller: 122.025.31210
 UI Panel Firmware: 6.1
 User Interface: 122.025.31210
 Marking Engine: 230.314
 Copy Controller: 122.025.31210
 Document Feeder: 230.314
 Finisher: 000.000.000
 Fax: 000.000.000
 OS: 230.314
 Scanner: 230.314
 Software Upgrade: 005.007
 ALTBOOT Software Upgrade: 005.007
 Tray 2: A16.47_B2.3
 Tray 3: A16.47_B2.3
 Tray 4: A16.47_B2.3

Machine Upgrades:

Allowed
 Last Successful Upgrade: November 11, 2024 21:07:53
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
 Tray 2: Plain, White and A4 (210 x 297 mm)
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Cardstock, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing Discovery: Enabled
 AirPrint / Mopria Scanning: Enabled
 Authentication: Disabled
 Universal Print: Disabled
 Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
 USB Type A Ports: Custom
 USB Type B Port: Disabled
 Connection Timeout: 5 seconds
Wired:
 Ethernet MAC Address: 78:8c:77:ac:17:78
 Ethernet Speed/Duplex Setting: auto
Wireless:
 Wireless MAC Address: Disabled
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:

Wi-Fi Direct: Enabled
 Wireless Hardware: Not Installed
 Wi-Fi Protected Setup (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:
NFC: Enabled
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled
 iBeacon Hardware: Not Installed
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPV4: Enabled
 IP Address: 10.61.16.75
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.16.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.223
 DHCP Lease Expiration: Thu Nov 21 10:47:13 2024
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:
TCP/IPV6: Enabled
 Link Local Address: fe80::7a8c:77ff:feac:1778
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:feac:1778
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway: fe80::8afc:5dff:fe75:e282
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77AC1778
 Verified Host Name:
 Requested Domain Name:
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati...: Disabled
 Primary DNS Server: 10.61.7.15
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: ::
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: XEROXQA.COM.
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed
 Scan to Cloud Licensing: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Xerox VersaLink B625 MFP (AC:17:78)
HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...): Yes
 Secure HTTP Port Number: 443
 Proxy Server: Manual
 Proxy Server Address: 10.177.8.91:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.16.75:631

SNMP
 SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:
 Port Number: Enabled
 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled

Raw IP Printing:
 Port Number 1: Enabled
 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled

LDAP
 LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...): Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP
 SMTP Server: 10.61.9.241:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None

POP3
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled

NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123

SLP:
 Disabled

FTP Client:
 FTP Client Mode: Enabled
 Passive

Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled

Web Services
 Copy Submission: Enabled
 Digital Certificate Management and Securi...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Enabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=8.50 inches, y=11.00 inches
 Default Paper Color: White
 Default 2 Sided Printing: 1 Sided
 Default Output Tray: Center Tray
 Default Output Color: Black & White
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
 Archival Marking Mode: Off
PostScript
 Level: Installed
 3
 Version: 3021.101
 Image Quality: Enhanced

PCL
 Version: 6
 Pitch Size: 10.00
 Font Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
 Custom Color Tables: Enabled
 Label: Not Installed

Fax:

Fax Line1: Not Present
 Fax Line2:
Server Fax:
 Confirmation Sheet: Enabled
 Delay Start: On
 Repository Protocol: Disabled
 Repository Server: FTP
 Repository Document Path: 0.0.0.0:0

Workflow Scanning:

Confirmation Sheet: Enabled
 Errors Only
 Default Repository Protocol: FTP
 Default Repository Server: 0.0.0.0:0
 Default Repository Document Path:
 Default Repository Login Credentials:
 Alt1 Repository Protocol: Device
 Alt1 Repository Server: FTP
 Alt1 Repository Document Path: 0.0.0.0:0
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: FTP
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:

Email:

Default From Address: Enabled
 rathimeenas@xeroxqa.com
 Confirmation Sheet: Errors Only
 Auto Send to Self: Disabled
 E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled/Displayed
 Storage Capacity (MB): Enabled
 672 MB
 Storage Used (MB): 49 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily
Scan to Home: Disabled

Scan to Home:

Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled
Print From:
 Saved Jobs for Reprint: Enabled
 Print From USB: Disabled
 Print From MailBox: Disabled
 Cloud Services: Enabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
 Kerberos Primary Address: 0.0.0.0:88
 Kerberos Alt 1 Realm: Kerberos
 Kerberos Alt 1 Address: 0.0.0.0:88
 SMB NT Domain: SMB NT Domain:
 SMB Alt 1 NT Domain: SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.0:443
 Smartcard Ctrl Domain: SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
 Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled
IP Sec: Disabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 71
802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
 Scheduled Frequency: Daily

FIPS 140-3:

Disabled
TLS: TLS 1.1 and TLS 1.2
 TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Disabled

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123