

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)
Address: 10.61.16.21
Machine Serial Number: S330005345
Machine Line1: https://10.61.16.21
Machine URL: Dec 11, 2024 18:40:42
Machine Activation Date: 2797
Total Impressions:

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number: 2e12e12e12
Customer Support Number:
Supplier Phone Number:
System Administrator: System Administrator name not set
Machine Location: machine location not set
Managed By
Primary MB Server:

Machine Hardware

Max Card: Not Present
Max Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used= 3486MB/total= 14004MB (eMMC)
PC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 05:41
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Sold
Geographic Region: unknown
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless
Energy Saver: Enabled
Deep Sleep: Job Activated
Energy Saver Mode: Not Available
Smart Proximity Sensor
Wake on Arrival:
Sleep on Departure:

Software Versions

Device Software: 122.029.004.34100
Patch Version: None
Network Controller: 122.029.34100
UI Panel Firmware: 6.2
Marking Engine: 230.315
Document Feeder: 230.315
Finisher: 000.000.000
Fax: 000.000.000
Scanner: 230.315
Machine Upgrades: Not Allowed
Last Successful Upgrade: December 10, 2024 16:46:48

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and Letter (8.5 x 11")
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning Authentication: Enabled
Physical Connections

USB Settings
USB Type A Ports: All Enabled
USB Type B Ports: Enabled
Wired: Ethernet MAC Address: 78:8c:77:dcb8:44
Ethernet Speed/Duplex Setting: auto
Wireless: Disabled

Wireless: Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status: Enabled
Wi-Fi Direct: Not Installed
Wireless Hardware:
Wi-Fi Protected Setup (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen: Enabled
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Not Installed
iBeacon Hardware:
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPV4: Enabled
IP Address: 10.61.16.21
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Fri Dec 20 12:17:49 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:
TCP/IPV6: Enabled
Link Local Address: fe80::7a8c:77ff:fedc:b844
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:fedc:b844
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address: fe80::8afc:5dff:fe75:e282
Default Gateway:
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77DCB844
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:B8:44)
HTTP: Enabled
Force Traffic over Secure Connection (H...): Yes
IPP: Enabled

SNMP

SNMP v1/v2: Enabled
SNMP v3: Disabled
LPR/LPD: Enabled
Raw IP Printing: Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.389
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...): Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.10.8:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):

Protocols (cont.)

POP3
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 NTP: Enabled
 FTP Client: Enabled
 FTP Client Mode: Passive
 Web Services on Device: Enabled

Apps

Printing

Banner Sheet: Disabled
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5
 Archival Marking Mode: Off
 PostScript: Installed
 Level: 3
 Version: 3021.101

PCL
 Version: 6
 Font Name: Courier
 Custom Color Tables: Enabled
 Label: Not Installed
 Fax: Not Present

Fax Line1:
 Fax Line2:
Server Fax: Enabled
 Repository Protocol: SMB
 Repository Server: 10.61.23.93:445
 Repository Document Path: /

Workflow Scanning: Enabled
Email: Enabled
Scan to Mailbox: Enabled/Displayed
 Storage Capacity (MB): 672 MB
 Storage Used (MB): 99 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily

Scan to Home: Disabled

Scan To: Enabled

Cloud Services: Disabled

Print From: Enabled

Saved Jobs for Reprint: Enabled

Print From USB: Enabled

Print From MailBox: Disabled

Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device

Retrieve E-mail from LDAP: Enabled

Authentication Server: Kerberos

Xerox Secure Access: Disabled

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed

Root Certificates Installed: 54

802.1x: Disabled

Job Data Removal:

Scheduled: Disabled

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Disabled

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)
Address: 10.61.16.21
Machine Serial Number: 5330005345
Fax Line 1: https://10.61.16.21
Machine URL: Dec 11, 2024 18:40:42
Machine Activation Date: 2797
Total Impressions:

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number: 2e12e12e12
Customer Support Number:
Supplier Phone Number:
System Administrator:
Machine Location:
Managed By
Primary MB Server:

Machine Hardware

Fax Card: Not Present
Fax Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=3486MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 05:41
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Sold
Geographic Region: unknown
Startup Config Report: Disabled
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Disabled
File Sharing: Enabled
JBIG2: Lossless
Energy Saver
Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 60 minutes
Auto-Off: Disabled

Software Versions

Device Software: 122.029.004.34100
Patch Version: None
Network Controller: 122.029.34100
UI Panel Firmware: 6.2
User Interface: 122.029.34100
Marking Engine: 230.315
Copy Controller: 122.029.34100
Document Feeder: 230.315
Finisher: 000.000.000
Fax: 000.000.000
OS: 230.315
Scanner: 230.315
Software Upgrade: 005.007
ALTB00T Software Upgrade: 005.007
Tray 2: A19.1_B3.1
Tray 3: A19.1_B3.1
Tray 4: A19.1_B3.1
Machine Upgrades:
Last Successful Upgrade: Not Allowed
Scheduled Auto Upgrades: December 10, 2024 16:46:48
Auto Upgrade Start Time: Disabled
Auto Upgrade Server: Daily
0.0.0.0:21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and Letter (8.5 x 11")
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication: Disabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
USB Type A Ports: All Enabled
USB Type B Port: Enabled
Connection Timeout: 5 seconds
Wired:
Ethernet MAC Address: Enabled
Ethernet Speed/Duplex Setting: 78:8c:77:dc:b8:44
Wireless:
Wireless MAC Address: Disabled
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:

Wi-Fi Direct: Enabled
Wireless Hardware: Not Installed
Wi-Fi Protected Setup (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:

NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Not Installed
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPV4: Enabled
IP Address: 10.61.16.21
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Fri Dec 20 12:17:49 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPV6: Enabled
Link Local Address: fe80::7a8c:77ff:fedc:b844
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fd00:0:2:116:7a8c:77ff:fedc:b844
Stateless Global Address 2: ::
Manual Address: Use DHCP as directed by a router
DHCP Addressing: fe80::8afc:5dff:fe75:e282
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77DCB844
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2: ::
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM.
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:88:44)

HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...): Yes
 Secure HTTP Port Number: 443
 Proxy Server: Automatic
 Proxy Server Address: 0.0.0.0:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.16.21:631

SNMP:
 SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:
 Port Number: 515
 PDL Switching: Disabled
 PDL Banner Override: Disabled

Raw IP Printing:
 Port Number 1: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled

LDAP:
 LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...): Disabled
 LDAP Server 1 Validate Server Certificate: Disabled

SMTP:
 SMTP Server: 10.61.10.8:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None

POP3:
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled

NTP:
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123

SLP:
 Disabled

FTP Client:
 FTP Client Mode: Enabled
 Passive

Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled

Web Services:
 Copy Submission: Enabled
 Digital Certificate Management and Secur...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=8.50 inches, y=11.00 inches
 Default Paper Color: White
 Default 2 Sided Printing: 2 Sided
 Default Output Tray: Center Tray
 Default Output Color: Black & White
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: Offset Between Jobs
 Archival Marking Mode: Off
 PostScript: Installed
 Level: 3
 Version: 2021.101
 Image Quality: Enhanced

PCL

Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
 Custom Color Tables: Enabled
 Label: Not Installed

Fax:

Fax Line1: Not Present
 Fax Line2:

Server Fax:

Confirmation Sheet: Enabled
 Errors Only: Disabled
 Delay Start: Disabled
 Repository Protocol: SMB
 Repository Server: 10.61.23.93:445
 Repository Document Path: /

Workflow Scanning:

Confirmation Sheet: Enabled
 Errors Only: Disabled
 Default Repository Protocol: SMB
 Default Repository Server: 0.0.0.0:0
 Default Repository Document Path:
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: SMB
 Alt1 Repository Server: 0.0.0.0:0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: SMB
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:

Email:

Default From Address: Enabled
 Confirmation Sheet: rathimeenas@xeroxqa.com
 Auto Send to Self: Errors Only
 E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled/Displayed
 Storage Capacity (MB): Enabled
 Storage Used (MB): 672 MB
 Cleanup of Public Folders: 99 MB
 Cleanup of Created Folders: Enabled
 Cleanup Time: Enabled
 Daily
 Disabled

Scan to Home:

Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled

Scan To:

Cloud Services: Enabled
 Disabled

Print From:

Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device

Retrieve E-mail from LDAP: Enabled
Authentication Server: Kerberos

Kerberos Primary Realm:
 Kerberos Primary Address: 0.0.0.88
 Kerberos Alt 1 Realm:
 Kerberos Alt 1 Address: 0.0.0.88
 SMB NT Domain:
 SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.443
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access: Disabled
 Secure Access Server: 0.0.0.443
 Secure Access Path:

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 54

802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
 Scheduled Frequency: Monthly

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Disabled

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123

