

Common User Data

Machine Name:
IP Address:
Machine Serial Number:
Machine URL:
Machine Activation Date:
Total Impressions:

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
System Administrator:
Machine Location:
Primary MB Server:

Machine Hardware

Foreign Interface Card:
Device RAM Size:
Device Storage Size:
EPC Memory Size:
Productivity Kit:
Finisher Type:
Finisher Punch:
Finisher Folder:

General Setup

Remote Services:
Remote Software Download:
Remote Services Trans. Time:
Xerox Workplace Cloud
E-mail Alerts:
Service Plan:
Geographic Region:
Startup Config Report:
GMT Offset:
Cloning Installation
Allow Print Submission of Clone Files:
File Sharing
J81G2
Energy Saver
Deep Sleep:
Energy Saver Mode:
Sleep Mode Timer:
Auto-Off:

Software Versions

Device Software:
Patch Version:
Network Controller:
UI Panel Firmware:
User Interface:
Marketing Engine:
Finisher:
OS:
Software Upgrade:
ALTB00T Software Upgrade:
Machine Upgrades:
Troy 2:
Lost Successful Upgrade:
Scheduled Auto Upgrades:
Auto Upgrade Start Time:
Auto Upgrade Server:
Media Trays
Troy 1:
Troy 2:
Bypass Troy:

Xerox Versalink B620 Printer (FE:F8:00)

10.61.16.180
5320705764
https://10.61.16.180
Nov 07, 2024 15:49:01
5006

not present
1984 MB
used=3352MB/total=13925MB (eMMC)
187 MB
Not Installed
Simple Catch Troy
None
not present

Enabled
Enabled
20:35
Enabled
Xerox Workplace Cloud
Disabled
Metered
unknown
Enabled
+05:30
Allowed (Encrypted Files Only)
Enabled
Enabled
Lossless

1220277004.31210
None
122027731210
6.3
122027731210
230.314
000.000.000
230.314
005.007
005.007
A16.47_B2.3
Allowed
November 15, 2024 11:06:41
Disabled
Daily
0.0.0.21
Plain, White and A4 (210 x 297 mm)
Plain, White and Letter (8.5 x 11)
Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows
AirPrint Printing:
Moprio Printing Discovery:
Universal Print:
Universal Print Registration Status:
Physical Connections
USB Settings
USB Type A Ports
USB Type B Port
Connection Timeout

Wired:
Ethernet MAC Address:
Ethernet Speed/Duplex Setting:
Wireless:
Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct:
Wireless Hardware:
Wi-Fi Protected Setup (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC:
iBeacon (Bluetooth®) for AirPrint Di...
iBeacon Hardware:
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPv4:
IP Address:
Subnet Mask:
Router/Gateway:
Automatic Addressing:
DHCP Server:
DHCP Lease Expiration:
BOOTP Broadcast:
Self Assigned Address State:
Self Assigned Address:
TCP/IPv6:
Link Local Address:
Use Router Supplied Prefix:
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:
DHCP Addressing:
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):
DNS Settings:
Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS:
Release DHCP Leases and DNS Registration

Installed Options

PS:
DNS Domain Search List:
Append Parent Domains:
Append Device Domain:
DNS Connection Timeout:
Alternate DNS Server 2:
Alternate DNS Server 1:
Primary DNS Server:
Release DHCP Leases and DNS Registration

Enabled
Disabled
Not Registered

All Enabled
Enabled
5 seconds
Enabled
9C93:4eff:fe78:00
auto
Disabled

Enabled
Not Installed
Not Installed
Enabled
Enabled
Not Installed

Enabled
10.61.16.180
255.255.255.0
10.61.16.1
DHCP
10.61.13.224
Mon Nov 25 15:21:44 2024
Disabled
Enabled

Enabled
fe80::9e93:4eff:fe78:00
Enabled
fd00::2:116:9e93:4eff:fe78:00
Use DHCP as directed by a router
fe80::80fc:5dff:fe75:e282

XR9C934EFFE800

Enabled
Disabled
10.61.7.15
10.61.10.6
:
5
Enabled
Disabled
XEROXQA.COM
Installed

Apps

Disabled	Banner Sheet
Disabled	Sys/Start Job
Deleted	Delete Held Jobs After
Enabled	Error Sheets
Enabled	Paper Substitution
Enabled	Troy Priority
1	Default Copies
Normal Print	Default Job Type
x=210mm, y=297mm	Default Paper Size
White	Default Paper Color
1 Sided	Default 2 Sided Printing
Center Tray	Default Output Tray
Black & White	Default Output Color
Enabled	Default Colored Sets
Not Available	Default Stapling
Not Offset Between Jobs	Offsetting Between Jobs
Off	Archival Marking Mode
Installed	PostScript
3	Level
3021.101	Image Quality
Enhanced	PCL
6	Version
10.00	Pitch Size
1.00	Font Name
64	Lines Per Page
Not Installed	Custom Color Tables
Enabled	Loblet
Not Installed	Save Jobs for Reprint
Enabled	Print from USB
Disabled	Cloud Services

Printing

Xerox VersaLink B620 Printer (FEF8:00)

Protocols (cont.)

Bonjour	Bonjour Printer Name
HTTP	HTTP
Port Number	Port Number
Force Traffic over Secure Connection (H...	Secure HTTP Port Number
Proxy Server	Proxy Server Address
Secure IPP Mode	Secure IPP Mode
IPP Network Path	IPP Network Path
SNMP v1/v2	SNMP v1/v2
SNMP v3	SNMP v3
LPR/LPD	Port Number
PDL Banner Override	PDL Banner Override
Raw IP Printing	Port Number 1
Bidirectional	End of Job Timeout
PDL Switching	PDL Switching
LDAP Server 1 Friendly Name	LDAP Server 1 Friendly Name
LDAP Server 1 Primary LDAP Address	LDAP Server 1 Primary LDAP Address
LDAP Server 1 Alternate LDAP Address	LDAP Server 1 Alternate LDAP Address
LDAP Server 1 Search Directory Root	LDAP Server 1 Search Directory Root
LDAP Server 1 Secure Connection (LDA...	LDAP Server 1 Secure Connection (LDA...
LDAP Server 1 Validate Server Certificate...	LDAP Server 1 Validate Server Certificate...
SMTP	SMTP
SMTP Server	0.0.0.25
Connect Server Certificate (TLS)	No Encryption
Validate Server Certificate (TLS)	10240
Max Message Size (KB)	1
Number of Fragments	30000
Total Job Size (KB)	Page Boundary
Job Splitting Boundary	None
Credentials for Auto E-mails	POP3
POP3	POP3 Server
POP3 Secure Connection (TLS)	0.0.0.110
E-mail Address	Disabled
Receipt of E-mail via POP3	Enabled
Send Confirm on Request	Disabled
NTTP	Primary Server
Alternate Server	0.0.0.123
SLP	0.0.0.123
FTP Client	Disabled
FTP Client Mode	Enabled
Web Services on Device	Passive
WS-Discovery	Enabled
WS-Discovery Multicast	Enabled
WS-Print	Enabled
Web Services	Enabled
Digital Certificate Management and Secur...	Enabled
Job Limits	Enabled
Job Management Extension	Enabled
Session Data	Enabled
User Interface Configuration	Enabled
EIP Proxy Configuration	Enabled
Xerox Secure Access	Disabled
EIP SNMP Configuration	Enabled
Print Submission	Enabled
Mass Storage Access	Enabled
Card Reader Access	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log	Enabled
Trellix Embedded Control	Enabled

