

Disabled

158976
xerox

Common User Data

Machine Name: Xerox VersaLink C625 Color MFP (FC:2...
IP Address: 10.61.16.25
Machine Serial Number: 5322480450
Fax Line1: 3337
Machine URL: https://10.61.16.25
Machine Activation Date: Nov 12, 2024 13:47:56
Black Impressions: 6999
Color Impressions: 4627
Total Impressions: 11626

Machine Profile

Xerox Asset Tag: XEROX
Customer Asset Tag: Carroll
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: System Administrator name not set
Machine Location: machine location not set
Managed By
Primary MB Server:

Machine Hardware

Fax Card: Embedded; 1 Line
Fax Memory Size: 738 MB
Foreign Interface Card: not present
Device RAM Size: 3904 MB
Device Storage Size: used=3124MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 21:44
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Plan Activated
Geographic Region: unknown
Startup Config Report: Enabled
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Enabled
File Sharing: Enabled
JBIG2: Lossless
Energy Saver
Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 30 minutes
Auto-Off: Disabled

Software Versions

Device Software: 122.024.004.31210
Patch Version: None
Network Controller: 122.024.31210
UI Panel Firmware: 6.2
User Interface: 122.024.31210
Marking Engine: 230.314
Copy Controller: 122.024.31210
Document Feeder: 230.314
Finisher: 000.000.000
Fax: 003.021.010
OS: 230.314
Scanner: 230.314
Software Upgrade: 005.007
ALTB00T Software Upgrade: 005.007
Tray 2: A15.51_B2.3
Tray 3: A15.51_B2.3
Tray 4: A15.51_B2.3
Tray 5: A15.51_B2.3

Machine Upgrades:

Last Successful Upgrade: November 11, 2024 12:52:21
Scheduled Auto Upgrades: Disabled
Auto Upgrade Start Time: Daily
Auto Upgrade Server: 0.0.0.0:21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and Letter (8.5 x 11")
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and A4 (210 x 297 mm)
Bypass Tray: Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
AirPrint / Mopria Scanning Authentication: Enabled
Universal Print: Disabled
Universal Print Registration Status: Disabled
Not Registered

Physical Connections

USB Settings
USB Type A Ports: All Enabled
USB Type B Port: Disabled
Connection Timeout: 15 seconds
Wired:
Ethernet MAC Address: Enabled
Ethernet Speed/Duplex Setting: auto
Wireless:
Wireless MAC Address: Disabled
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status: Disabled

Wi-Fi Direct: Enabled
Not Installed
Wireless Hardware:
Wi-Fi Protected Setup (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Not Installed
Bluetooth Device Address:
iBeacon IP Address:

Handwritten notes:
All Enabled = Disabled
connection timeout shouldn't display after disabled
Type B port

Protocols

TCP/IPV4:

Enabled
IP Address: 10.61.16.25
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.223
DHCP Lease Expiration: Mon Nov 25 12:00:18 2024
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPV6:

Link Local Address: fe80::7a8c:77ff:fefc:2443
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: fe80::7a8c:77ff:fefc:2443
Stateless Global Address 2: ::
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address: fe80::8afc:5dff:fe75:e282
Default Gateway:
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C77FC2443
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.15
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2: ::
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM.
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

| | |
|---|---|
| Bonjour: | |
| Bonjour Printer Name: | Xerox VersaLink C625 Color MFP [FC:2... |
| HTTP: | |
| Port Number: | 80 |
| Force Traffic over Secure Connection (H...): | Yes |
| Secure HTTP Port Number: | 443 |
| Proxy Server: | Disabled |
| Proxy Server Address: | 0.0.0.0:8080 |
| IPP: | Enabled |
| Secure IPP Mode: | IPP and Secure IPPS |
| IPP Network Path: | http://10.61.16.25:631 |
| SNMP: | |
| SNMP v1/v2: | Enabled |
| SNMP v3: | Disabled |
| LPR/LPD: | |
| Port Number: | 515 |
| PDL Switching: | Disabled |
| PDL Banner Override: | Disabled |
| Raw IP Printing: | |
| Port Number 1: | 9100 |
| Bidirectional: | Disabled |
| End of Job Timeout: | 300 |
| PDL Switching: | Disabled |
| LDAP: | |
| LDAP Server 1 Friendly Name: | |
| LDAP Server 1 Primary LDAP Address: | 0.0.0.0:389 |
| LDAP Server 1 Alternate LDAP Address: | 0.0.0.0:389 |
| LDAP Server 1 Search Directory Root: | |
| LDAP Server 1 Secure Connection (LDA...): | Disabled |
| LDAP Server 1 Validate Server Certificate...: | Disabled |
| SMTP: | |
| SMTP Server: | 10.61.10.8:25 |
| Connect Encryption (TLS): | No Encryption |
| Validate Server Certificate (TLS): | |
| Max Message Size (KB): | 10240 |
| Number of Fragments: | 1 |
| Total Job Size (KB): | 300000 |
| Job Splitting Boundary: | Page Boundary |
| Credentials for Auto E-mail: | None |
| Credentials for Walkup User: | None |
| POP3: | |
| POP3 Server: | 0.0.0.0:110 |
| POP3 Secure Connection (TLS): | Disabled |
| E-mail Address: | |
| Receipt of E-mail via POP3: | Disabled |
| Send Confirmation Request: | Enabled |
| Incoming E-mail cover sheet: | Enabled |
| NTP: | |
| Primary Server: | 0.0.0.0:123 |
| Alternate Server: | 0.0.0.0:123 |
| SLP: | |
| SLP: | Disabled |
| FTP Client: | |
| FTP Client Mode: | Passive |
| Web Services on Device: | |
| WS-Discovery: | Enabled |
| WS-Discovery Multicast: | Enabled |
| WS-Print: | Enabled |
| WS-Scan: | Enabled |
| Web Services: | |
| Copy Submission: | Enabled |
| Digital Certificate Management and Secur...: | Enabled |
| Extensible Service Registration: | Enabled |
| Job Limits: | Enabled |
| Job Management Extension: | Enabled |
| Device Configuration: | Enabled |
| Scan Submission: | Enabled |
| Scan Workflow Management: | Enabled |
| Session Data: | Enabled |
| User Interface Configuration: | Enabled |
| EIP Proxy Configuration: | Enabled |
| Xerox Secure Access: | Disabled |
| EIP SNMP Configuration: | Enabled |
| Print Submission: | Enabled |
| Scan Template Mgmt: | Enabled |
| Mass Storage Access: | Enabled |
| Card Reader Access: | Enabled |
| Authentication & Accounting Configur...: | Enabled |
| Export Audit Log: | Enabled |
| Trellix Embedded Control: | Enabled |

Apps

Printing

| | |
|------------------------------|--------------------------------|
| Banner Sheet: | Enabled |
| Sys/Start Job: | Disabled |
| Delete Held Jobs After: | 3 Day(s) 0 Hour(s) 0 Minute(s) |
| Error Sheets: | Enabled |
| Paper Substitution: | Enabled |
| Tray Priority: | 1,2,3,4,5,6 |
| Default Copies: | 1 |
| Default Job Type: | Normal Print |
| Default Paper Size: | x=8.50 inches, y=11.00 inches |
| Default Paper Color: | White |
| Default 2 Sided Printing: | 2 Sided |
| Default Output Tray: | Center Tray |
| Default Output Color: | Color |
| Default Collated Sets: | Enabled |
| Default Stapling: | Not Available |
| Offsetting Between Jobs: | No Offset Between Jobs |
| Archival Marking Mode | |
| PostScript Level: | Off |
| Version: | Installed |
| Image Quality: | 3 |
| PCL | |
| Version: | 6 |
| Pitch Size: | 10.00 |
| Point Size: | 12.00 |
| Font Name: | Courier |
| Lines Per Page: | 60 |
| Custom Color Tables | |
| Label: | Enabled |
| | Not Installed |
| | Enabled/Displayed |
| | 3337 |

Fax:

| | |
|---------------------------|-------------|
| Fax Line1: | |
| Fax Line2: | |
| Server Fax: | |
| Confirmation Sheet: | Enabled |
| Errors Only: | Errors Only |
| Delay Start: | Disabled |
| Repository Protocol: | SMB |
| Repository Server: | 0.0.0.0 |
| Repository Document Path: | |

Workflow Scanning:

| | |
|---------------------------------------|-------------|
| Confirmation Sheet: | Enabled |
| Errors Only: | Errors Only |
| Default Repository Protocol: | SMB |
| Default Repository Server: | 0.0.0.0 |
| Default Repository Document Path: | |
| Default Repository Login Credentials: | Device |
| Alt1 Repository Protocol: | SMB |
| Alt1 Repository Server: | 0.0.0.0 |
| Alt1 Repository Document Path: | |
| Alt1 Repository Login Credentials: | Device |
| Workflow Pool Protocol: | SMB |
| Workflow Pool Server: | 0.0.0.0 |
| Workflow Pool Path: | |

Email:

| | |
|-----------------------|-------------------------|
| Default From Address: | Enabled |
| Confirmation Sheet: | rathimeenas@xeroxqa.com |
| Auto Send to Self: | On |
| E-mail Security: | Disabled |

Scan to Mailbox:

| | |
|-----------------------------|-------------------|
| View Mailboxes by Default: | Enabled/Displayed |
| Storage Capacity (MB): | Enabled |
| Storage Used (MB): | 672 MB |
| Cleanup of Public Folders: | 122 MB |
| Cleanup of Created Folders: | Enabled |
| Cleanup Time: | Enabled |
| | Daily |
| | Disabled |

Scan to Home:

| | |
|----------------------------|----------|
| Friendly Name: | |
| Workflow Name: | |
| Auto Create Subdir: | Disabled |
| Append User Name to Path: | Disabled |
| Auto Create User Name Dir: | Disabled |

Scan To:

| | |
|-------------------------|----------|
| Cloud Services: | Enabled |
| Print From: | Enabled |
| Saved Jobs for Reprint: | Enabled |
| Print From USB: | Enabled |
| Print From MailBox: | Disabled |
| Cloud Services: | Disabled |

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Disabled
 Kerberos Primary Realm:
 Kerberos Primary Address: 0.0.0.0:88
 Kerberos Alt 1 Realm:
 Kerberos Alt 1 Address: 0.0.0.0:88
 SMB NT Domain: test.local1234
 SMB Alt 1 NT Domain: test.local1234
 Smartcard Ctrl Server: 0.0.0.0:443
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access:

Disabled
 Secure Access Server: 0.0.0.0:443
 Secure Access Path:

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 55

802.1x:

Disabled

Job Data Removal:

Scheduled: Disabled
 Scheduled Frequency: Monthly

FIPS 140-3:

Disabled

TLS:

TLS Hash: TLS 1.2 and TLS 1.3
 SHA-1, SHA-256 and above

Trellix Embedded Control:

Disabled

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123