

Non User Data

Device Name:	Xerox VersaLink C415 Color MFP (46:2...
IP Address:	10.61.16.62
MAC Address:	YQ293082
Device Serial Number:	
Device Model:	https://10.61.16.62
Device URL:	Jul 18, 2024 17:05:04
Device Activation Date:	974
Impressions:	3844
Impressions:	4818
Impressions:	

Machine Profile

Asset Tag:	def
Former Asset Tag:	abc
Device Phone Number:	
Former Support Number:	
Device Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	Machine location not set
Managed By:	
Primary MB Server:	

Machine Hardware

Card:	Not Present
Memory Size:	0 MB
Sign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=3309MB/total=14004MB (eMMC)
Memory Size:	187 MB
Productivity Kit:	Not Installed
Sheet Type:	Simple Catch Tray
Sheet Punch:	None
Sheet Folder:	not present
Anti-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	14:05
Xerox Workplace Cloud:	Disabled
Email Alerts:	Disabled
Service Plan:	Plan Activated
Geographic Region:	unknown
Startup Config Report:	Disabled
AT Offset:	+05:30
Printing Installation:	Allowed (Encrypted Files Only)
Low Print Submission of Clone Files:	Enabled
File Sharing:	Enabled
IG2:	Lossless
Energy Saver:	
Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	122.028.004.35400
Patch Version:	None
Network Controller:	122.028.35400
UI Panel Firmware:	6.2
User Interface:	122.028.35400
Marking Engine:	230.315
Copy Controller:	122.028.35400
Document Feeder:	230.315
Finisher:	000.000.000
Box:	000.000.000
OS:	230.315
Scanner:	230.315
Software Upgrade:	005.007
ALTB00T Software Upgrade:	005.007
Machine Upgrades:	Allowed
Last Successful Upgrade:	December 23, 2024 19:13:26
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and Letter (8.5 x 11")
Manual Feeder:	Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows	
AirPrint Printing:	Enabled
Mopria Printing Discovery:	Enabled
AirPrint / Mopria Scanning:	Enabled
Authentication:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports:	All Enabled
USB Type B Port:	Enabled
Connection Timeout:	5 seconds
Wired:	Enabled
Ethernet MAC Address:	78:8c:77:46:20:25
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IP Address:	10.61.16.62
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.224
DHCP Lease Expiration:	Mon Jan 13 00:04:51 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::7a8c:77ff:fe46:2025
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	fd00:0:2:116:7a8c:77ff:fe46:2025
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XRX788C77462025
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	Enabled
Multicast DNS:	Disabled
Release DHCP Leases and DNS Registrati...	10.61.7.15
Primary DNS Server:	10.61.10.6
Alternate DNS Server 1:	
Alternate DNS Server 2:	
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
Lockdown Security Solution:	Installed

Protocols (cont.)

Bonjour:

Bonjour Printer Name: Xerox VersaLink C415 Color MFP (46:2...
 HTTP: Enabled
 Port Number: 80
 Force Traffic over Secure Connection (H... Yes
 Secure HTTP Port Number: 443
 Proxy Server: Disabled
 Proxy Server Address: 0.0.0.0:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.16.62:631

SNMP

SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:

Port Number: 515
 PDL Switching: Enabled
 PDL Banner Override: Enabled
 Raw IP Printing: Enabled
 Port Number 1: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled

LDAP

LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA... Disabled
 LDAP Server 1 Validate Server Certificate... Disabled

SMTP

SMTP Server: 10.61 10.5:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None

POP3

POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address:
 Receipt of E-mail via POP3: Disabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled

NTP:

Primary Server: Disabled
 Alternate Server: 0.0.0.0:123
 0.0.0.0:123

SLP:

Disabled

FTP Client:

FTP Client Mode: Passive

Web Services on Device:

WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled

Web Services

Copy Submission: Enabled
 Digital Certificate Management and Securi... Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur... Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,5
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=8.50 inches, y=11.00 inches
 Default Paper Color: White
 Default 2 Sided Printing: 1 Sided
 Default Output Tray: Center Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
 Archival Marking Mode: Off
 PostScript: Installed
 Level: 3
 Version: 3021.101
 Image Quality: Enhanced

PCL

Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
 Custom Color Tables: Enabled
 Label: Not Installed
 Not Present

Fax:

Fax Line1:

Fax Line2:

Server Fax:

Confirmation Sheet: Enabled
 Errors Only
 Delay Start: Disabled
 Repository Protocol: FTP
 Repository Server: 0.0.0.0:0

Workflow Scanning:

Confirmation Sheet: Enabled
 Errors Only
 Default Repository Protocol: FTP
 Default Repository Server: 0.0.0.0:0
 Default Repository Document Path:
 Default Repository Login Credentials: Device
 Alt1 Repository Protocol: FTP
 Alt1 Repository Server: 0.0.0.0:0
 Alt1 Repository Document Path:
 Alt1 Repository Login Credentials: Device
 Workflow Pool Protocol: FTP
 Workflow Pool Server: 0.0.0.0:0
 Workflow Pool Path:

Email:

Default From Address: Enabled
 Confirmation Sheet: rathimeenas@xeroxqa.com
 Auto Send to Self: On
 E-mail Security: Disabled

Scan to Mailbox:

View Mailboxes by Default: Enabled
 Storage Capacity (MB): 672 MB
 Storage Used (MB): 106 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily

Scan to Home:

Friendly Name: Disabled

Workflow Name:

Auto Create Subdir:

Append User Name to Path:

Auto Create User Name Dir:

Scan To:

Cloud Services:

Print From:

Saved Jobs for Reprint: Enabled
 Print From USB: Enabled/Displayed
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting	
Accounting Mode:	None
Network Accounting:	Disabled
Security	
Authentication Configuration	
Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
Authentication Server:	Kerberos
Kerberos Primary Realm:	
Kerberos Primary Address:	0.0.0.0:88
Kerberos Alt 1 Realm:	
Kerberos Alt 1 Address:	0.0.0.0:88
SMB NT Domain:	
SMB Alt 1 NT Domain:	
Smartcard Ctrl Server:	0.0.0.0:443
Smartcard Ctrl Domain:	
SmartCard OCSP URL:	
Card Reader Upgrade Policy:	Enabled
Card Reader Firmware Version:	
Xerox Secure Access:	Disabled
Secure Access Server:	0.0.0.0:443
Secure Access Path:	
Audit Log:	Enabled
IP Sec:	Disabled
IP Filtering:	Disabled
Security Certificates	
Machine Certificate:	Signed
Root Certificates Installed:	S6
802.1x:	Disabled
Job Data Removal:	
Scheduled:	Standard
Scheduled Frequency:	Daily
FIPS 140-3:	FIPS Only enabled
TLS:	TLS 1.0, TLS 1.1 and TLS 1.2
TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Disabled
Extensible Service Setup	
Third Generation Browser:	X3G_3.24.23_2.40.5_012_01.00.00
Widget Version:	v1.3.17 c8 20140613
Widget Version:	v2.5.04 g9 20240123