



**Protocols (cont.)**

POP3 Server: 10.61.11.93:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address: test@fs13.com  
 NTP: Disabled  
 FTP Client: Disabled  
 FTP Client Mode: Possible  
 Web Services on Device: Enabled

**Apps**

Printing  
 Banner Sheet: Disabled  
 Paper Substitution: Enabled  
 Error Sheets: Enabled  
 Tray Priority: 1,2,3,5  
 PostScript Level: 3  
 PCL Version: 3021.101  
 Version: 6  
 Custom Color Tables: Enabled  
 Font Name: Courier  
 Label: Not Installed  
 FAX: Not Present  
 Fax Line1: Not Present  
 Fax Line2: Not Present

**Server FAX:** Enabled  
 Repository Protocol: SMB  
 Repository Server: 0.0.0.0  
 Repository Document Path: Enabled  
**Workflow Scanning:** Enabled  
**Email:** Enabled  
**Scan to Mailbox:** Enabled  
 Storage Capacity (MB): 46924 MB  
 Storage Used (MB): 244 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
**Scan to Home:** Daily  
 Cleanup Time: Enabled  
**Scan to Home:** Disabled  
**Scan To:** Enabled  
**Print From:** Cloud Services  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From Mailbox: Enabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Enabled  
 Retrieve E-mail from LDAP: Enabled  
**Authentication Server:** Kerberos  
**Xerox Secure Access:** Disabled  
**IP Sec:** Enabled  
**IP Filtering:** Disabled  
**Security Certificates:** Signed  
 Machine Certificates: 54  
 Root Certificates Installed: Disabled  
**802.1X:** Disabled  
**Job Data Removal:** Disabled  
**FIPS 140-3:** Disabled  
**TLS:** TLS 1.1 and TLS 1.2  
**TLS Host:** SHA-1, SHA-256 and above  
**Trellix Embedded Control:** Enhanced Security

**Xerox Altalink® C8235 Color MFP**



©2017-2019 Xerox Corporation. All Rights Reserved. Xerox, Xerox logo and Altalink are trademarks of Xerox Corporation in the United States and/or other countries. Adobe and PostScript are either registered trademarks or trademarks of Adobe in the United States and/or other countries. AirPrint, Bonjour and Beacon are trademarks of Apple Inc., registered in the U.S. and other countries. The Bluetooth word mark is a registered trademark owned by the Bluetooth SIG, Inc. and any use of such marks by Xerox is under license. Kerberos is a trademark of the Massachusetts Institute of Technology (MIT). Moprio is a trademark of Moprio Alliance, Inc. PCL is a trademark of the Hewlett-Packard Company. Trellix is a trademark of Musuburo US LLC. Wi-Fi and Wi-Fi Direct are registered trademarks of Wi-Fi Alliance. WPA, WPA2 and WPA3 are trademarks of Wi-Fi Alliance.

**Common User Data**

Machine Name: Xerox Altalink C8235 Color MFP (A2.6)  
 IP Address: 10.61.16.183  
 Machine Serial Number: ZRG689004  
 Machine Activation Date: Dec 24, 2024 05:49:27  
 Machine URL: https://10.61.16.183  
 Fax Line1: Machine Activation Date: Dec 24, 2024 05:49:27  
 Black Impressions: 314  
 Color Impressions: 525  
 Total Impressions: 839

**Machine Profile**

Xerox Asset Tag: Customer Asset Tag  
 Service Phone Number: Customer Support Number  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary M3 Server: Primary M3 Server

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used = 3238MB/total+2560MB (SSD)  
 EPIC Memory Size: 900 MB  
 Finisher Punch: None  
 Finisher Type: Offsetting Catch Tray  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 16:04  
 Remote Software Download: Enabled  
 E-mail Alerts: Disabled  
 Xerox Workplace Cloud: Enabled  
 Service Plan: Sold  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Disabled  
 JBG2: Enabled  
 Energy Saver: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Sleep Mode Timer: 30 minutes  
 Sleep on Departure: Disabled  
 Maximize Detection Range: Disabled

**Software Versions**

Device Software: 122.038.004.36210  
 Patch Version: None  
 Network Controller: 122.038.36210  
 UI Panel Firmware: 003.004.00000  
 User Interface: 122.038.36210  
 Marking Engine: 030.045.000  
 Copy Control: 122.038.36210  
 Document Feeder: 023.026.000  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 017.024.012  
 Scanner: 122.038.36210

**Machine Upgrades**

Auto Upgrade Server: Allowed  
 Auto Upgrade Start Time: January 8, 2025 12:50:42  
 Scheduled Auto Upgrades: Disabled  
 Last Successful Upgrades: January 8, 2025 12:50:42  
 Auto Upgrade Server: 0.0.0.21

**Media Trays**

Tray 1: Plain, White and A3 (297 x 420 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and x=1321 mm, y=310mm

**Connectivity**

**Mobile Workflows**  
 AirPrint Printing: Enabled  
 Mopria Printing Discovery: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered  
 Physical Connections: All Enabled  
 USB Settings: All Enabled  
 USB Type A Ports: Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 5 seconds  
 Wired: Enabled  
 Ethernet MAC Address: 94:93:4e:a2:6e:c3  
 Ethernet Speed/Duplex Setting: auto  
 Wireless: Disabled  
 System Administrator name not set  
 Network Name (SSID): machine location not set  
 BSSID: Not Installed  
 Security Mode: Not Installed  
 Encryption Algorithm: Not Installed  
 Status: Not Installed  
 Wi-Fi Direct: Not Installed  
 Wi-Fi Protected Setup (WPS) Name: Not Installed  
 Connection Method: Not Installed  
 Subnet Prefix Address: 10.61.16.183  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Fri Jan 17 10:23:20 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address: Disabled  
 Allowed (Encrypted Files Only): Disabled  
 DUID (DHCP Unique Identifier): Disabled

**Protocols**

**TCP/IPV4:**  
 IP Address: 10.61.16.183  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Fri Jan 17 10:23:20 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address: Disabled  
 Allowed (Encrypted Files Only): Disabled

**TCP/IPV6:**

Link Local Address: Enabled  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: fd00:0:2:116:9e93:4eff:fe02:6ec3  
 Stateless Global Address 2: ::  
 Manual Address: Use DHCP as directed by a router  
 DHCP Addressing: Disabled  
 DHCP Address: fe80::8afc:5dff:fe75:a282  
 Default Gateway: XRX9C934EA26C3  
 Requested Host Name: Disabled  
 Verified Host Name: Disabled

**DNS Settings:**

Requested Domain Name: 122.038.004.36210  
 Verified Domain Name: None  
 Multicast DNS: 122.038.36210  
 Release DHCP Leases and DNS Registrat...: 003.004.00000  
 Primary DNS Server: 122.038.36210  
 Alternate DNS Server 1: 030.045.000  
 Alternate DNS Server 2: 122.038.36210  
 DNS Connection Timeout: 023.026.000  
 Append Device Domain: 000.000.000  
 Append Parent Domains: 000.000.000  
 DNS Domain Search List: 017.024.012  
 Prefer IPv6 DNS over IPv4: 122.038.36210

**Installed Options**

PS: Installed  
 XRX9C934EA26C3

Machine Name: Xerox Altalink C8235 Color MFP (A2.6)  
 IP Address: 10.61.16.183  
 Machine Serial Number: ZRG689004  
 Machine Activation Date: Dec 24, 2024 05:49:27  
 Machine URL: https://10.61.16.183  
 Fax Line1: Machine Activation Date: Dec 24, 2024 05:49:27  
 Black Impressions: 314  
 Color Impressions: 525  
 Total Impressions: 839  
**Machine Profile**  
 Xerox Asset Tag: Customer Asset Tag  
 Service Phone Number: Customer Support Number  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary M3 Server: Primary M3 Server  
**Machine Hardware**  
 Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used = 3238MB/total+2560MB (SSD)  
 EPIC Memory Size: 900 MB  
 Finisher Punch: None  
 Finisher Type: Offsetting Catch Tray  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed  
**General Setup**  
 Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 16:04  
 Remote Software Download: Enabled  
 E-mail Alerts: Disabled  
 Xerox Workplace Cloud: Enabled  
 Service Plan: Sold  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Disabled  
 File Sharing: Disabled  
 JBG2: Enabled  
 Energy Saver: Lossless  
 Deep Sleep: Enabled  
 Sleep Mode Timer: 30 minutes  
 Sleep on Departure: Disabled  
 Maximize Detection Range: Disabled  
**Software Versions**  
 Device Software: 122.038.004.36210  
 Patch Version: None  
 Network Controller: 122.038.36210  
 UI Panel Firmware: 003.004.00000  
 User Interface: 122.038.36210  
 Marking Engine: 030.045.000  
 Copy Control: 122.038.36210  
 Document Feeder: 023.026.000  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 017.024.012  
 Scanner: 122.038.36210  
**Machine Upgrades**  
 Auto Upgrade Server: Allowed  
 Auto Upgrade Start Time: January 8, 2025 12:50:42  
 Scheduled Auto Upgrades: Disabled  
 Last Successful Upgrades: January 8, 2025 12:50:42  
 Auto Upgrade Server: 0.0.0.21  
**Media Trays**  
 Tray 1: Plain, White and A3 (297 x 420 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and x=1321 mm, y=310mm



Accounting

Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device

Home: Unlocked

Jobs: Unlocked

Device: Unlocked

Device Website Authentication: Locally on the Device

Authentication: Retrieve E-mail from LDAP: Enabled

Authentication Server: Kerberos

Kerberos Primary Realm: Kerberos Primary Address: 0.0.0:88

Kerberos Alt 1 Realm: Kerberos Alt 1 Address: 0.0.0:88

SMB NT Domain: SMB Alt 1 NT Domain: 0.0.0:443

Smartcard Ctrl Server: Smartcard Ctrl Domain: 0.0.0:443

Smartcard OCSF URL: Card Reader Upgrade Policy: Enabled

Xerox Secure Access: Card Reader Firmware Version: Disabled

Secure Access Server: Secure Access Path: 0.0.0:443

Audit Log: Enabled

IP Filtering: Disabled

Security Certificates: Disabled

Machine Certificates: Signed

Root Certificates Installed: 54

802.1x: Disabled

Job Data Removal: Disabled

Scheduled: Disabled

FIPS 140-3: Scheduled Frequency: Monthly

TLS: Disabled

TLS Hash: TLS 1.1 and TLS 1.2

Trellix Embedded Control: SHA-1, SHA-256 and above

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123

