

37640



Common User Data

Machine Name: Xerox Versalink C620 (6CC8:6A)
IP Address: 10.61.16.154
Machine Serial Number: UMQ000558
Machine URL: https://10.61.16.154
Machine Activation Date: Jul 09, 2024 15:45:45
Block Impressions: 1548
Color Impressions: 2995
Total Impressions: 4543

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed By: Primary Mib Server:

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=2891 MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Folder: None
Finisher Punch: not present

General Setup

Remote Services: Enabled
Remote Services Download: Enabled
Remote Services Trans. Time: 17.27
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Pion Activated
Geographic Region: unknown
Startup Config Report: Disabled
GMT Offset: 00:00
Allow Print Submission of Clone Files: Allowed (Encrypted Files Only)
File Sharing: Enabled
Energy Saver: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 0 minutes
Auto-Off: Disabled

Software Versions

Device Software: 121.026.004.22726
Network Controller: None
UI Panel Firmware: 6.2
User Interface: 121.026.22726
Marking Engine: 221.176
Finisher: 000.000.000
OS: 221.176
Software Upgrade: 004.025
ALTB00T Software Upgrade: 004.025
Troy 2: A1.5.1_B2.3
Troy 3: A1.5.1_B2.3
Troy 4: A1.5.1_B2.3
Troy 5: A1.5.1_B2.3
Last Successful Upgrade: February 18, 2025 11:36:41
Scheduled Auto Upgrades: Disabled
Auto Upgrade Server: 0.0.0.21

Media Trays

Troy 1: Plain, White and A4 (210 x 297 mm)
Troy 2: Plain, White and A4 (210 x 297 mm)
Troy 3: Plain, White and A4 (210 x 297 mm)
Troy 4: Plain, White and A4 (210 x 297 mm)
Troy 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows: AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered
Physical Connections: USB Settings: All Enabled
USB Type A Ports: 5 seconds
Wired: Ethernet MAC Address: 1:25:7d3:6c:cb:6a
Ethernet Speed/Duplex Setting: auto
Wireless: Wireless MAC Address: Disabled
Network Name (SSID):
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct: Wi-Fi Protected Setup (WPS) Name: Not Installed
Wireless Hardware: Not Installed

Protocols

TCP/IPv4: IP Address: 10.61.16.154
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Thu Feb 27 07:00:37 2025
BOOTP Broadcast: Disabled
Self Assigned Address: 10.61.13.224
Self Assigned Address State: Disabled
TCP/IPv6: Link Local Address: Enabled
Use Router Supplied Prefix: Enabled
Stateless Global Address 1: f80::1057:d3ff:fe6c:cb6a
Stateless Global Address 2: f800::2:116:1057:d3ff:fe6c:cb6a
Manual Address: Use DHCP as directed by a router

DNS Settings

Default Gateway: fe80::b0fc:5dff:fe75:e282
DUID (DHCP Unique Identifier): XRX1257D36CC86A
Requested Host Name:
Requested Domain Name:
Verified Host Name:
Requested Domain Name: 221.176
Verified Host Name: 121.026.22726
Verified Domain Name: 221.176
Requested Domain Name: 000.000.000
Verified DNS: 221.176
Multicast DNS: 004.025
Primary DNS Server: 004.025
Alternate DNS Server 1: A1.5.1_B2.3
Alternate DNS Server 2: A1.5.1_B2.3
DNS Connection Timeout: A1.5.1_B2.3
Append Device Domain: A1.5.1_B2.3
Append Parent Domains:
DNS Domain Search List:
DNS Domain Search List:
Prefer IPv6 DNS over IPv4: Disabled

Installed Options

PS: Installed



3#640

Accounting Mode: None
Accounting Mode: Disabled

Security

Machine UI Authentication: Locally on the Device

Home: Unlocked

Jobs Pathway: Unlocked

Printer Pathway: Unlocked

Device Website Authentication: Locally on the Device

Authorization: Locally on the Device

Authentication Server:

Kerberos Primary Realm: Kerberos

Kerberos Primary Address: 0.0.0.88

Kerberos Alt 1 Realm: 0.0.0.88

Kerberos Alt 1 Address: 0.0.0.88

SMB NT Domain: SMB NT Domain

SMB Alt 1 NT Domain: SMB Alt 1 NT Domain

Smartcard Ctrl Server: 0.0.0.443

Smartcard Ctrl Domain: 0.0.0.443

Smartcard OSCP URL: Smartcard Ctrl Domain

Card Reader Upgrade Policy: Enabled

Xerox Secure Access: Disabled

Secure Access Server: 0.0.0.443

Audit Log: Enabled

IP Filtering: Disabled

Security Certificates: Disabled

Machine Certificates: Signed

Root Certificates Installed: 56

802.1X: Disabled

Job Data Removal: Disabled

Scheduled Frequency: Disabled

FIPS 140-3: Monthly

TLS: Disabled

TLS Hosts: TLS 1.2 and TLS 1.3

Trellix Embedded Control: SHA-1, SHA-256 and above

Enhanced Security: Enhanced Security

Third Generation Browser: X3G_3.24.23.2405.012_01.00.00

Widget Version: V1.3.17 c8 20140613

Widget Version: V2.5.04 g9 20240123

Extensible Service Setup

Third Generation Browser: X3G_3.24.23.2405.012_01.00.00

Widget Version: V1.3.17 c8 20140613

Widget Version: V2.5.04 g9 20240123

©2017-2019 Xerox Corporation. All Rights Reserved. Xerox® and Versalink® are trademarks of Xerox Corporation in the United States and/or other countries. Adobe and PostScript are either registered trademarks or trademarks of Adobe in the United States and/or other countries. AirPrint, Bonjour and iBeacon are trademarks of Apple Inc., registered in the U.S. and other countries. The Bluetooth® word mark is a registered trademark owned by the Bluetooth SIG, Inc. and any use of such marks by Xerox is under license. Kerberos is a trademark of the Massachusetts Institute of Technology (MIT). Mopria is a trademark of Mopria Alliance, Inc. PCL is a trademark of the Hewlett-Packard Company. Trellix is a trademark of Musubi LLC. Wi-Fi, Wi-Fi Direct® and Wi-Fi Protected Setup™, WPA™, WPA2™ and WPA3™ are trademarks of Wi-Fi Alliance®.



Common User Data

Machine Name: Xerox Versalink C620 (6C:CB:6A)
IP Address: 10.61.16.154
Machine Serial Number: UM0000558
Machine URL: https://10.61.16.154
Machine Activation Date: Jul 09, 2024 15:45:45

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
System Administrator:
Machine Location:
Managed By:
Primary MB Server:

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=2890MB/total=14004MB (eMMC)
Productivity Kit: 187 MB
EPC Memory Size: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present

General Setup

Enabled Remote Services:
Enabled Remote Software Download:
Enabled Remote Services Trans. Time:
Enabled Xerox Workplace Cloud
Enabled E-mail Alerts:
Enabled Service Plans:
Enabled Geographic Region:
Enabled Cloning Installation
Enabled GMT Offset:
Enabled File Sharing
Enabled Energy Saver Mode:
Enabled Deep Sleep:
Enabled Energy Saver Mode:
Enabled Smart Proximity Sensor

Software Versions

Device Software: 121.026.004.22726
Patch Version: None
Network Firmware: 121.026.22726
Marking Engine: 221.176
Machine Upgrades: 000.000.000
Lost Successful Upgrade: February 18, 2025 11:36:41

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Installed Options

SMTP Server:
Connect Encryption (TLS):
Validate Server Certificate (TLS):

Connectivity

Mobile Workflows: Xerox Versalink C620 (6C:CB:6A)
AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
Physical Connections:
USB Settings:
USB Type A Ports: All Enabled
Wireless:
Ethernet MAC Address: 12:57:d3:6c:cb:6a
Ethernet Speed/Duplex Setting: auto

Protocols

Enabled TCP/IP v4:
Enabled TCP/IP v6:
Link Local Address:
Use Router Supplied Prefix:
Stateless Global Address 1: fd00:0:2:1:16:1057:d3ff:fe6c:cb6a
Stateless Global Address 2:
Manual Address:
DHCIP Addressing:
DHCIP Address:
DHCIP Server: 10.61.13.224
DHCIP Lease Expiration: 10.61.13.224
DHCIP Server: 10.61.13.224
Automatic Addressing:
Router/Gateway: 10.61.16.1
Subnet Mask: 255.255.255.0
IP Address: 10.61.16.154
Enabled

DNS Settings

Requested Host Name: XRX1257D36CCB6A
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS:
Release DHCP Leases and DNS Registration:
Primary DNS Server:
Prefer IPv6 DNS over IPv4:
Bonjour:
Bonjour Printer Name:
HTTP:
Force Traffic over Secure Connection (H...
Enabled

SNMP

Enabled SNMP v1/v2:
Enabled SNMP v3:
LPR/LPD:
Raw IP Printing:
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Secure Connection (LDA...
LDAP Server 1 Validate Server Certificate...
Disabled

SMTP

SMTP Server: 10.61.10.8:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):

Machine Name

Machine Name: Xerox Versalink C620 (6C:CB:6A)
IP Address: 10.61.16.154
Machine Serial Number: UM0000558
Machine URL: https://10.61.16.154
Machine Activation Date: Jul 09, 2024 15:45:45

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
System Administrator:
Machine Location:
Managed By:
Primary MB Server:

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=2890MB/total=14004MB (eMMC)
Productivity Kit: 187 MB
EPC Memory Size: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present

General Setup

Enabled Remote Services:
Enabled Remote Software Download:
Enabled Remote Services Trans. Time:
Enabled Xerox Workplace Cloud
Enabled E-mail Alerts:
Enabled Service Plans:
Enabled Geographic Region:
Enabled Cloning Installation
Enabled GMT Offset:
Enabled File Sharing
Enabled Energy Saver Mode:
Enabled Deep Sleep:
Enabled Energy Saver Mode:
Enabled Smart Proximity Sensor

Software Versions

Device Software: 121.026.004.22726
Patch Version: None
Network Firmware: 121.026.22726
Marking Engine: 221.176
Machine Upgrades: 000.000.000
Lost Successful Upgrade: February 18, 2025 11:36:41

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, White and Letter (8.5 x 11")
Bypass Tray: Installed

Installed Options

SMTP Server:
Connect Encryption (TLS):
Validate Server Certificate (TLS):

Connectivity

Mobile Workflows: Xerox Versalink C620 (6C:CB:6A)
AirPrint Printing: Enabled
Mopria Printing Discovery: Enabled
Physical Connections:
USB Settings:
USB Type A Ports: All Enabled
Wireless:
Ethernet MAC Address: 12:57:d3:6c:cb:6a
Ethernet Speed/Duplex Setting: auto

Protocols

Enabled TCP/IP v4:
Enabled TCP/IP v6:
Link Local Address:
Use Router Supplied Prefix:
Stateless Global Address 1: fd00:0:2:1:16:1057:d3ff:fe6c:cb6a
Stateless Global Address 2:
Manual Address:
DHCIP Addressing:
DHCIP Address:
DHCIP Server: 10.61.13.224
DHCIP Lease Expiration: 10.61.13.224
DHCIP Server: 10.61.13.224
Automatic Addressing:
Router/Gateway: 10.61.16.1
Subnet Mask: 255.255.255.0
IP Address: 10.61.16.154
Enabled

DNS Settings

Requested Host Name: XRX1257D36CCB6A
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS:
Release DHCP Leases and DNS Registration:
Primary DNS Server:
Prefer IPv6 DNS over IPv4:
Bonjour:
Bonjour Printer Name:
HTTP:
Force Traffic over Secure Connection (H...
Enabled

SNMP

Enabled SNMP v1/v2:
Enabled SNMP v3:
LPR/LPD:
Raw IP Printing:
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Secure Connection (LDA...
LDAP Server 1 Validate Server Certificate...
Disabled

SMTP

SMTP Server: 10.61.10.8:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):

Protocols (cont.)

NTP: Disabled
 FTP Client: Enabled
 FTP Client Mode: Passive
 Web Services on Device: Enabled

Apps

Banner Sheet: Disabled
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5,6
 PostScript: Installed
 Level: 3
 Version: 3021.101

Printing

Version: 6
 Font Name: Courier
 Custom Color Tables: Enabled
 Label: Not Installed
 Print From: Enabled
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs Pathway: Unlocked
 Printer Pathway: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Xerox Secure Access: Kerberos
 Audit Log: Enabled
 IP Sec: Disabled
 Security Certificates: Disabled
 Machine Certificate: Signed
 Root Certificates Installed: 56
 802.1x: Disabled
 Job Data Removal: Disabled
 FIPS 140-3: Scheduled: Disabled
 TLS: TLS 1.2 and TLS 1.3
 TLS Hash: Enhanced Security

Authentication Configuration
Machine UI Authentication:
 Home:
 Jobs Pathway:
 Printer Pathway:
 Device Website Authentication:
 Authorization:
Xerox Secure Access:
 Kerberos
 Audit Log:
 IP Sec:
Security Certificates
 Machine Certificate:
 Root Certificates Installed:
 802.1x:
Job Data Removal:
 Scheduled:
 FIPS 140-3:
 TLS:
 TLS Hash:
Trellix Embedded Control: