

### Common User Data

Machine Name:	Xerox VersaLink B625 MFP (AC:17:78)
IP Address:	10.61.16.24
Machine Serial Number:	5321605321
Fax Line1:	3338
Machine URL:	https://10.61.16.24
Machine Activation Date:	Feb 20, 2025 12:39:55
Total Impressions:	7414

### Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	System Administrator name not set
Machine Location:	machine location not set
<b>Managed By</b>	
Primary MB Server:	

### Machine Hardware

Fax Card:	Embedded; 1 Line
Fax Memory Size:	738 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=2952MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

### General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	14:10
Xerox Workplace Cloud:	Disabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation:	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing:	Enabled
JBIG2:	Lossless
<b>Energy Saver</b>	
Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

### Software Versions

Device Software:	122.025.005.03700
Patch Version:	None
Network Controller:	122.025.03700
UI Panel Firmware:	6.1
User Interface:	122.025.03700
Marking Engine:	230.319
Copy Controller:	122.025.03700
Document Feeder:	230.319
Finisher:	000.000.000
Fax:	003.021.014
OS:	230.319
Scanner:	230.319
Software Upgrade:	005.009
ALTB00T Software Upgrade:	005.009
Tray 2:	A16.47_B2.3
Tray 3:	A16.47_B2.3
Tray 4:	A16.47_B2.3
<b>Machine Upgrades:</b>	
Last Successful Upgrade:	February 20, 2025 13:33:44
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.21

### Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Letterhead, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Cardstock, White and Letter (8.5 x 11")

### Connectivity

#### Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning:	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

#### Physical Connections

<b>USB Settings</b>	
USB Type A Ports:	All Enabled
USB Type B Port:	Enabled
Connection Timeout:	5 seconds
<b>Wired:</b>	
Ethernet MAC Address:	78:8c:77:ac:17:78
Ethernet Speed/Duplex Setting:	auto
<b>Wireless:</b>	
Wireless MAC Address:	Disabled
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

<b>Wi-Fi Direct:</b>	
Wireless Hardware:	Enabled
Wi-Fi Protected Setup (WPS) Name:	Not Installed
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

<b>NFC:</b>	
iBeacon (Bluetooth®) for AirPrint Di...:	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

### Protocols

#### TCP/IPV4:

IP Address:	Enabled	10.61.16.24
Subnet Mask:		255.255.255.0
Router/Gateway:		10.61.16.1
Automatic Addressing:		DHCP
DHCP Server:		10.61.13.223
DHCP Lease Expiration:		Thu Feb 27 13:42:35 2025
BOOTP Broadcast:		Disabled
Self Assigned Address State:		Enabled
Self Assigned Address:		

#### TCP/IPV6:

Link Local Address:	Enabled	fe80::7a8c:77ff:feac:1778
Use Router Supplied Prefix:	Enabled	
Stateless Global Address 1:		fd00:0:2:116:7a8c:77ff:feac:1778
Stateless Global Address 2:		::
Manual Address:		
DHCP Addressing:		Use DHCP as directed by a router
DHCP Address:		
Default Gateway:		fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):		

#### DNS Settings:

Requested Host Name:		XR788C77AC1778
Verified Host Name:		
Requested Domain Name:		
Verified Domain Name:		
<b>Multicast DNS:</b>		
Release DHCP Leases and DNS Registrat...:	Enabled	
Primary DNS Server:	Disabled	10.61.7.15
Alternate DNS Server 1:		10.61.10.6
Alternate DNS Server 2:		::
DNS Connection Timeout:		5
Append Device Domain:	Enabled	
Append Parent Domains:	Disabled	
DNS Domain Search List:		XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled	

### Installed Options

PS:	Installed
Scan to Cloud Licensing:	Installed

Protocols (cont.)

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink B625 MFP (AC:17:78)  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Manual  
 Proxy Server Address: 10.177.8.91:8080  
 IPP: Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.16.24:631  
**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled  
**Raw IP Printing:**  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled  
**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root: Translation Not Found  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled  
**SMTP**  
 SMTP Server: 10.61.9.241:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
 SMTP Authentication Type: Basic Auth with SMTP  
**POP3**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled  
**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123  
**SLP:**  
 Disabled  
**FTP Client:**  
 Enabled  
 FTP Client Mode: Passive  
**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled  
**Web Services**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=8.50 inches, y=11.00 inches  
 Default Paper Color: White  
 Default 2 Sided Printing: 1 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Black & White  
 Default ColLATED Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
 Archival Marking Mode: Off  
**PostScript**  
 Level: 3  
 Version: 3021.101  
 Image Quality: Enhanced  
**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 60  
 Custom Color Tables: Enabled  
 Label: Not Installed  
**Fax:**  
 Enabled/Displayed  
 Fax Line1: 3338  
 Fax Line2:  
**Server Fax:**  
 Enabled  
 Confirmation Sheet: On  
 Delay Start: Disabled  
 Repository Protocol: FTP  
 Repository Server: 0.0.0.0:0  
 Repository Document Path:  
**Workflow Scanning:**  
 Enabled  
 Confirmation Sheet: Errors Only  
 Default Repository Protocol: FTP  
 Default Repository Server: 0.0.0.0:0  
 Default Repository Document Path:  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: FTP  
 Alt1 Repository Server: 0.0.0.0:0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: FTP  
 Workflow Pool Server: 0.0.0.0:0  
 Workflow Pool Path:  
**Email:**  
 Enabled  
 Default From Address: rathimeenas@xeroxqa.com  
 Confirmation Sheet: Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled  
**Scan to Mailbox:**  
 Enabled  
 View Mailboxes by Default: Enabled  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 68 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily  
**Scan to Home:**  
 Disabled  
 Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled  
**Scan To:**  
 Enabled  
 Cloud Services: Enabled  
**Print From:**  
 Enabled  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Enabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.88  
 Kerberos Alt 1 Realm: Kerberos  
 Kerberos Alt 1 Address: 0.0.0.88  
 SMB NT Domain: SMB NT Domain:  
 SMB Alt 1 NT Domain: SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.443  
 Smartcard Ctrl Domain: Smartcard Ctrl Domain:  
 SmartCard OCSP URL: SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version: Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.443

**Audit Log:**

Audit Log: Enabled  
 IP Sec: Disabled  
 IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 71  
 802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled  
 Scheduled Frequency: Daily

**FIPS 140-3:**

FIPS 140-3: Disabled

**TLS:**

TLS Hash: TLS 1.1 and TLS 1.2  
 TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
 Widget Version: v1.3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123