

Common User Data

Machine Name:
IP Address:
Machine Serial Number:
Fax Line1:
Machine URL:
Machine Activation Date:
Total Impressions:

Xerox AltaLink B8255 MFP (A2:6E:EA)
10.61.16.65
ZQV624012
3337
https://10.61.16.65
Feb 12, 2025 08:15:20
11857

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed By:
Primary MB Server:

System Administrator name not set
machine location not set

Machine Hardware

Fax Card:
Fax Memory Size:
Foreign Interface Card:
Device RAM Size:
Device Storage Size:
EPC Memory Size:
Finisher Type:
Finisher Punch:
Finisher Folder:
Multi-feed Detection Kit:

Embedded; 2 Lines
1933 MB
not present
4096 MB
used=3373MB/total=256060MB (SSD)
900 MB
Offsetting Catch Tray
None
not present
Not Installed

General Setup

Remote Services:
Remote Software Download:
Remote Services Trans. Time:
Xerox Workplace Cloud
E-mail Alerts:
Service Plan:
Billing Impression Mode:
Geographic Region:
GMT Offset:
Cloning Installation
File Sharing
JBIG2

Enabled
Enabled
01:08
Disabled
Disabled
Plan Activated
A4 Impressions
unknown
00:00
Allowed (Encrypted Files Only)
Enabled
Lossless

Energy Saver

Deep Sleep:
Energy Saver Mode:

Enabled
Job Activated

Smart Proximity Sensor

Wake on Arrival:
Sleep on Departure:

Enabled
Disabled

Software Versions

Device Software:
Patch Version:
Network Controller:
UI Panel Firmware:
Marking Engine:
Document Feeder:
Finisher:
Fax:
Scanner:
Machine Upgrades:
Last Successful Upgrade:

122.041.005.00800
None
122.041.00800
003.004.00000
072.001.000
023.026.000
000.000.000
003.021.012
017.024.012
Allowed
February 19, 2025 10:41:06

Media Trays

Tray 1:
Tray 2:
Tray 3:
Tray 4:
Bypass Tray:

Plain, White and A4 (210 x 297 mm)
Plain, White and A4 (210 x 297 mm)
Plain, White and A4 (210 x 297 mm)
Plain, White and A4 (210 x 297 mm)
Custom 1, White and 8.5 x 13"

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing:
Mopria Printing Discovery:
AirPrint / Mopria Scanning
Authentication

Enabled
Enabled
Enabled
Disabled

Physical Connections

USB Settings:
USB Type A Ports:
USB Type B Port:
Wired:
Ethernet MAC Address:
Ethernet Speed/Duplex Setting:

All Enabled
Enabled
Enabled
9c:93:4e:a2:6e:ea
auto
Disabled

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:

Enabled
Not Installed

Wi-Fi Direct:

Wireless Hardware:
Wi-Fi Protected Setup (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC:
iBeacon (Bluetooth®) for AirPrint Di...
iBeacon Hardware:
Bluetooth Device Address:
iBeacon IP Address:

Enabled
Not Installed
Enabled
Enabled
Not Installed

Protocols

TCP/IPv4:

IP Address:
Subnet Mask:
Router/Gateway:
Automatic Addressing:
DHCP Server:
DHCP Lease Expiration:
BOOTP Broadcast:
Self Assigned Address State:
Self Assigned Address:

Enabled
10.61.16.65
255.255.255.0
10.61.16.1
DHCP
10.61.13.223
Fri Feb 28 05:53:57 2025
Disabled
Enabled

TCP/IPv6:

Link Local Address:
Use Router Supplied Prefix:
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:
DHCP Addressing:
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):

Enabled
fe80::9e93:4eff:fea2:6eea
Enabled
fd00:0:2:116:9e93:4eff:fea2:
::
Use DHCP as directed by a
fe80::8afc:5dff:fe75:e282

DNS Settings:

Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS:
Release DHCP Leases and DNS Registrati...
Primary DNS Server:
Prefer IPv6 DNS over IPv4:

XR9C934EA26EEA
Enabled
Enabled
10.61.7.15
Enabled

Bonjour:

Bonjour Printer Name:

Xerox AltaLink B8255

HTTP:

Force Traffic over Secure Connection (H...
IPP

Enabled
Yes
Enabled

SNMP

SNMP v1/v2:
SNMP v3:
LPR/LPD:
Raw IP Printing:

Enabled
Disabled
Enabled
Enabled

LDAP

LDAP Server 1 Primary LDAP Address:
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...
LDAP Server 1 Validate Server Certificate...

0.0.0.0:389
Disabled
Disabled

SMTP

SMTP Server:
Connect Encryption (TLS):
Validate Server Certificate (TLS):

10.61.23.93:25
No Encryption

Protocols (cont.)

POP3	0 0 0 0 1 1 0
POP3 Server:	Disabled
POP3 Secure Connection (TLS):	
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps**Printing**

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101

PCL

Version:	6
Font Name:	Courier
	Enabled

Custom Color Tables

Label:	Not Installed
--------	---------------

Fax:	Enabled/Displayed
------	-------------------

Fax Line1:	3337
------------	------

Fax Line2:	3338
------------	------

Server Fax:	Enabled
-------------	---------

Repository Protocol:	FTP
----------------------	-----

Repository Server:	0.0.0.0:0
--------------------	-----------

Repository Document Path:	
---------------------------	--

Workflow Scanning:

	Enabled
--	---------

Email:

	Enabled
--	---------

Scan to Mailbox:

	Enabled
--	---------

Storage Capacity (MB):	46924 MB
------------------------	----------

Storage Used (MB):	2439 MB
--------------------	---------

Cleanup of Public Folders:	Enabled
----------------------------	---------

Cleanup of Created Folders:	Enabled
-----------------------------	---------

Cleanup Time:	Daily
---------------	-------

Scan to Home:

	Disabled
--	----------

Scan To:

	Enabled
--	---------

Cloud Services:	Disabled
-----------------	----------

Print From:

	Enabled
--	---------

Saved Jobs for Reprint:	Enabled
-------------------------	---------

Print From USB:	Enabled
-----------------	---------

Print From MailBox:	Disabled
---------------------	----------

Cloud Services:	Disabled
-----------------	----------

Accounting

Accounting Mode:	None
------------------	------

Network Accounting:	Disabled
---------------------	----------

Security**Authentication Configuration****Machine UI Authentication:**

Home:	Locally on the Device
-------	-----------------------

Jobs:	Unlocked
-------	----------

Device:	Unlocked
---------	----------

Device Website Authentication:	Locally on the Device
--------------------------------	-----------------------

Authorization:	Locally on the Device
----------------	-----------------------

Retrieve E-mail from LDAP:	Enabled
----------------------------	---------

Authentication Server:

	Kerberos
--	----------

	Disabled
--	----------

Xerox Secure Access:

	Enabled
--	---------

Audit Log:

	Disabled
--	----------

IP Sec:

	Disabled
--	----------

IP Filtering:**Security Certificates**

Machine Certificate:	Signed
----------------------	--------

Root Certificates Installed:	56
------------------------------	----

	Disabled
--	----------

802.1x:**Job Data Removal:**

Scheduled:	Disabled
------------	----------

FIPS 140-3:

	Disabled
--	----------

TLS:

	TLS 1.1 and TLS 1.2
--	---------------------

	SHA-1, SHA-256 and above
--	--------------------------

TLS Hash:	Enhanced Security
-----------	-------------------

Trellix Embedded Control:



Protocols (cont.)

Bonjour:

Bonjour Printer Name:

HTTP:

Port Number:
Force Traffic over Secure Connection (H...
Secure HTTP Port Number:
Proxy Server:
Proxy Server Address:
IPP
Secure IPP Mode:
IPP Network Path:

Xerox AltaLink B8255 MFP (A2.6E.EA)
Enabled
80
Yes
443
Automatic
0.0.0.0:8080
Enabled
IPP and Secure IPPS
http://10.61.16.65:631

SNMP

SNMP v1/v2:
SNMP v3:

Enabled
Disabled
Enabled

LPR/LPD:

Port Number:
PDL Switching:
PDL Banner Override:
Raw IP Printing:
Port Number 1:
Bidirectional:
End of Job Timeout:
PDL Switching:

515
Disabled
Disabled
Enabled
9100
Disabled
300
Disabled

LDAP

LDAP Server 1 Friendly Name:
LDAP Server 1 Primary LDAP Address:
LDAP Server 1 Alternate LDAP Address:
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...
LDAP Server 1 Validate Server Certificate...

0.0.0.0:389
0.0.0.0:389

Disabled
Disabled

SMTP

SMTP Server:
Connect Encryption (TLS):
Validate Server Certificate (TLS):
Max Message Size (KB):
Number of Fragments:
Total Job Size (KB):
Job Splitting Boundary:
Credentials for Auto E-mails:
Credentials for Walkup User:

10.61.23.93:25
No Encryption

10240
1
300000
Page Boundary
None
None

POP3

POP3 Server:
POP3 Secure Connection (TLS):
E-mail Address:
Receipt of E-mail via POP3:
Send Confirm on Request:
Incoming E-mail cover sheet:

0.0.0.0:110
Disabled

NTP:

Primary Server:
Alternate Server:

0.0.0.0:123
0.0.0.0:123
Disabled

SLP:

FTP Client Mode:

Enabled
Passive

Web Services on Device:

WS-Discovery:
WS-Discovery Multicast:
WS-Print:

Enabled
Enabled
Enabled

WS-Scan:

Web Services

Copy Submission:
Digital Certificate Management and Securi...
Extensible Service Registration:
Job Limits:
Job Management Extension:
Device Configuration:
Scan Submission:
Scan Workflow Management:
Session Data:
User Interface Configuration:
EIP Proxy Configuration:
Xerox Secure Access:
EIP SNMP Configuration:
Print Submission:
Scan Template Mgmt:
Mass Storage Access:
Card Reader Access:
Authentication & Accounting Configur...
Export Audit Log:
Trellix Embedded Control:

Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled
Enabled

Apps

Printing

Banner Sheet:

Sys/Start Job:
Delete Held Jobs After:
Error Sheets:
Paper Substitution:
Tray Priority:
Default Copies:
Default Job Type:
Default Paper Size:
Default Paper Color:
Default 2 Sided Printing:
Default Output Tray:
Default Output Color:
Default Collated Sets:
Default Stapling:
Offsetting Between Jobs:

PostScript

Level:
Version:
Image Quality:

PCL

Version:
Pitch Size:
Point Size:
Font Name:
Lines Per Page:

Custom Color Tables

Label:

Fax:

Fax Line1:
Fax Line2:

Server Fax:

Confirmation Sheet:
Delay Start:
Repository Protocol:
Repository Server:
Repository Document Path:

Workflow Scanning:

Confirmation Sheet:
Default Repository Protocol:
Default Repository Server:
Default Repository Document Path:
Default Repository Login Credentials:
Alt1 Repository Protocol:
Alt1 Repository Server:
Alt1 Repository Document Path:
Alt1 Repository Login Credentials:
Workflow Pool Protocol:
Workflow Pool Server:
Workflow Pool Path:

Email:

Default From Address:
Confirmation Sheet:
Auto Send to Self:
E-mail Security:

Scan to Mailbox:

View Mailboxes by Default:
Storage Capacity (MB):
Storage Used (MB):
Cleanup of Public Folders:
Cleanup of Created Folders:
Cleanup Time:

Scan to Home:

Friendly Name:
Workflow Name:
Auto Create Subdir:
Append User Name to Path:
Auto Create User Name Dir:

Scan To:

Cloud Services:

Print From:

Saved Jobs for Reprint:
Print From USB:
Print From MailBox:
Cloud Services:

Enabled
Disabled
3 Day(s) 0 Hour(s) 0 Minute(s)
Enabled
Enabled
1,2,3,4,5
1
Normal Print
x=210mm, y=297mm
White
1 Sided
Main Tray
Black & White
Enabled
Not Available
Offset Between Jobs
Installed
3
3021.101
Standard

6
10.00
12.00
Courier
64
Enabled
Not Installed
Enabled/Displayed
3337
3338
Enabled
Errors Only
Disabled
FTP
0.0.0.0:0

Enabled
Errors Only
FTP
0.0.0.0:0

Device
FTP
0.0.0.0:0

Device
FTP
0.0.0.0:0

Enabled
test@ts13.com

Errors Only
Disabled
Disabled

Enabled
Enabled
46924 MB
2439 MB
Enabled
Enabled
Daily
Disabled

Disabled
Disabled
Disabled
Enabled
Disabled
Enabled
Enabled
Enabled
Disabled

Common User Data

Machine Name:
IP Address:
Machine Serial Number:
Fax Line 1:
Machine URL:
Machine Activation Date:
Total Impressions:

Xerox AltaLink B8255 MFP (A2.6E.EA)
10.61.16.65
ZQV624012
3337
https://10.61.16.65
Feb 12, 2025 08:15:20
11854

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed By
Primary MB Server:

System Administrator name not set
machine location not set

Machine Hardware

Fax Card:
Fax Memory Size:
Foreign Interface Card:
Device RAM Size:
Device Storage Size:
EPC Memory Size:
Finisher Type:
Finisher Punch:
Finisher Folder:
Multi-feed Detection Kit:

Embedded, 2 Lines
1933 MB
not present
4096 MB
used = 3360MB/total = 256060MB (SSD)
900 MB
Offsetting Catch Tray
None
not present
Not Installed
Not Installed

General Setup

Remote Services:
Remote Software Download:
Remote Services Trans. Time:
Xerox Workplace Cloud
E-mail Alerts:
Service Plan:
Billing Impression Mode:
Geographic Region:
Startup Config Report:
GMT Offset:
Cloning Installation
Allow Print Submission of Clone Files:
File Sharing
JBIG2

Enabled
Enabled
01:08
Disabled
Disabled
Plan Activated
A4 Impressions
unknown
Enabled
00:00
Allowed (Encrypted Files Only)
Enabled
Enabled
Lossless

Energy Saver

Deep Sleep:
Energy Saver Mode:
Sleep Mode Timer:
Auto-Off:

Enabled
Job Activated
0 minutes
Disabled

Smart Proximity Sensor

Wake on Arrival:
Sleep on Departure:
Maximize Detection Range:

Enabled
Disabled
Disabled

Software Versions

Device Software:
Patch Version:
Network Controller:
UI Panel Firmware:
User Interface:
Marking Engine:
Copy Controller:
Document Feeder:
Finisher:
Fax:
OS:
Scanner:
Software Upgrade:
Tray 2:
Tray 3:
Tray 4:

122.041.005.00800
None
122.041.00800
003.004.00000
122.041.00800
072.001.000
122.041.00800
023.026.000
000.000.000
003.021.012
122.004.36500
017.024.012
122.041.00800

Machine Upgrades:

Last Successful Upgrade:
Scheduled Auto Upgrades:
Auto Upgrade Start Time:
Auto Upgrade Server:

Allowed
February 19, 2025 10:41:06
Disabled
Daily
0.0.0.0:21

Media Trays

Tray 1:
Tray 2:
Tray 3:
Tray 4:
Bypass Tray:

Plain, White and A4 (210 x 297 mm)
Plain, White and A4 (210 x 297 mm)
Plain, White and A4 (210 x 297 mm)
Plain, White and A4 (210 x 297 mm)
Custom 1, White and 8.5 x 13"

Mobile Workflows

AirPrint Printing:
Mopria Printing Discovery:
AirPrint / Mopria Scanning
Authentication
Universal Print:
Universal Print Registration Status:
Physical Connections
USB Settings
USB Type A Ports
USB Type B Port
Connection Timeout
Wired:
Ethernet MAC Address:
Ethernet Speed/Duplex Setting:
Wireless:
Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct:
Wireless Hardware:
Wi-Fi Protected Setup (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC:
iBeacon (Bluetooth®) for AirPrint Di...
iBeacon Hardware:
Bluetooth Device Address:
iBeacon IP Address:

Enabled
Enabled
Enabled
Disabled
Disabled
Not Registered

All Enabled
Enabled
5 seconds
Enabled
9c:93:4e:a2:6e:ea
auto
Disabled

Enabled
Not Installed

Enabled
Enabled
Not Installed

Protocols

TCP/IPv4:

IP Address:
Subnet Mask:
Router/Gateway:
Automatic Addressing:
DHCP Server:
DHCP Lease Expiration:
BOOTP Broadcast:
Self Assigned Address State:
Self Assigned Address:

Enabled
10.61.16.65
255.255.255.0
10.61.16.1
DHCP
10.61.13.223
Fri Feb 28 05:53:57 2025
Disabled
Enabled

TCP/IPv6:

Link Local Address:
Use Router Supplied Prefix:
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:
DHCP Addressing:
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):

Enabled
fe80::9e93:4eff:fea2:6eea
Enabled
fd00:0:2:116:9e93:4eff:fea2:6eea
::
Use DHCP as directed by a router
fe80::8afc:5dff:fe75:e282

DNS Settings:

Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS:
Release DHCP Leases and DNS Registrati...
Primary DNS Server:
Alternate DNS Server 1:
Alternate DNS Server 2:
DNS Connection Timeout:
Append Device Domain:
Append Parent Domains:
DNS Domain Search List:
Prefer IPv6 DNS over IPv4:

XXR9C934EA26EEA
Enabled
Disabled
10.61.7.15
10.61.10.6
::
5
Enabled
Disabled
XEROXQA.COM.
Enabled

Installed Options

PS:

Installed