

**Common User Data**

Machine Name: Xerox VersaLink C625 Color MFP (A7:A...  
 IP Address: 10.61.16.49  
 Machine Serial Number: 5322480247  
 Fax Line1:  
 Machine URL: https://10.61.16.49  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Black Impressions: 1324  
 Color Impressions: 1161  
 Total Impressions: 2485

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=2771MB/total=13925MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 19:45  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated

**Smart Proximity Sensor**

Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.024.005.01730  
 Patch Version: None  
 Network Controller: 122.024.01730  
 UI Panel Firmware: 6.2  
 Marking Engine: 230.318  
 Document Feeder: 230.318  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 Scanner: 230.318  
 Machine Upgrades: Allowed  
 Last Successful Upgrade: January 20, 2025 20:23:40

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Bond, White and A4 (210 x 297 mm)  
 Tray 4: Recycled, White and A4 (210 x 297 mm)  
 Tray 5: Lightweight Glossy Cardstock, White and A...  
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Disabled

**Wired:**

Ethernet MAC Address: 56:80:0e:a7:a8:9c  
 Ethernet Speed/Duplex Setting: auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
 Wi-Fi Direct: Enabled  
 Wireless Hardware: Not Installed

**Wi-Fi Protected Setup (WPS) Name:**

Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPv4:**

IP Address: 10.61.16.49  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Mon Jan 27 20:32:30 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPv6:**

Link Local Address:  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX56800EA7A89C  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox VersaLink C625 Color MFP (A7:A...

**HTTP:**

Force Traffic over Secure Connection (H...: Yes  
 IPP: Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Raw IP Printing: Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 10.61.23.93:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

**Protocols (cont.)**

**POP3**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
**NTP:** Disabled  
**FTP Client:** Enabled  
 FTP Client Mode: Passive  
**Web Services on Device:** Enabled

**Apps**

**Printing**

Banner Sheet: Disabled  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5,6  
**Archival Marking Mode** Off  
**PostScript** Installed  
 Level: 3  
 Version: 3021.101  
**PCL**  
 Version: 6  
 Font Name: Courier  
**Custom Color Tables** Enabled  
 Label: Not Installed  
**Fax:** Not Present  
 Fax Line1:  
 Fax Line2:

**Server Fax:**

Enabled  
 Repository Protocol: SFTP  
 Repository Server: 10.61.23.93:22  
 Repository Document Path: \

**Workflow Scanning:**

Enabled  
**Email:** Enabled  
**Scan to Mailbox:** Enabled  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 50 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:**

Disabled

**Scan To:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Disabled

**Print From:**

Disabled

**Print From:**

Disabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Print From:**

Enabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

**Machine UI Authentication:** Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
**Device Website Authentication:** Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos

**Xerox Secure Access:**

Disabled

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed

Root Certificates Installed: 54

**802.1x:**

Disabled

**Job Data Removal:**

Scheduled: Disabled

**FIPS 140-3:**

Disabled

**TLS:**

TLS 1.2 and TLS 1.3

**TLS Hash:**

SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Common User Data**

Machine Name: Xerox VersaLink C625 Color MFP (A7:A...  
 IP Address: 10.61.16.49  
 Machine Serial Number: 5322480247  
 Fax Line1:  
 Machine URL: https://10.61.16.49  
 Machine Activation Date: Jan 01, 1970 05:30:00  
 Black Impressions: 1325  
 Color Impressions: 1162  
 Total Impressions: 2487

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: System Administrator name not set  
 Machine Location: machine location not set

**Managed By**

Primary MB Server:

**Machine Hardware**

Fax Card: Not Present  
 Fax Memory Size: 0 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 3904 MB  
 Device Storage Size: used=2955MB/total=13925MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: Not Installed  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 19:45  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Geographic Region: unknown  
 Startup Config Report: Disabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 120 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.024.005.01730  
 Patch Version: None  
 Network Controller: 122.024.01730  
 UI Panel Firmware: 6.2  
 User Interface: 122.024.01730  
 Marking Engine: 230.318  
 Copy Controller: 122.024.01730  
 Document Feeder: 230.318  
 Finisher: 000.000.000  
 Fax: 000.000.000  
 OS: 230.318  
 Scanner: 230.318  
 Software Upgrade: 005.008  
 ALTB00T Software Upgrade: 005.008  
 Tray 2: A15.51\_B2.3  
 Tray 3: A15.51\_B2.3  
 Tray 4: A15.51\_B2.3  
 Tray 5: A15.51\_B2.3

**Machine Upgrades:**

Last Successful Upgrade: January 20, 2025 20:23:40  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Bond, White and A4 (210 x 297 mm)  
 Tray 4: Recycled, White and A4 (210 x 297 mm)  
 Tray 5: Lightweight Glossy Cardstock, White and A...  
 Bypass Tray: Plain, White and A4 (210 x 297 mm)

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Disabled  
 Connection Timeout: 5 seconds

**Wired:**

Ethernet MAC Address: 56:80:0e:a7:a8:9c  
 Ethernet Speed/Duplex Setting: auto

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status: Disabled

**Wi-Fi Direct:**

Wireless Hardware: Not Installed

**Wi-Fi Protected Setup (WPS) Name:**

Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

Enabled  
 IP Address: 10.61.16.49  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Mon Jan 27 20:32:30 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Enabled  
 Link Local Address:  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX56800EA7A89C  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.15  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2: ::  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: XEROXQA.COM.  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink C625 Color MFP (A7:A...  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...: Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Manual  
 Proxy Server Address: 10.177.8.91:8080  
 IPP: Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.16.49:631

**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**  
 Port Number: 515  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled

**Raw IP Printing:**  
 Port Number 1: 9100  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled

**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...: Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**  
 SMTP Server: 10.61.23.93:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None

**POP3**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled

**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123

**SLP:**  
 Disabled

**FTP Client:**  
 FTP Client Mode: Passive

**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled

**Web Services**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Disabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5,6  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=8.50 inches, y=11.00 inches  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Color  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
**Archival Marking Mode**  
**PostScript**  
 Level: 3  
 Version: 3021.101  
 Image Quality: Enhanced

**PCL**

Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 60

**Custom Color Tables**

Label: Enabled  
 Not Installed  
 Not Present

**Fax:**

Fax Line1:  
 Fax Line2:

**Server Fax:**

Confirmation Sheet: Enabled  
 On  
 Delay Start: Disabled  
 Repository Protocol: SFTP  
 Repository Server: 10.61.23.93:22  
 Repository Document Path: \

**Workflow Scanning:**

Confirmation Sheet: Enabled  
 On  
 Default Repository Protocol: SMB  
 Default Repository Server: 10.61.23.93:445  
 Default Repository Document Path: /  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: SMB  
 Alt1 Repository Server: 0.0.0.0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: SMB  
 Workflow Pool Server: 0.0.0.0  
 Workflow Pool Path:

**Email:**

Default From Address: Enabled  
 test@tls13.com  
 Confirmation Sheet: On  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled

**Scan to Mailbox:**

View Mailboxes by Default: Enabled  
 Storage Capacity (MB): 672 MB  
 Storage Used (MB): 50 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:**

Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**

Cloud Services: Enabled  
 Disabled  
 Disabled  
**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.0:88  
 Kerberos Alt 1 Realm: 0.0.0.0:88  
 Kerberos Alt 1 Address: 0.0.0.0:88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.0:443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Server: 0.0.0.0:443  
 Secure Access Path:

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 54  
 802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled  
 Scheduled Frequency: Monthly

**FIPS 140-3:**

Disabled

**TLS:**

TLS Hash: SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
 Widget Version: v1.3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123