

**Common User Data**

Machine Name: Xerox EC8136 Color MFP (9D:A2:3C)  
 IP Address: 10.61.16.222  
 Machine Serial Number: MQ5010507  
 Fax Line 1: 3337  
 Machine URL: https://10.61.16.222  
 Machine Activation Date: Jan 14, 2025 01:29:18  
 Black Impressions: 356  
 Color Impressions: 836  
 Total Impressions: 1192

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: Not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Fax Card: Embedded, 2 Lines  
 Fax Memory Size: 966 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used - 3205MB/total - 500107MB (HDD)  
 EPC Memory Size: 900 MB  
 Finisher Type: BR Booklet Maker Finisher  
 Finisher Punch: 2/4 Hole  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 17.34  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: Western Hemisphere  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless

**Energy Saver**

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated

**Smart Proximity Sensor**

Wake on Arrival: Enabled  
 Sleep on Departure: Disabled

**Software Versions**

Device Software: 122.043.005.09900  
 Patch Version: None  
 Network Controller: 122.043.09900  
 UI Panel Firmware: 003.004.00000  
 Marking Engine: 030.045.000  
 Document Feeder: 023.026.000  
 Finisher: 006.003.000  
 Fax: 003.021.015  
 Scanner: 016.024.013  
**Machine Upgrades:** Allowed  
 Last Successful Upgrade: April 16, 2025 13:18:37

**Media Trays**

Tray 1: Plain, White and Letter (8.5 x 11")  
 Tray 2: Plain, White and Letter (8.5 x 11")  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and x=1200mm, y=310mm

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled

**Physical Connections**

**USB Settings**

USB Type A Ports: All Enabled  
 USB Type B Port: Enabled

**Wired:**

Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:9da2:3c auto Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:

**Wi-Fi Direct:**

Wireless Hardware: Enabled  
 Not Installed

**Wi-Fi Protected Setup™ (WPS) Name:**

Access Point (SSID):  
 Show Password on Device Touch Screen:

**NFC:**

iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Enabled  
 Bluetooth Device Address: Not Installed  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

IP Address: 10.61.16.222  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Wed Apr 23 19:11:21 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Link Local Address: Disabled  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1: ::  
 Stateless Global Address 2: ::  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX9C934E9DA23C  
 Verified Host Name:  
 Requested Domain Name: xeroxqa.com  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.16  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox EC8136 Color MFP (9D:A2:3C)

**HTTP:**

Force Traffic over Secure Connection (H...): Enabled  
 IPP: Yes  
 Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**

SMTP Server: 10.61.23.93:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 SMTP Authentication Type: Basic Auth with SMTP

**Protocols (cont.)**

<b>POP3</b>	
POP3 Server:	10.61.11.93:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	test@tls13.com
<b>NTP:</b>	Disabled
<b>FTP Client:</b>	Enabled
FTP Client Mode:	Passive
<b>Web Services on Device:</b>	Enabled

**Apps****Printing**

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
<b>PostScript</b>	Installed
Level:	3
Version:	3021.101

**PCL**

Version:	6
Font Name:	Courier
<b>Custom Color Tables</b>	Enabled
Label:	Not Installed

**Fax:**

Enabled/Displayed	
Fax Line1:	3337
Fax Line2:	3337

**Server Fax:**

Enabled	
Repository Protocol:	SMB
Repository Server:	0.0.0.0
Repository Document Path:	

**Workflow Scanning:**

Enabled	
---------	--

**Email:**

Enabled	
---------	--

**Scan to Mailbox:**

Enabled	
Storage Capacity (MB):	23443 MB
Storage Used (MB):	1217 MB

Cleanup of Public Folders:

Enabled	
---------	--

Cleanup of Created Folders:

Enabled	
---------	--

Cleanup Time:

Daily	
-------	--

**Scan to Home:**

Disabled	
----------	--

**Scan To:**

Enabled	
---------	--

Cloud Services:

Disabled	
----------	--

**Print From:**

Enabled	
---------	--

Saved Jobs for Reprint:

Enabled	
---------	--

Print From USB:

Enabled	
---------	--

Print From MailBox:

Disabled	
----------	--

Cloud Services:

Disabled	
----------	--

**Accounting**

Accounting Mode:	None
------------------	------

Network Accounting:	Disabled
---------------------	----------

**Security****Authentication Configuration**

<b>Machine UI Authentication:</b>	Locally on the Device
-----------------------------------	-----------------------

Home:	Unlocked
-------	----------

Jobs:	Unlocked
-------	----------

Device:	Unlocked
---------	----------

<b>Device Website Authentication:</b>	Locally on the Device
---------------------------------------	-----------------------

Authorization:	Locally on the Device
----------------	-----------------------

Retrieve E-mail from LDAP:	Enabled
----------------------------	---------

**Authentication Server:**

Kerberos	
----------	--

**Xerox Secure Access:**

Disabled	
----------	--

**Audit Log:**

Enabled	
---------	--

**IP Sec:**

Disabled	
----------	--

**IP Filtering:**

Disabled	
----------	--

**Security Certificates**

Machine Certificate:	Signed
----------------------	--------

Root Certificates Installed:	54
------------------------------	----

**802.1x:**

Disabled	
----------	--

**Image Overwrite**

Immediate:	Installed/Enabled
------------	-------------------

Scheduled:	Disabled
------------	----------

**FIPS 140-3:**

Disabled	
----------	--

**TLS:**

TLS Hash:	TLS 1.2 and TLS 1.3
-----------	---------------------

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

**Trellix Embedded Control:**

Enhanced Security	
-------------------	--

## Common User Data

Machine Name: Xerox EC8136 Color MFP (9D:A2:3C)  
 IP Address: 10.61.16.222  
 Machine Serial Number: MQS010507  
 Fax Line 1: 3337  
 Machine URL: https://10.61.16.222  
 Machine Activation Date: Jan 14, 2025 01:29:18  
 Black Impressions: 356  
 Color Impressions: 836  
 Total Impressions: 1192

## Machine Profile

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: Not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server

## Machine Hardware

Fax Card: Embedded; 2 Lines  
 Fax Memory Size: 966 MB  
 Foreign Interface Card: not present  
 Device RAM Size: 4096 MB  
 Device Storage Size: used=3205MB/total=500107MB (HDD)  
 EPC Memory Size: 900 MB  
 Finisher Type: BR Booklet Maker Finisher  
 Finisher Punch: 2/4 Hole  
 Finisher Folder: not present  
 Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 17:34  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Metered  
 Billing Impression Mode: A3 Impressions  
 Geographic Region: Western Hemisphere  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 iBIG2: Lossless

## Energy Saver

Deep Sleep: Enabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 30 minutes  
 Auto-Off: Disabled

## Smart Proximity Sensor

Wake on Arrival: Enabled  
 Sleep on Departure: Disabled  
 Maximize Detection Range: Disabled

## Software Versions

Device Software: 122.043.005.09900  
 Patch Version: None  
 Network Controller: 122.043.09900  
 UI Panel Firmware: 003.004.00000  
 User Interface: 122.043.09900  
 Marking Engine: 030.045.000  
 Copy Controller: 122.043.09900  
 Document Feeder: 023.026.000  
 Finisher: 006.003.000  
 Fax: 003.021.015  
 OS: 122.005.09810  
 Scanner: 016.024.013  
 Software Upgrade: 122.043.09900  
 Tray 2:  
 Tray 3:  
 Tray 4:

## Machine Upgrades:

Last Successful Upgrade: April 16, 2025 13:18:37  
 Scheduled Auto Upgrades: Disabled  
 Auto Upgrade Start Time: Daily  
 Auto Upgrade Server: 0.0.0.21

## Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")  
 Tray 2: Plain, White and Letter (8.5 x 11")  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and Letter (8.5 x 11")  
 Bypass Tray: Plain, White and x=1200mm, y=310mm

## Connectivity

### Mobile Workflows

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 AirPrint / Mopria Scanning: Enabled  
 Authentication Required: Disabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

### Physical Connections

USB Settings  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 5 seconds  
 Wired:  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:9d:a2:3c  
 auto  
 Disabled

### Wireless:

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
 Wi-Fi Direct: Enabled  
 Wireless Hardware: Not Installed

Wi-Fi Protected Setup™ (WPS) Name:  
 Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
 NFC: Enabled  
 iBeacon (Bluetooth®) for AirPrint Di...: Enabled  
 iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

## Protocols

### TCP/IPV4:

IP Address: Enabled  
 10.61.16.222  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.224  
 DHCP Lease Expiration: Wed Apr 23 19:11:21 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

### TCP/IPV6:

Link Local Address:  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Use DHCP as directed by a router  
 DHCP Address:  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

### DNS Settings:

Requested Host Name: XR9C934E9DA23C  
 Verified Host Name:  
 Requested Domain Name: xeroxqa.com  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...: Disabled  
 Primary DNS Server: 10.61.7.16  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2: 10.61.10.7  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: xeroxqa.com, XEROXQA.COM  
 Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox EC8136 Color MFP (9D:A2:3C)  
 HTTP: Enabled  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Manual  
 Proxy Server Address: 10.177.8.91.8080  
 IPP: Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.16.222:631

**SNMP**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**  
 Port Number: Enabled  
 PDL Switching: Disabled  
 PDL Banner Override: Disabled

**Raw IP Printing:**  
 Port Number 1: Enabled  
 Bidirectional: Disabled  
 End of Job Timeout: 300  
 PDL Switching: Disabled

**LDAP**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled

**SMTP**  
 SMTP Server: 10.61.23.93.25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
 Credentials for Walkup User: None  
 SMTP Authentication Type: Basic Auth with SMTP

**POP3**  
 POP3 Server: 10.61.11.93:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address: test@t1s13.com  
 POP3 Validate Server Certificate:  
 Receipt of E-mail via POP3: Enabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled

**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123

**SLP:**  
 Disabled

**FTP Client:**  
 Enabled  
 FTP Client Mode: Passive

**Web Services on Device:**  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
 WS-Scan: Enabled

**Web Services**  
 Copy Submission: Enabled  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Scan Submission: Enabled  
 Scan Workflow Management: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Scan Template Mgmt: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**

Banner Sheet: Disabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Enabled  
 Tray Priority: 1,2,3,4,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=210mm, y=297mm  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Main Tray  
 Default Output Color: Color  
 Default Colated Sets: Enabled  
 Default Stapling: No Staple  
 Offsetting Between Jobs: Offset Between Jobs  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101  
 Image Quality: Standard

**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 64  
 Custom Color Tables: Enabled  
 Label: Not Installed

**Fax:**  
 Enabled/Displayed  
 Fax Line1: 3337  
 Fax Line2: 3337

**Server Fax:**  
 Confirmation Sheet: Errors Only  
 Delay Start: Disabled  
 Repository Protocol: SMB  
 Repository Server: 0.0.0.0  
 Repository Document Path:

**Workflow Scanning:**  
 Enabled  
 Confirmation Sheet: Errors Only  
 Default Repository Protocol: SMB  
 Default Repository Server: 0.0.0.0  
 Default Repository Document Path:  
 Default Repository Login Credentials: Device  
 Alt1 Repository Protocol: SMB  
 Alt1 Repository Server: 0.0.0.0  
 Alt1 Repository Document Path:  
 Alt1 Repository Login Credentials: Device  
 Workflow Pool Protocol: SMB  
 Workflow Pool Server: 0.0.0.0  
 Workflow Pool Path:

**Email:**  
 Enabled  
 Default From Address: test@t1s13.com  
 Confirmation Sheet: Errors Only  
 Auto Send to Self: Disabled  
 E-mail Security: Disabled

**Scan to Mailbox:**  
 Enabled  
 View Mailboxes by Default: Enabled  
 Storage Capacity (MB): 23443 MB  
 Storage Used (MB): 1217 MB  
 Cleanup of Public Folders: Enabled  
 Cleanup of Created Folders: Enabled  
 Cleanup Time: Daily

**Scan to Home:**  
 Disabled  
 Friendly Name:  
 Workflow Name:  
 Auto Create Subdir: Disabled  
 Append User Name to Path: Disabled  
 Auto Create User Name Dir: Disabled

**Scan To:**  
 Enabled  
 Cloud Services: Disabled

**Print From:**  
 Enabled  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Print From MailBox: Disabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.88  
 Kerberos Alt 1 Realm: 0.0.0.88  
 Kerberos Alt 1 Address: 0.0.0.88  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.443  
 SmartCard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.443

**Audit Log:**

Audit Log: Enabled

**IP Sec:**

IP Sec: Disabled

**IP Filtering:**

IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 54  
 802.1x: Disabled

**Image Overwrite**

Image Overwrite: Installed/Enabled  
 Scheduled: Disabled  
 Scheduled Frequency:  
 FIPS 140-3: Disabled

**TLS:**

TLS: TLS 1.2 and TLS 1.3  
 TLS Hash: SHA-1, SHA-256 and above  
 Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3 24.23\_2.40 5\_011\_01.00.00  
 Widget Version: v1 3.17 c8 20140613  
 Widget Version: v2 5.04 g9 20240123

