

Bonjour: Enabled
 Bonjour Printer Name: Xerox Versalink 9625 MFP (ACE7205)
 HTTP: Enabled
 Port Number: 80
 Force Traffic over Secure Connection: Yes
 Secure HTTP Port Number: 443
 Proxy Server: Manual
 Proxy Server Address: 10.177.8.91:8080
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.16.17:631
 SNMP v1/v2: Enabled
 SNMP v3: Disabled
 Port Number: 161
 PDL Switching: Disabled
 PDL Banner Override: Disabled
 Raw IP Printing: Enabled
 Port Number: 9100
 Bidirectional: Disabled
 End of Job Timeout: 300
 PDL Switching: Disabled
 LDAP Server 1 Friendly Name: LDAP Server 1
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root: LDAP Server 1
 LDAP Server 1 Secure Connection (LDAP): LDAP Server 1
 SMTP Server: 10.61.23.93:25
 SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Workup User: None
 SMTP Authentication Type: Basic Auth with SMTP
 POP3: Disabled
 POP3 Server: 0.0.0.0:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address: POP3
 POP3 Validate Server Certificate: Disabled
 Receive E-mail via POP3: Disabled
 Send Confirm on Request: Disabled
 Incoming E-mail cover sheet: Disabled
 NTP: Disabled
 Primary Server: 0.0.0.0:123
 Alternate Server: 0.0.0.0:123
 SLP: Disabled
 FTP Client Mode: Passive
 FTP Client: Enabled
 Web Services on Device: Enabled
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled
 Web Services: Enabled
 Digital Certificate Management and Security: Enabled
 Copy Submissions: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submissions: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 EIP Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Scan Template Mgmt: Enabled
 Print Submissions: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configuration: Enabled
 Export Audit Log: Enabled
 Tellix Embedded Control: Enabled



Apps

Printing: Enabled
 Banner Sheet: Disabled
 SysStart Job: Deleted
 Delete Held Jobs After: 3 Days (0 Hours) 0 Minutes
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1.25
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=8.50 inches, y=11.00 inches
 Default Paper Color: White
 Default 2 Sided Printing: 1 Sided
 Default Output Tray: Center Tray
 Default Output Color: Black & White
 Default Collated Sets: Enabled
 Default Stopping: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
 Archival Marking Mode: Off
 PostScript: Installed
 Level: 3
 Version: 3021.101
 Image Quality: Enhanced
 PCL: 5
 Version: 10.00
 Pitch Size: 12.00
 Font Name: Courier
 Lines Per Page: 60
 Custom Color Tables: Enabled
 Label: Not Installed
 Fax Line1: Enabled/Disabled
 Fax Line2: 3337
 Server Fax: Enabled
 Confirmation Sheet: On
 Delay Start: Disabled
 Repository Protocol: FTP
 Repository Server: 10.61.23.9:21
 Workflow Scanning: Enabled
 Confirmation Sheet: Errors Only
 Default Repository Protocol: HTTP
 Default Repository Server: 10.13.16.1:27:43
 Default Repository Document Path: C:\Inetpub\wwwroot\https
 Default Repository Login Credentials: Device
 Airt Repository Protocol: FTP
 Airt Repository Server: 0.0.0.0
 Airt Repository Document Path: Device
 Airt Repository Login Credentials: Device
 Workflow Pool Protocol: FTP
 Workflow Pool Server: 0.0.0.0
 Workflow Pool Path: Device
 Email: Enabled
 Default From Address: test@13.com
 Confirmation Sheet: On
 Auto Send to Self: Disabled
 E-mail Security: Disabled
 Scan to Mailbox: Enabled
 View Mailboxes by Default: Enabled
 Storage Used (MB): 110 MB
 Storage Capacity (MB): 672 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily
 Scan to Home: Disabled
 Friendly Name: Disabled
 Workflow Name: Disabled
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled
 Scan To: Disabled
 Cloud Services: Disabled
 Print From: Disabled
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From Mailbox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
Accounting Mode: Disabled

Security

Authentication Configuration

Machine UI Authentication: Unlocked
Home: Unlocked
Jobs: Unlocked
Device Website Authentication: Unlocked

Authorization: Locally on the Device
Review E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: kerberos
Kerberos Primary Address: 0.0.0.88
Kerberos Alt 1 Realm: 0.0.0.88
Kerberos Alt 1 Address: 0.0.0.88

SMB NT Domain: SMB NT Domain: 0.0.0.43
SMB Alt 1 NT Domain: 0.0.0.43

Smartcard Ctrl Domain: Smartcard Ctrl Domain: 0.0.0.43
Smartcard Ctrl Server: 0.0.0.43

Smartcard OSCP URL: Smartcard OSCP URL: 0.0.0.43
Card Reader Firmware Version: 0.0.0.43

Xerox Secure Access: Disabled
Secure Access Server: 0.0.0.43
Secure Access Path: Disabled

Audit Log:

IP Sec: Enabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Disabled
Root Certificates Installed: Disabled

Job Data Removal:

Scheduled Frequency: Disabled
Scheduled Frequency: Disabled

Trellix Embedded Control:

TLS Hash: Disabled
FIPS 140-3: Disabled
FIPS with CC Mode enabled: Disabled

Extensible Service Setup

Third Generation Browser: Disabled
Widget Version: V1 3.17 c8 20140613
Widget Version: V2 5.04 g9 20240123

X5G_3.24.23.2405.01_01.00.00
V1 3.17 c8 20140613
V2 5.04 g9 20240123

Enhanced Security
SHA-256 and above
TLS 1.2 only (recommended)

