

Common User Data

Machine Name: Xerox EC8136 Color MFP (9D:A2:3C)
 IP Address: 10.61.12.190
 Machine Serial Number: MQ5010507
 Fax Line1: 3337
 Machine URL: https://10.61.12.190
 Machine Activation Date: Jan 14, 2025 01:29:18
 Black Impressions: 273
 Color Impressions: 574
 Total Impressions: 847

Machine Profile

Xerox Asset Tag:
 Customer Asset Tag:
 Service Phone Number:
 Customer Support Number:
 Supplies Phone Number:
 System Administrator: Not set
 Machine Location: machine location not set

Managed By

Primary MB Server:

Machine Hardware

Fax Card: Embedded; 2 Lines
 Fax Memory Size: 966 MB
 Foreign Interface Card: not present
 Device RAM Size: 4096 MB
 Device Storage Size: used=3225MB/total=500107MB (HDD)
 EPC Memory Size: 900 MB
 Finisher Type: BR Booklet Maker Finisher
 Finisher Punch: 2/4 Hole
 Finisher Folder: not present
 Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
 Remote Software Download: Enabled
 Remote Services Trans. Time: 17:34
 Xerox Workplace Cloud: Enabled
 E-mail Alerts: Disabled
 Service Plan: Plan Activated
 Billing Impression Mode: A3 Impressions
 Geographic Region: Western Hemisphere
 Startup Config Report: Enabled
 GMT Offset: +05:30
 Cloning Installation: Allowed (Encrypted Files Only)
 Allow Print Submission of Clone Files: Enabled
 File Sharing: Enabled
 JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
 Energy Saver Mode: Job Activated
 Sleep Mode Timer: 30 minutes
 Auto-Off: Disabled

Smart Proximity Sensor

Wake on Arrival: Enabled
 Sleep on Departure: Disabled
 Maximize Detection Range: Disabled

Software Versions

Device Software: 122.043.005.09800
 Patch Version: None
 Network Controller: 122.043.09800
 UI Panel Firmware: 003.004.00000
 User Interface: 122.043.09800
 Marking Engine: 030.045.000
 Copy Controller: 122.043.09800
 Document Feeder: 023.026.000
 Finisher: 006.003.000
 Fax: 003.021.015
 OS: 122.005.09800
 Scanner: 016.024.013
 Software Upgrade: 122.043.09800
 Tray 2:
 Tray 3:
 Tray 4:

Machine Upgrades

Last Successful Upgrade: April 9, 2025 18:52:21
 Scheduled Auto Upgrades: Disabled
 Auto Upgrade Start Time: Daily
 Auto Upgrade Server: 0.0.0.21

Media Trays

Tray 1: Glossy Cardstock, White and A3 (297 x 420...
 Tray 2: Plain, White and Letter (8.5 x 11")
 Tray 3: Plain, White and A4 (210 x 297 mm)
 Tray 4: Plain, White and Letter (8.5 x 11")
 Bypass Tray: Plain, White and x=1000mm, y=310mm

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
 Mopria Printing: Enabled
 AirPrint / Mopria Scanning: Enabled
 Authentication Required: Disabled
 Universal Print: Disabled
 Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
 USB Type A Ports: All Enabled
 USB Type B Port: Disabled
Wired:
 Ethernet MAC Address: Enabled
 Ethernet Speed/Duplex Setting: 9c:93:4e:9d:a2:3c
 auto
 Disabled

Wireless:

Wireless MAC Address:
 Network Name (SSID):
 BSSID:
 Security Mode:
 Encryption Algorithm:
 Status:
Wi-Fi Direct: Enabled
 Not Installed

Wireless Hardware:

Wi-Fi Protected Setup™ (WPS) Name:
 Connection Method:
 Subnet Prefix Address:
 Access Point (SSID):
 Show Password on Device Touch Screen:

NFC: Enabled
 Not Installed
iBeacon (Bluetooth®) for AirPrint Di... Enabled
 Not Installed
 iBeacon Hardware:
 Bluetooth Device Address:
 iBeacon IP Address:

Protocols

TCP/IPV4:

Enabled
 IP Address: 10.61.12.190
 Subnet Mask: 255.255.255.0
 Router/Gateway: 10.61.12.1
 Automatic Addressing: DHCP
 DHCP Server: 10.61.13.224
 DHCP Lease Expiration: Thu Apr 17 10:28:26 2025
 BOOTP Broadcast: Disabled
 Self Assigned Address State: Enabled
 Self Assigned Address:

TCP/IPV6:

Disabled
 Link Local Address:
 Use Router Supplied Prefix: Enabled
 Stateless Global Address 1: ::
 Stateless Global Address 2: ::
 Manual Address:
 DHCP Addressing: Use DHCP as directed by a router
 DHCP Address:
 Default Gateway:
 DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XR9C934E9DA23C
 Verified Host Name:
 Requested Domain Name: xeroxqa.com.
 Verified Domain Name:
 Multicast DNS: Enabled
 Release DHCP Leases and DNS Registrati... Disabled
 Primary DNS Server: 10.61.7.16
 Alternate DNS Server 1: 10.61.10.6
 Alternate DNS Server 2: 10.61.10.7
 DNS Connection Timeout: 5
 Append Device Domain: Enabled
 Append Parent Domains: Disabled
 DNS Domain Search List: xeroxqa.com XEROXQA.COM
 Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour:
 Bonjour Printer Name: Xerox EC8136 Color MFP (9D:A2:3C)
 HTTP: Enabled
 Port Number: 80
 Force Traffic over Secure Connection (H...): Yes
 Secure HTTP Port Number: 443
 Proxy Server: Manual
 Proxy Server Address: www.mc.xerox.com:8000
 IPP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 IPP Network Path: http://10.61.12.190:631

SNMP
 SNMP v1/v2: Enabled
 SNMP v3: Disabled

LPR/LPD:
 Port Number: Enabled
 PDL Switching: 515
 PDL Banner Override: Disabled

Raw IP Printing:
 Port Number 1: Enabled
 Bidirectional: 9100
 End of Job Timeout: Disabled
 PDL Switching: 300
 Disabled

LDAP
 LDAP Server 1 Friendly Name:
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389
 LDAP Server 1 Search Directory Root:
 LDAP Server 1 Secure Connection (LDA...): Disabled
 LDAP Server 1 Validate Server Certificate...: Disabled

SMTP
 SMTP Server: 10.61.23.93:25
 Connect Encryption (TLS): No Encryption
 Validate Server Certificate (TLS):
 Max Message Size (KB): 10240
 Number of Fragments: 1
 Total Job Size (KB): 300000
 Job Splitting Boundary: Page Boundary
 Credentials for Auto E-mails: None
 Credentials for Walkup User: None
 SMTP Authentication Type: Basic Auth with SMTP

POP3
 POP3 Server: 10.61.11.93:110
 POP3 Secure Connection (TLS): Disabled
 E-mail Address: test@tls13.com
 POP3 Validate Server Certificate:
 Receipt of E-mail via POP3: Enabled
 Send Confirm on Request: Enabled
 Incoming E-mail cover sheet: Enabled

NTP:
 Primary Server: Disabled
 Alternate Server: 0.0.0.0:123
 0.0.0.0:123

SLP:
 Disabled

FTP Client:
 FTP Client Mode: Enabled
 Passive

Web Services on Device:
 WS-Discovery: Enabled
 WS-Discovery Multicast: Enabled
 WS-Print: Enabled
 WS-Scan: Enabled

Web Services
 Copy Submission: Enabled
 Digital Certificate Management and Securi...: Enabled
 Extensible Service Registration: Enabled
 Job Limits: Enabled
 Job Management Extension: Enabled
 Device Configuration: Enabled
 Scan Submission: Enabled
 Scan Workflow Management: Enabled
 Session Data: Enabled
 User Interface Configuration: Enabled
 EIP Proxy Configuration: Enabled
 Xerox Secure Access: Disabled
 EIP SNMP Configuration: Enabled
 Print Submission: Enabled
 Scan Template Mgmt: Enabled
 Mass Storage Access: Enabled
 Card Reader Access: Enabled
 Authentication & Accounting Configur...: Enabled
 Export Audit Log: Enabled
 Trellix Embedded Control: Enabled

Apps

Printing

Banner Sheet: Disabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1,2,3,4,5
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=210mm, y=297mm
 Default Paper Color: White
 Default 2 Sided Printing: 2 Sided
 Default Output Tray: Main Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: No Staple
 Offsetting Between Jobs: Offset Between Jobs
PostScript
 Level: Installed
 Version: 3
 Image Quality: 3021.101
 Standard

PCL
 Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 64
Custom Color Tables
 Label: Enabled
 Not Installed
 Enabled/Displayed

Fax:
 Fax Line1: 3337
 Fax Line2: 3337

Server Fax:
 Confirmation Sheet: Enabled
 Delay Start: Errors Only
 Repository Protocol: Disabled
 Repository Server: SMB
 Repository Document Path: 0.0.0.0:0

Workflow Scanning:
 Confirmation Sheet: Enabled
 Errors Only
 Default Repository Protocol: SMB
 Default Repository Server: 0.0.0.0:0
 Default Repository Document Path:
 Default Repository Login Credentials: Device
 SMB
 Alt1 Repository Protocol: 0.0.0.0:0
 Alt1 Repository Server:
 Alt1 Repository Document Path: Device
 Alt1 Repository Login Credentials: SMB
 Workflow Pool Protocol: 0.0.0.0:0
 Workflow Pool Server:
 Workflow Pool Path:

Email:
 Default From Address: Enabled
 test@tls13.com
 Confirmation Sheet: Errors Only
 Auto Send to Self: Disabled
 E-mail Security: Disabled

Scan to Mailbox:
 View Mailboxes by Default: Enabled
 Storage Capacity (MB): 23443 MB
 Storage Used (MB): 1217 MB
 Cleanup of Public Folders: Enabled
 Cleanup of Created Folders: Enabled
 Cleanup Time: Daily

Scan to Home:
 Friendly Name:
 Workflow Name:
 Auto Create Subdir: Disabled
 Append User Name to Path: Disabled
 Auto Create User Name Dir: Disabled

Scan To:
 Cloud Services: Enabled
 Disabled

Print From:
 Saved Jobs for Reprint: Enabled
 Print From USB: Enabled
 Print From MailBox: Disabled
 Cloud Services: Disabled

Accounting

Accounting Mode: None
 Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
 Home: Unlocked
 Jobs: Unlocked
 Device: Unlocked
 Device Website Authentication: Locally on the Device
 Authorization: Locally on the Device
 Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
 Kerberos Primary Address: 0.0.0.88
 Kerberos Alt 1 Realm: 0.0.0.88
 Kerberos Alt 1 Address: 0.0.0.88
 SMB NT Domain:
 SMB Alt 1 NT Domain:
 Smartcard Ctrl Server: 0.0.0.443
 Smartcard Ctrl Domain:
 SmartCard OCSP URL:
 Card Reader Upgrade Policy: Enabled
 Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
 Secure Access Path: 0.0.0.443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate: Signed
 Root Certificates Installed: 54

802.1x:

Disabled

Image Overwrite

Immediate: Installed/Enabled
 Scheduled: Disabled

Scheduled Frequency:

Disabled

FIPS 140-3:

Disabled

TLS:

TLS 1.2 and TLS 1.3

TLS Hash:

SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
 Widget Version: v1.3.17 c8 20140613
 Widget Version: v2.5.04 g9 20240123

