

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,5
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101

PCL

Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed

Fax:

Fax Line1:	Enabled/Displayed
Fax Line2:	3337

Server Fax:

Repository Protocol:	Enabled
Repository Server:	FTP
Repository Document Path:	10.61.10.116:21
	/FSCSR/

Workflow Scanning:

Email:	Enabled
--------	---------

Scan to Mailbox:

Storage Capacity (MB):	Disabled
Storage Used (MB):	672 MB
Cleanup of Public Folders:	50 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
	Daily

Scan to Home:

Scan To:	Disabled
----------	----------

Cloud Services:	Enabled
-----------------	---------

Print From:

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

Xerox Secure Access:	Kerberos
----------------------	----------

Audit Log:

IP Sec:	Disabled
---------	----------

IP Filtering:

Security Certificates	Disabled
-----------------------	----------

Machine Certificate:	Signed
Root Certificates Installed:	53

802.1x:

802.1x:	Disabled
---------	----------

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

FIPS 140-3:	Disabled
-------------	----------

TLS:

TLS Hash:	TLS 1.2 and TLS 1.3
-----------	---------------------

Trellix Embedded Control:

Trellix Embedded Control:	SHA-1, SHA-256 and above
	Enhanced Security

Common User Data

Machine Name:	Xerox VersaLink B625 MFP (AC:E7:7F)
IPv4 Address:	10.61.16.154
Machine Serial Number:	5321605305
Fax Line 1:	3337
Machine URL:	https://10.61.16.154
Machine Activation Date:	Jan 01, 1970 05:30:00
Total Impressions:	958

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary M8 Server:	

Machine Hardware

Fax Card:	Embedded; 1 Line
Fax Memory Size:	738 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=3003MB/total=0MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	21:28
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Enabled
File Sharing	Enabled
JBIG2	Lossless
Energy Saver	
Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	122.025.025.16210
Patch Version:	None
Network Controller:	122.025.16210
UI Panel Firmware:	6.1
User Interface:	122.025.16210
Marking Engine:	230.330
Copy Controller:	122.025.16210
Document Feeder:	230.330
Finisher:	000.000.000
Fax:	003.021.021
OS:	230.330
Scanner:	230.330
Software Upgrade:	005.016
ALTB00T Software Upgrade:	005.016
Tray 2:	A16.47_B2.3
Tray 3:	A16.47_B2.3
Machine Upgrades:	Allowed
Last Successful Upgrade:	June 11, 2025 20:37:15
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and x=210mm, y=210mm

Connectivity

Mobile Workflows	
AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds
Wired:	Enabled
Ethernet MAC Address:	78:8c:77:ace7:7f
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.16.154
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.224
DHCP Lease Expiration:	Mon Jun 23 15:16:32 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Disabled
Link Local Address:	
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XRX788C77ACE77F
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled
Authentication Server: Kerberos

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access: Disabled
Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed

Root Certificates Installed: 53

802.1x: Disabled

Job Data Removal:

Scheduled: Disabled

Scheduled Frequency:

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_240.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.0 g9 20240123