

**Common User Data**

Machine Name: Xerox VersaLink B620 Printer (FE:F6:79)  
 IPv4 Address: 10.61.16.207  
 Machine Serial Number: 5320705462  
 Machine URL: https://10.61.16.207  
 Machine Activation Date: Apr 24, 2025 13:18:49  
 Total Impressions: 6042

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator:  
 Machine Location: Not set  
**Managed By**  
 Primary MB Server: machine location not set

**Machine Hardware**

Foreign Interface Card: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=3459MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: used=84MB/total=0MB (HDD)  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 02:00  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Sold  
 Geographic Region: unknown  
 Startup Config Report: Enabled  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 Allow Print Submission of Clone Files: Enabled  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
 Sleep Mode Timer: 120 minutes  
 Auto-Off: Disabled

**Software Versions**

Device Software: 122.027.005.13400  
 Patch Version: None  
 Network Controller: 122.027.13400  
 UI Panel Firmware: 6.2  
 User Interface: 122.027.13400  
 Marking Engine: 230.327  
 Finisher: 000.000.000  
 OS: 230.327  
 Software Upgrade: 005.016  
 ALTB00T Software Upgrade: 005.016  
 Tray 2: A16.47\_B2.3  
 Tray 3: A16.47\_B2.3  
 Tray 4: A16.47\_B2.3  
**Machine Upgrades:**  
 Last Successful Upgrade: Allowed  
 Scheduled Auto Upgrades: May 19, 2025 14:09:01  
 Auto Upgrade Start Time: Disabled  
 Auto Upgrade Server: Daily  
 Auto Upgrade Server: 0.0.0.0:21

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A6 (105 x 148 mm)

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
 Universal Print: Disabled  
 Universal Print Registration Status: Not Registered

**Physical Connections**

**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
 Connection Timeout: 5 seconds

**Wired:**

Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:fe:f6:79  
 auto  
 Disabled

**Wireless:**

Wireless MAC Address:  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status: Enabled  
**Wi-Fi Direct:**  
 Wireless Hardware: Not Installed

**Wi-Fi Protected Setup™ (WPS) Name:**

Connection Method:  
 Subnet Prefix Address:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
 NFC: Enabled  
 Enabled  
 Disabled  
 Not Installed

**iBeacon (Bluetooth®) for AirPrint Di...**

iBeacon Hardware: Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

Enabled  
 IPv4 Address: 10.61.16.207  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Mon May 26 14:18:51 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Enabled  
 Link Local Address: fe80::9e93:4eff:fe:f679  
 Enabled  
 Use Router Supplied Prefix:  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Enabled for address assignment and other ...  
 DHCP Address: fd00:0 2:116:9017::f27:2dc0:e3aa  
 fe80::8afc:5dff:fe75:e282  
 000100012fdbace89c934efef679  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX9C934EFEF679  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati... Disabled  
 Primary DNS Server: 10.61.7.16  
 Alternate DNS Server 1: 10.61.10.6  
 Alternate DNS Server 2: 10.61.7.15  
 DNS Connection Timeout: 5  
 Append Device Domain: Enabled  
 Append Parent Domains: Disabled  
 DNS Domain Search List: .10.61.10.6.10.61.10.7. ...  
 Prefer IPv6 DNS over IPv4: Enabled

**Installed Options**

PS: Installed

**Protocols (cont.)**

**Bonjour:**  
 Bonjour Printer Name: Xerox VersaLink B620 Printer (FE:F6:79)  
**HTTP:**  
 Port Number: 80  
 Force Traffic over Secure Connection (H...): Yes  
 Secure HTTP Port Number: 443  
 Proxy Server: Disabled  
 Proxy Server Address: 0.0.0.0:8080  
 IPP: Enabled  
 Secure IPP Mode: IPP and Secure IPPS  
 IPP Network Path: http://10.61.16.207:631  
**SNMP:**  
 SNMP v1/v2: Enabled  
 SNMP v3: Disabled  
**LPR/LPD:**  
 Port Number: Enabled  
 PDL Switching: 515  
 PDL Banner Override: Disabled  
**Raw IP Printing:**  
 Port Number 1: Enabled  
 Bidirectional: 9100  
 End of Job Timeout: Disabled  
 PDL Switching: 300  
**LDAP:**  
 LDAP Server 1 Friendly Name:  
 LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...): Disabled  
 LDAP Server 1 Validate Server Certificate...: Disabled  
**SMTP:**  
 SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):  
 Max Message Size (KB): 10240  
 Number of Fragments: 1  
 Total Job Size (KB): 300000  
 Job Splitting Boundary: Page Boundary  
 Credentials for Auto E-mails: None  
**POP3:**  
 POP3 Server: 0.0.0.0:110  
 POP3 Secure Connection (TLS): Disabled  
 E-mail Address:  
 POP3 Validate Server Certificate:  
 Receipt of E-mail via POP3: Disabled  
 Send Confirm on Request: Enabled  
 Incoming E-mail cover sheet: Enabled  
**NTP:**  
 Primary Server: 0.0.0.0:123  
 Alternate Server: 0.0.0.0:123  
**SLP:**  
 Disabled  
**FTP Client:**  
 Enabled  
 FTP Client Mode: Passive  
**Web Services on Device:**  
 Enabled  
 WS-Discovery: Enabled  
 WS-Discovery Multicast: Enabled  
 WS-Print: Enabled  
**Web Services:**  
 Digital Certificate Management and Securi...: Enabled  
 Extensible Service Registration: Enabled  
 Job Limits: Enabled  
 Job Management Extension: Enabled  
 Device Configuration: Enabled  
 Session Data: Enabled  
 User Interface Configuration: Enabled  
 EIP Proxy Configuration: Enabled  
 Xerox Secure Access: Disabled  
 EIP SNMP Configuration: Enabled  
 Print Submission: Enabled  
 Mass Storage Access: Enabled  
 Card Reader Access: Enabled  
 Authentication & Accounting Configur...: Enabled  
 Export Audit Log: Enabled  
 Trellix Embedded Control: Enabled

**Apps**

**Printing**  
 Banner Sheet: Enabled  
 Sys/Start Job: Disabled  
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)  
 Error Sheets: Enabled  
 Paper Substitution: Disabled  
 Tray Priority: 1,2,3,4,5  
 Default Copies: 1  
 Default Job Type: Normal Print  
 Default Paper Size: x=210mm, y=297mm  
 Default Paper Color: White  
 Default 2 Sided Printing: 2 Sided  
 Default Output Tray: Center Tray  
 Default Output Color: Black & White  
 Default Collated Sets: Enabled  
 Default Stapling: Not Available  
 Offsetting Between Jobs: No Offset Between Jobs  
 Archival Marking Mode: Off  
 PostScript: Installed  
 Level: 3  
 Version: 3021.101  
 Image Quality: Enhanced  
**PCL**  
 Version: 6  
 Pitch Size: 10.00  
 Point Size: 12.00  
 Font Name: Courier  
 Lines Per Page: 64  
 Custom Color Tables: Enabled  
 Label: Not Installed  
**Print From:**  
 Saved Jobs for Reprint: Enabled  
 Print From USB: Enabled  
 Cloud Services: Disabled

**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security**

**Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs Pathway: Unlocked  
 Printer Pathway: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
 Kerberos Primary Address: 0.0.0.0:88  
 Kerberos Alt 1 Realm: Kerberos  
 Kerberos Alt 1 Address: 0.0.0.0:88  
 SMB NT Domain: -  
 SMB Alt 1 NT Domain: -  
 Smartcard Ctrl Server: 0.0.0.0:443  
 Smartcard Ctrl Domain: -  
 SmartCard OCSP URL: -  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version: -

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 0.0.0.0:443

**Audit Log:**

Enabled

**IP Sec:**

Disabled

**IP Filtering:**

Disabled

**Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 53

**802.1x:**

Disabled

**Image Overwrite**

Immediate: Installed/Enabled  
 Scheduled: Disabled  
 Scheduled Frequency: -

**FIPS 140-3:**

Disabled

**TLS:**

TLS 1.2 and TLS 1.3  
 SHA-1, SHA-256 and above

**TLS Hash:**

Enhanced Security

**Trellix Embedded Control:**

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
 Widget Version: v1.3.17 c8 20140613  
 Widget Version: v2.5.04 g9 20240123



**Common User Data**

Machine Name: Xerox VersaLink B620 Printer (FE:F6:79)  
 IPv4 Address: 10.61.16.207  
 Machine Serial Number: 5320705462  
 Machine URL: https://10.61.16.207  
 Machine Activation Date: Apr 24, 2025 13:18:49  
 Total Impressions: 6042

**Machine Profile**

Xerox Asset Tag:  
 Customer Asset Tag:  
 Service Phone Number:  
 Customer Support Number:  
 Supplies Phone Number:  
 System Administrator: Not set  
 Machine Location: machine location not set  
**Managed By**  
 Primary MB Server:

**Machine Hardware**

Foreign Interface Cord: not present  
 Device RAM Size: 1984 MB  
 Device Storage Size: used=3459MB/total=0MB (eMMC)  
 EPC Memory Size: 187 MB  
 Productivity Kit: used=84MB/total=0MB (HDD)  
 Finisher Type: Simple Catch Tray  
 Finisher Punch: None  
 Finisher Folder: not present

**General Setup**

Remote Services: Enabled  
 Remote Software Download: Enabled  
 Remote Services Trans. Time: 02:00  
 Xerox Workplace Cloud: Enabled  
 E-mail Alerts: Disabled  
 Service Plan: Sold  
 Geographic Region: unknown  
 GMT Offset: +05:30  
 Cloning Installation: Allowed (Encrypted Files Only)  
 File Sharing: Enabled  
 JBIG2: Lossless  
**Energy Saver**  
 Deep Sleep: Disabled  
 Energy Saver Mode: Job Activated  
**Smart Proximity Sensor**  
 Wake on Arrival: Not Available  
 Sleep on Departure:

**Software Versions**

Device Software: 122.027.005.13400  
 Patch Version: None  
 Network Controller: 122.027.13400  
 UI Panel Firmware: 6.2  
 Marking Engine: 230.327  
 Finisher: 000.000.000  
**Machine Upgrades:**  
 Last Successful Upgrade: May 19, 2025 14:09:01

**Media Trays**

Tray 1: Plain, White and A4 (210 x 297 mm)  
 Tray 2: Plain, White and A4 (210 x 297 mm)  
 Tray 3: Plain, White and A4 (210 x 297 mm)  
 Tray 4: Plain, White and A4 (210 x 297 mm)  
 Bypass Tray: Plain, White and A6 (105 x 148 mm)

**Installed Options**

PS: Installed

**Connectivity**

**Mobile Workflows**

AirPrint Printing: Enabled  
 Mopria Printing: Enabled  
**Physical Connections**  
**USB Settings**  
 USB Type A Ports: All Enabled  
 USB Type B Port: Enabled  
**Wired:**  
 Ethernet MAC Address: Enabled  
 Ethernet Speed/Duplex Setting: 9c:93:4e:fe:f6:79  
 auto  
**Wireless:**  
 Wireless MAC Address: Disabled  
 Network Name (SSID):  
 BSSID:  
 Security Mode:  
 Encryption Algorithm:  
 Status:  
**Wi-Fi Direct:**  
 Wireless Hardware: Enabled  
 Not Installed  
 Wi-Fi Protected Setup™ (WPS) Name:  
 Access Point (SSID):  
 Show Password on Device Touch Screen:  
**NFC:**  
 iBeacon (Bluetooth®) for AirPrint DI...  
 iBeacon Hardware: Enabled  
 Not Installed  
 Bluetooth Device Address:  
 iBeacon IP Address:

**Protocols**

**TCP/IPV4:**

Enabled  
 IPv4 Address: 10.61.16.207  
 Subnet Mask: 255.255.255.0  
 Router/Gateway: 10.61.16.1  
 Automatic Addressing: DHCP  
 DHCP Server: 10.61.13.223  
 DHCP Lease Expiration: Mon May 26 14:18:51 2025  
 BOOTP Broadcast: Disabled  
 Self Assigned Address State: Enabled  
 Self Assigned Address:

**TCP/IPV6:**

Enabled  
 Link Local Address: fe80::9e93:4eff:fe:f679  
 Use Router Supplied Prefix: Enabled  
 Stateless Global Address 1:  
 Stateless Global Address 2:  
 Manual Address:  
 DHCP Addressing: Enabled for address assignment and other ...  
 DHCP Address: fd00:0:2:116:9017:ef27:2dc0:e3aa  
 fe80::8afc:5dff:fe75:e282  
 000100012fdbace89c934efef679  
 Default Gateway:  
 DUID (DHCP Unique Identifier):

**DNS Settings:**

Requested Host Name: XRX9C934EFEF679  
 Verified Host Name:  
 Requested Domain Name:  
 Verified Domain Name:  
 Multicast DNS: Enabled  
 Release DHCP Leases and DNS Registrati...  
 Primary DNS Server: Disabled  
 10.61.7.16  
 Prefer IPv6 DNS over IPv4: Enabled

**Bonjour:**

Bonjour Printer Name: Xerox VersaLink B620 Printer (FE:F6:79)

**HTTP:**

Force Traffic over Secure Connection (H...  
 IPP: Enabled

**SNMP**

SNMP v1/v2: Enabled  
 SNMP v3: Disabled

**LPR/LPD:**

Enabled

**Raw IP Printing:**

Enabled

**LDAP**

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389  
 LDAP Server 1 Search Directory Root:  
 LDAP Server 1 Secure Connection (LDA...  
 LDAP Server 1 Validate Server Certificate...

**SMTP**

SMTP Server: 0.0.0.0:25  
 Connect Encryption (TLS): No Encryption  
 Validate Server Certificate (TLS):

**Protocols (cont.)**

<b>POP3</b>	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
<b>NTP:</b>	Disabled
<b>FTP Client:</b>	Enabled
<b>FTP Client Mode:</b>	Passive
<b>Web Services on Device:</b>	Enabled

**Apps****Printing**

<b>Banner Sheet:</b>	Enabled
<b>Error Sheets:</b>	Enabled
<b>Paper Substitution:</b>	Disabled
<b>Tray Priority:</b>	1,2,3,4,5
<b>Archival Marking Mode</b>	Off
<b>PostScript</b>	Installed
<b>Level:</b>	3
<b>Version:</b>	3021.101
<b>PCL</b>	
<b>Version:</b>	6
<b>Font Name:</b>	Courier
<b>Custom Color Tables</b>	Enabled
<b>Label:</b>	Not Installed
<b>Print From:</b>	Enabled
<b>Saved Jobs for Reprint:</b>	Enabled
<b>Print From USB:</b>	Enabled
<b>Cloud Services:</b>	Disabled

**Accounting**

<b>Accounting Mode:</b>	None
<b>Network Accounting:</b>	Disabled

**Security****Authentication Configuration**

<b>Machine UI Authentication:</b>	Locally on the Device
<b>Home:</b>	Unlocked
<b>Jobs Pathway:</b>	Unlocked
<b>Printer Pathway:</b>	Unlocked
<b>Device Website Authentication:</b>	Locally on the Device
<b>Authorization:</b>	Locally on the Device

**Authentication Server:****Xerox Secure Access:****Audit Log:****IP Sec:****IP Filtering:****Security Certificates**

<b>Machine Certificate:</b>	Signed
<b>Root Certificates Installed:</b>	53
<b>802.1x:</b>	Disabled

**Image Overwrite**

<b>Immediate:</b>	Installed/Enabled
<b>Scheduled:</b>	Disabled

**FIPS 140-3:**

<b>TLS:</b>	Disabled
<b>TLS Hash:</b>	TLS 1.2 and TLS 1.3 SHA-1, SHA-256 and above
<b>Trellix Embedded Control:</b>	Enhanced Security