

# Supplies Usage

Supplies ordering information is located at [www.xerox.com/office/supplies](http://www.xerox.com/office/supplies)

## Consumables

### Toner Cartridges



Black

Date Installed: Dec 8, 2023  
Reorder: 006R04685  
Estimated Pages Remaining: 8000  
(Based upon this toner cartridge's average coverage: 2 %)

Life Remaining

100 %

50 %

0 %

Cyan

Date Installed: Sep 19, 2024  
Reorder: 006R04769  
Estimated Pages Remaining: 7000  
(Based upon this toner cartridge's average coverage: 0 %)

Life Remaining

100 %

50 %

0 %

Magenta

Date Installed: Jan 1, 2001  
Reorder: 006R04770  
Estimated Pages Remaining: 6000  
(Based upon this toner cartridge's average coverage: 0 %)

Life Remaining

100 %

50 %

0 %

Yellow

Date Installed: Sep 5, 2024  
Reorder: 006R04767  
Estimated Pages Remaining: 6000  
(Based upon this toner cartridge's average coverage: 0 %)

Life Remaining

100 %


50 %

0 %



## Routine Maintenance Items

### Imaging Kit



Imaging Kit

Date Installed: Apr 28, 2025  
Reorder: 50MPN000  
Estimated Pages Remaining: 107500  
(Based on average printer job size: 1 Pages)


Life Remaining

100 %

50 %

0 %

### Waste Container



Date Installed: Apr 28, 2025  
Reorder: 008R13335

OK

## Common User Data

Machine Name: Xerox VersaLink C415 Color MFP (46:6...  
IPv4 Address: 10.61.16.35  
Machine Serial Number: 5334205608  
Fax Line1:  
Machine URL: https://10.61.16.35  
Machine Activation Date: Apr 28, 2025 16:06:01  
Black Impressions: 4868  
Color Impressions: 4483  
Total Impressions: 9351

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
System Administrator:  
Machine Location: Not set  
machine location not set  
Managed By  
Primary MB Server:

## Machine Hardware

Fax Card: Not Present  
Fax Memory Size: 0 MB  
Foreign Interface Card: not present  
Device RAM Size: 1984 MB  
Device Storage Size: used=3091MB/total=0MB (eMMC)  
EPC Memory Size: 187 MB  
Productivity Kit: Not Installed  
Finisher Type: Simple Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 14:19  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Metered  
Geographic Region: unknown  
Startup Config Report: Enabled  
GMT Offset: +05:30  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Enabled  
File Sharing: Enabled  
JDLG2: Lossless

## Energy Saver

Deep Sleep: Enabled  
Energy Saver Mode: Job Activated  
Sleep Mode Time: 120 minutes  
Auto-Off: Disabled

## Software Versions

Device Software: 122.028.005.15400  
Patch Version: None  
Network Controller: 122.028.15400  
UI Panel Firmware: 6.2  
User Interface: 122.028.15400  
Marking Engine: 230.332  
Copy Controller: 122.028.15400  
Document Feeder: 230.332  
Finisher: 000.000.000  
Fax: 000.000.000  
OS: 230.332  
Scanner: 230.332  
Software Upgrade: 005.016  
ALTB00T Software Upgrade: 005.016  
Machine Upgrades: Allowed  
Last Successful Upgrade: June 10, 2025 17:18:53  
Scheduled Auto Upgrades: Disabled  
Auto Upgrade Start Time: Daily  
Auto Upgrade Server: 0.0.0.0:21

## Media Trays

Tray 1: Plain, White and Letter (8.5 x 11")  
Manual Feeder: Plain, White and Letter (8.5 x 11")

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
Mapria Printing: Enabled  
AirPrint / Mapria Scanning: Enabled  
Authentication Required: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

## Physical Connections

USB Settings  
USB Type A Ports: All Enabled  
USB Type B Port: Enabled  
Connection Timeout: 5 seconds  
Wired: Enabled  
Ethernet MAC Address: 78:8c:77:46:60:59  
Ethernet Speed/Duplex Setting: auto  
Wireless: Disabled

Wireless:  
Wireless MAC Address:  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status:  
Wi-Fi Direct: Enabled  
Wireless Hardware: Not Installed  
Wi-Fi Protected Setup™ (WPS) Name:  
Connection Method:  
Subnet Prefix Address:  
Access Point (SSID):  
Show Password on Device Touch Screen:  
NFC:  
iBeacon (Bluetooth®) for AirPrint Di...  
iBeacon Hardware:  
Bluetooth Device Address:  
iBeacon IP Address:

## Protocols

## TCP/IPv4:

Enabled  
IPv4 Address: 10.61.16.35  
Subnet Mask: 255.255.255.0  
Router/Gateway: 10.61.16.1  
Automatic Addressing: DHCP  
DHCP Server: 10.61.13.223  
DHCP Lease Expiration: Tue Jun 24 12:01:58 2025  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

## TCP/IPv6:

Enabled  
Link Local Address: fe80::7a8c:77ff:fe46:6059  
Use Router Supplied Prefix: Enabled  
Stateless Global Address 1:  
Stateless Global Address 2:  
Manual Address: fd00:0:2:116:6139:8692:4fcf:d415  
DHCP Addressing: Use DHCP as directed by a router  
DHCP Address: fe80::8ofc:5dff:fe75:e282  
Default Gateway:  
DUID (DHCP Unique Identifier):

## DNS Settings:

Requested Host Name: XRX788C77466059  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrati... Disabled  
Primary DNS Server: 10.61.7.16  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: 10.61.7.15  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: XEROXQA.COM.  
Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

PS: Installed



Accounting

Accounting Mode: None  
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled  
Authentication Server: Kerberos

Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

Xerox Secure Access: Disabled  
Secure Access Server: 0.0.0.0:443  
Secure Access Path:

Audit Log: Enabled  
IP Sec: Disabled  
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed  
Root Certificates Installed: 53  
802.1x: Disabled

Job Data Removal: Disabled  
Scheduled:  
Scheduled Frequency:

FIPS 140-3: Disabled  
TLS: TLS 1.2 and TLS 1.3  
TLS Hash: SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G\_3.24.23\_240.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123

## Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

## Apps

## Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1.5
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

Fax Line1:	
Fax Line2:	

Server Fax:	Enabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:	Enabled
Email:	Enabled

Scan to Mailbox:	Enabled
Storage Capacity (MB):	672 MB
Storage Used (MB):	50 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:	Disabled
---------------	----------

Scan To:	Enabled
----------	---------

Cloud Services:	Disabled
-----------------	----------

Print From:	Enabled
-------------	---------

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

## Accounting

Accounting Mode:	None
Network Accounting:	Disabled

## Security

## Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:	Kerberos
------------------------	----------

Xerox Secure Access:	Disabled
----------------------	----------

Audit Log:	Enabled
------------	---------

IP Sec:	Disabled
---------	----------

IP Filtering:	Disabled
---------------	----------

## Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	53

802.1x:	Disabled
---------	----------

## Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:	Disabled
-------------	----------

TLS:	TLS 1.2 and TLS 1.3
------	---------------------

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:	Enhanced Security
---------------------------	-------------------



# Billing Summary

## System Information

Machine Name:	Xerox VersaLink C415 Color MFP (46:6...	Software Versions	
Machine Serial Number:	5334205608	Device Software:	122.028.005.15400
Power On Impressions:	2	Patch Version:	None
		Network Controller:	122.028.15400
		UI Panel Firmware:	6.2
		Marking Engine:	230.332
		Document Feeder:	230.332
		Finisher:	000.000.000
		Fax:	000.000.000
		Scanner:	230.332

## Billing Meters

Fax		Plain Paper:	2385
Embedded Fax Images Sent:	0	Bond:	10
Embedded Fax Impressions:	0	Preprinted:	10
Copy			
Black Copied Impressions:	1774		
Color Copied Impressions:	2145		
Print			
Black Printed Impressions:	2867		
Color Printed Impressions:	2332		
Scan			
Network Scanning Images Sent:	378		
E-mail Images Sent:	0		

## Device Totals

Black Impressions:	4868
Color Impressions:	4482
Total Impressions:	9350