



Common User Data

Machine Name:	Xerox EC8131 Color MFP (A8:CF:22)
IPv4 Address:	10.61.16.68
Machine Serial Number:	MQ5010512
Fax Line1:	
Machine URL:	http://10.61.16.68
Machine Activation Date:	Nov 18, 2020 21:42:12
Black Impressions:	10942
Color Impressions:	28803
Total Impressions:	39745

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3439MB/total=128035MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	20:45
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A4 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	00:00
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	122.043.005.15400
Patch Version:	None
Network Controller:	122.043.15400
UI Panel Firmware:	003.004.00000
Marking Engine:	030.045.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	016.024.013

Machine Upgrades:

Last Successful Upgrade:	Allowed
	June 11, 2025 15:18:14

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Labels, White and A4 (210 x 297 mm)
Tray 3:	Heavyweight Cardstock, White and A4 (210 ...
Tray 4:	Heavyweight Glossy Cardstock, White and ...
Bypass Tray:	Plain, White and x=630mm, y=320mm

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Disabled
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a8:cf:22
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed

Wi-Fi Protected Setup™ (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	Disabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.16.68
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Thu Jun 26 09:52:59 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea8:cf22
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Enabled for address assignment and other ...
DHCP Address:	fd00:0:2:116:30f1:74acc845:b425
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	000100012fe69a749c934ea8cf22

DNS Settings:

Requested Host Name:	XR9C934EA8CF22
----------------------	----------------

Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox EC8131 Color MFP (A8:CF:22)
-----------------------	-----------------------------------

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	No
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

	Enabled
--	---------

Raw IP Printing:

	Enabled
--	---------

LDAP

LDAP Server 1 Primary LDAP Address:	10.61.23.93:389
LDAP Server 1 Search Directory Root:	cn=users,dc=tlsl13:dc=com
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP



Common User Data

Machine Name:	Xerox EC8131 Color MFP (A8:CF:22)
IPv4 Address:	10.61.16.68
Machine Serial Number:	MQS010512
Fax Line1:	
Machine URL:	http://10.61.16.68
Machine Activation Date:	Nov 18, 2020 21:42:12
Black Impressions:	10940
Color Impressions:	28802
Total Impressions:	39742

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3439MB/total=128035MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	20:45
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A4 Impressions
Geographic Region:	Western Hemisphere
Startup Config Report:	Disabled
GMT Offset:	00:00
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	30 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	122.043.005.15400
Patch Version:	None
Network Controller:	122.043.15400
UI Panel Firmware:	003.004.00000
User Interface:	122.043.15400
Marking Engine:	030.045.000
Copy Controller:	122.043.15400
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
OS:	122.005.15400
Scanner:	016.024.013
Software Upgrade:	122.043.15400
Tray 2:	
Tray 3:	
Tray 4:	
Machine Upgrades:	Allowed
Last Successful Upgrade:	June 11, 2025 15:18:14
Scheduled Auto Upgrades:	Enabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	10.61.9.116:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Labels, White and A4 (210 x 297 mm)
Tray 3:	Heavyweight Cardstock, White and A4 (210 x 297 mm)
Tray 4:	Heavyweight Glossy Cardstock, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and x=630mm, y=320mm

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Disabled
Wired:	
Ethernet MAC Address:	9c:93:4e:a8:cf:22
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Disabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.16.68
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Thu Jun 26 09:52:59 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea8:cf22
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Enabled for address assignment and other ...
DHCP Address:	fd00:0:2:116:30f1:74ac:845:b425
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	000100012fe69a749c934ea8cf22

DNS Settings:	
Requested Host Name:	XR9XC934EA8CF22
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	10.61.10.6. 10.61.10.7. XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

IPS:	Installed
------	-----------



Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Disabled
Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Disabled
Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log:

Enabled
IP Sec: Disabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 53
802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
Scheduled Frequency:

FIPS 140-3:

Disabled
TLS: TLS 1.2 and TLS 1.3
TLS Hash: SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

Billing Summary

System Information

Machine Name:	Xerox EC8131 Color MFP (A8:CF:22)	Software Versions	
Machine Serial Number:	MQ5010512	Device Software:	122.043.005.15400
Power On Impressions:	22	Patch Version:	None
		Network Controller:	122.043.15400
		UI Panel Firmware:	003.004.00000
		Marking Engine:	030.045.000
		Document Feeder:	023.026.000
		Finisher:	000.000.000
		Fax:	000.000.000
		Scanner:	016.024.013

Billing Meters

Fax		Plain Paper:	2043
Embedded Fax Images Sent:	0	Preprinted:	1
Embedded Fax Impressions:	0	Heavyweight:	11
		Heavyweight Gloss:	1
		Labels:	13
Copy			
Black Copied Impressions:	2495		
Color Copied Impressions:	944		
Print			
Black Printed Impressions:	8427		
Color Printed Impressions:	27858		
Scan			
Network Scanning Images Sent:	766		
E-mail Images Sent:	77		

Device Totals

Black Impressions:	10942
Color Impressions:	28803
Total Impressions:	39745