

Common User Data

Machine Name:	Xerox EC8131 Color MFP (A8:CF:22)
IPv4 Address:	10.61.16.68
Machine Serial Number:	MQ5010512
Fax Line 1:	
Machine URL:	http://10.61.16.68
Machine Activation Date:	Nov 18, 2020 21:42:12
Black Impressions:	10878
Color Impressions:	28775
Total Impressions:	39653

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3536MB/total=0MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	20:45
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A4 Impressions
Geographic Region:	Western Hemisphere
Startup Config Report:	Disabled
GMT Offset:	00:00
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIC2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	0 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	122.043.005.15400
Patch Version:	None
Network Controller:	122.043.15400
UI Panel Firmware:	003.004.00000
User Interface:	122.043.15400
Marking Engine:	030.045.000
Copy Controller:	122.043.15400
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
OS:	122.005.15400
Scanner:	016.024.013
Software Upgrade:	122.043.15400

Tray 2:
Tray 3:
Tray 4:

Machine Upgrades:

Last Successful Upgrade:	June 11, 2025 15:18:14
Scheduled Auto Upgrades:	Enabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	10.61.9.116:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and x=630mm, y=320mm

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Disabled
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a8:cf:22
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Disabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.16.68
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Fri Jun 20 06:40:46 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea8:cf22
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:116:53f1:2ec9:b045:f3fb
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	000100012fde846f9c934ea8cf22

DNS Settings:

Requested Host Name:	XXR9C934EA8CF22
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	10.61.10.6, 10.61.10.7, XEROXQA.COM.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Apps

Printing

Bonjour:		Bonjour Printer Name:		Xerox EC8131 Color MFP (A8:CF:22)	
HTTP:		Enabled		Banner Sheet:	
Port Number:		80		Sys/Start Job:	
Force Traffic over Secure Connection (H...		No		Delete Held Jobs After:	
Secure HTTP Port Number:		443		Error Sheets:	
Proxy Server:		Manual		Paper Substitution:	
Proxy Server Address:		10.177.8.91:8080		Tray Priority:	
IPP		Enabled		Default Copies:	
Secure IPP Mode:		IPP and Secure IPPS		Default Job Type:	
IPP Network Path:		http://10.61.16.68:631		Default Paper Size:	
SNMP:		Enabled		Default Paper Color:	
SNMP v1/v2:		Enabled		Default 2 Sided Printing:	
SNMP v3:		Disabled		Default Output Tray:	
LPR/LPD:		Enabled		Default Output Color:	
Port Number:		515		Default Collated Sets:	
PDL Switching:		Disabled		Default Stapling:	
PDL Banner Override:		Disabled		Offsetting Between Jobs:	
Raw IP Printing:		Enabled		PostScript	
Port Number 1:		9100		Level:	
Bidirectional:		Disabled		Version:	
End of Job Timeout:		300		Image Quality:	
PDL Switching:		Disabled		PCL	
LDAP:		nantha		Version:	
LDAP Server 1 Friendly Name:		10.61.23.93:389		Pitch Size:	
LDAP Server 1 Primary LDAP Address:		0.0.0.389		Point Size:	
LDAP Server 1 Alternate LDAP Address:		cn=users;dc=ts13;dc=com		Font Name:	
LDAP Server 1 Search Directory Root:		Disabled		Lines Per Page:	
LDAP Server 1 Secure Connection (LDA...		Disabled		Custom Color Tables	
LDAP Server 1 Validate Server Certificate...		Disabled		Label:	
SMTP:		10.61.10.8:25		Fax:	
SMTP Server:		No Encryption		Fax Line1:	
Connect Encryption (TLS):		512		Fax Line2:	
Validate Server Certificate (TLS):		50		Server Fax:	
Max Message Size (KB):		200000		Confirmation Sheet:	
Number of Fragments:		Page Boundary		Delay Start:	
Total Job Size (KB):		None		Repository Protocol:	
Job Splitting Boundary:		None		Repository Server:	
Credentials for Auto E-mails:		None		Repository Document Path:	
Credentials for Walkup User:		Basic Auth with SMTP		Workflow Scanning:	
SMTP Authentication Type:		0.0.0.110		Confirmation Sheet:	
POP3:		Disabled		Default Repository Protocol:	
POP3 Server:		10.61.23.70:445		Default Repository Server:	
POP3 Secure Connection (TLS):		/		Default Repository Document Path:	
E-mail Address:		Device		Default Repository Login Credentials:	
POP3 Validate Server Certificate:		SMB		Alt1 Repository Protocol:	
Receipt of E-mail via POP3:		0.0.0.0		Alt1 Repository Server:	
Send Confirm on Request:		Enabled		Alt1 Repository Document Path:	
Incoming E-mail cover sheet:		Disabled		Alt1 Repository Login Credentials:	
NTF:		0.0.0.123		Workflow Pool Protocol:	
Primary Server:		0.0.0.123		Workflow Pool Server:	
Alternate Server:		Disabled		Workflow Pool Path:	
SLP:		Enabled		Email:	
FTP Client:		Passive		Default From Address:	
FTP Client Mode:		Enabled		Confirmation Sheet:	
Web Services on Device:		Enabled		Auto Send to Self:	
WS-Discovery:		Enabled		E-mail Security:	
WS-Discovery Multicast:		Enabled		Scan to Mailbox:	
WS-Print:		Enabled		View Mailboxes by Default:	
WS-Scan:		Enabled		Storage Capacity (MB):	
Web Services:		1279 MB		Storage Used (MB):	
Copy Submission:		Enabled		Cleanup of Public Folders:	
Digital Certificate Management and Securi...		Enabled		Cleanup of Created Folders:	
Extensible Service Registration:		Enabled		Cleanup Time:	
Job Limits:		Enabled		Scan to Home:	
Job Management Extension:		Enabled		Friendly Name:	
Device Configuration:		Enabled		Workflow Name:	
Scan Submission:		Enabled		Auto Create Subdir:	
Scan Workflow Management:		Enabled		Append User Name to Path:	
Session Data:		Enabled		Auto Create User Name Dir:	
User Interface Configuration:		Enabled		Scan To:	
EIP Proxy Configuration:		Enabled		Cloud Services:	
Xerox Secure Access:		Disabled		Print From:	
EIP SNMP Configuration:		Enabled		Saved Jobs for Reprint:	
Print Submission:		Enabled		Print From USB:	
Scan Template Mgmt:		Enabled		Print From MailBox:	
Mass Storage Access:		Enabled		Cloud Services:	
Card Reader Access:		Enabled			
Authentication & Accounting Configur...		Enabled			
Export Audit Log:		Enabled			
Trellix Embedded Control:		Enabled			



Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Disabled
Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Disabled
Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log:

Enabled
IP Sec: Disabled
IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 53
802.1x: Disabled

Job Data Removal:


Scheduled: Disabled
Scheduled Frequency:

FIPS 140-3:

Disabled
TLS: TLS 1.2 and TLS 1.3
TLS Hash: SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123



Common User Data

Machine Name:	Xerox EC8131 Color MFP (A8:CF:22)
IPv4 Address:	10.61.16.68
Machine Serial Number:	MQ5010512
Fax Line 1:	
Machine URL:	http://10.61.16.68
Machine Activation Date:	Nov 18, 2020 21:42:12
Black Impressions:	10877
Color Impressions:	28774
Total Impressions:	39651

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3536MB/total=128035MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	Offsetting Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	20:45
Xerox Workplace Cloud:	Enabled
E-mail Alerts:	Disabled
Service Plan:	Plan Activated
Billing Impression Mode:	A4 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	00:00
Cloning Installation:	Allowed (Encrypted Files Only)
File Sharing:	Enabled
JBIG2:	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	122.043.005.15400
Patch Version:	None
Network Controller:	122.043.15400
UI Panel Firmware:	003.004.00000
Marking Engine:	030.045.000
Document Feeder:	023.026.000
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	016.024.013

Machine Upgrades:

Last Successful Upgrade:	June 11, 2025 15:18:14
--------------------------	------------------------

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and x=630mm, y=320mm

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning:	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings	
USB Type A Ports:	All Enabled
USB Type B Port:	Disabled
Wired:	
Ethernet MAC Address:	9c:93:4e:a8:cf:22
Ethernet Speed/Duplex Setting:	auto
Wireless:	
Wireless MAC Address:	Disabled

Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	Enabled
Wi-Fi Direct:	
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	
iBeacon (Bluetooth®) for AirPrint Di...:	Disabled
iBeacon Hardware:	Enabled
Bluetooth Device Address:	Not Installed
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.16.68
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.16.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.223
DHCP Lease Expiration:	Fri Jun 20 06:40:46 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea8:cf22
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:0:2:116:53f1:2ec9:b045:f3fb
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	000100012fde846f9c934ea8cf22

DNS Settings:

Requested Host Name:	XR9C934EA8CF22
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...:	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox EC8131 Color MFP (A8:CF:22)
-----------------------	-----------------------------------

HTTP:

Force Traffic over Secure Connection (H...:	No
IPP:	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled

LPR/LPD:

Raw IP Printing:	Enabled
------------------	---------

LDAP

LDAP Server 1 Primary LDAP Address:	10.61.23.93:389
LDAP Server 1 Search Directory Root:	cn=users;dc=tlsl3;dc=com
LDAP Server 1 Secure Connection (LDA...:	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled

SMTP

SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

Fax Line1:	
Fax Line2:	
Server Fax:	Enabled
Repository Protocol:	SMTP
Repository Server:	10.61.11.83:25
Repository Document Path:	

Workflow Scanning: Enabled

Email: Enabled

Scan to Mailbox:	Enabled
Storage Capacity (MB):	23443 MB
Storage Used (MB):	1279 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home: Disabled

Scan To: Enabled

Cloud Services: Disabled

Print From: Enabled

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server: Disabled

Xerox Secure Access: Disabled

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	53

802.1x: Disabled

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Enhanced Security