

## Common User Data

Machine Name: Xerox EC8131 Color MFP (A8:CF:22)  
IPv4 Address: 10.61.16.68  
Machine Serial Number: MQ5010512  
Fax Line:  
Machine URL: http://10.61.16.68  
Machine Activation Date: Nov 18, 2020 21:42:12  
Black Impressions: 10893  
Color Impressions: 28785  
Total Impressions: 39678

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
System Administrator:  
Machine Location:  
**Managed By**  
Primary MB Server:

## Machine Hardware

Fax Card: Not Present  
Fax Memory Size: 0 MB  
Foreign Interface Card: not present  
Device RAM Size: 4096 MB  
Device Storage Size: used=3392MB/total=128035MB (SSD)  
EPC Memory Size: 900 MB  
Finisher Type: Offsetting Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 20:45  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Sold  
Billing Impression Mode: A4 Impressions  
Geographic Region: Western Hemisphere  
GMT Offset: 00:00  
Cloning Installation: Allowed (Encrypted Files Only)  
File Sharing: Enabled  
JBIG2: Lossless

## Energy Saver

Deep Sleep: Disabled  
Energy Saver Mode: Job Activated

## Smart Proximity Sensor

Wake on Arrival: Enabled  
Sleep on Departure: Disabled

## Software Versions

Device Software: 122.043.005.15400  
Patch Version: None  
Network Controller: 122.043.15400  
UI Panel Firmware: 003.004.00000  
Marking Engine: 030.045.000  
Document Feeder: 023.026.000  
Finisher: 000.000.000  
Fax: 000.000.000  
Scanner: 016.024.013  
**Machine Upgrades:**  
Last Successful Upgrade: June 11, 2025 15:18:14

## Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
Tray 2: Plain, White and A4 (210 x 297 mm)  
Tray 3: Plain, White and A4 (210 x 297 mm)  
Tray 4: Plain, White and A4 (210 x 297 mm)  
Bypass Tray: Plain, White and x=630mm, y=320mm

## Installed Options

PS: Installed

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication Required: Disabled

## Physical Connections

**USB Settings**  
USB Type A Ports: All Enabled  
USB Type B Port: Disabled  
**Wired:**  
Ethernet MAC Address: Enabled  
Ethernet Speed/Duplex Setting: 9c:93:4e:a8:cf:22  
auto  
Disabled

## Wireless:

Wireless MAC Address:  
Network Name (SSID):  
BSSID:  
Security Mode:  
Encryption Algorithm:  
Status:  
**Wi-Fi Direct:**  
Wireless Hardware: Enabled  
Wi-Fi Protected Setup™ (WPS) Name: Not Installed  
Access Point (SSID):  
Show Password on Device Touch Screen:

NFC:  
iBeacon (Bluetooth®) for AirPrint Di...  
iBeacon Hardware:  
Bluetooth Device Address:  
iBeacon IP Address:

## Protocols

## TCP/IPv4:

IPv4 Address: 10.61.16.68  
Subnet Mask: 255.255.255.0  
Router/Gateway: 10.61.16.1  
Automatic Addressing: DHCP  
DHCP Server: 10.61.13.223  
DHCP Lease Expiration: Fri Jun 20 12:52:28 2025  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

## TCP/IPv6:

Link Local Address: Enabled  
fe80::9e93:4eff:fea8:cf22  
Use Router Supplied Prefix: Enabled  
Stateless Global Address 1:  
Stateless Global Address 2:  
Manual Address:  
DHCP Addressing: Use DHCP as directed by a router  
DHCP Address: fd00::2:116:c04:a710:1ccc:93cc  
Default Gateway: fe80::8afc:5dff:fe75:e282  
DUID (DHCP Unique Identifier): 000100012fdeb899c934ea8cf22

## DNS Settings:

Requested Host Name: XRX9C934EA8CF22  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrati...: Disabled  
Primary DNS Server: 10.61.7.16  
Prefer IPv6 DNS over IPv4: Enabled

## Bonjour:

Bonjour Printer Name: Xerox EC8131 Color MFP (A8:CF:22)

## HTTP:

Force Traffic over Secure Connection (H...: Enabled  
IPP: No  
Enabled

## SNMP

SNMP v1/v2: Enabled  
SNMP v3: Disabled

## LPR/LPD:

Raw IP Printing: Enabled

## LDAP

LDAP Server 1 Primary LDAP Address: 10.61.23.93:389  
LDAP Server 1 Search Directory Root: cn=users,dc=ts13,dc=com  
LDAP Server 1 Secure Connection (LDA...: Disabled  
LDAP Server 1 Validate Server Certificate...: Disabled

## SMTP

SMTP Server: 10.61.10.8.25  
Connect Encryption (TLS): No Encryption  
Validate Server Certificate (TLS):  
SMTP Authentication Type: Basic Auth with SMTP

## Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

## Apps

## Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

Fax Line 1:	
Fax Line 2:	
Server Fax:	Enabled
Repository Protocol:	SMTP
Repository Server:	10.61.11.83:25
Repository Document Path:	

## Workflow Scanning:

Email:	Enabled
Scan to Mailbox:	Enabled
Storage Capacity (MB):	23443 MB
Storage Used (MB):	1275 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily
Scan to Home:	Disabled
Scan To:	Enabled
Cloud Services:	Disabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

## Accounting

Accounting Mode:	None
Network Accounting:	Disabled

## Security

## Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled
Authentication Server:	Disabled
Xerox Secure Access:	Disabled
Audit Log:	Enabled
IP Sec:	Disabled
IP Filtering:	Disabled

## Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	53
802.1x:	Disabled

## Job Data Removal:

Scheduled:	Disabled
FIPS 140-3:	Disabled

TLS:	TLS 1.2 and TLS 1.3
TLS Hash:	SHA-1, SHA-256 and above
Trellix Embedded Control:	Enhanced Security

## Common User Data

Machine Name: Xerox EC8131 Color MFP (A8:CF:22)  
IPv4 Address: 10.61.16.68  
Machine Serial Number: MQ5010512  
Fax Line:  
Machine URL: http://10.61.16.68  
Machine Activation Date: Nov 18, 2020 21:42:12  
Black Impressions: 10893  
Color Impressions: 28785  
Total Impressions: 39678

## Machine Profile

Xerox Asset Tag:  
Customer Asset Tag:  
Service Phone Number:  
Customer Support Number:  
Supplies Phone Number:  
System Administrator:  
Machine Location: Not set  
machine location not set  
**Managed By**  
Primary MB Server:

## Machine Hardware

Fax Card: Not Present  
Fax Memory Size: 0 MB  
Foreign Interface Card: not present  
Device RAM Size: 4096 MB  
Device Storage Size: used=3392MB/total=128035MB (SSD)  
EPC Memory Size: 900 MB  
Finisher Type: Offsetting Catch Tray  
Finisher Punch: None  
Finisher Folder: not present  
Multi-feed Detection Kit: Not Installed

## General Setup

Remote Services: Enabled  
Remote Software Download: Enabled  
Remote Services Trans. Time: 20:45  
Xerox Workplace Cloud: Enabled  
E-mail Alerts: Disabled  
Service Plan: Sold  
Billing Impression Mode: A4 Impressions  
Geographic Region: Western Hemisphere  
Startup Config Report: Disabled  
GMT Offset: 00:00  
Cloning Installation: Allowed (Encrypted Files Only)  
Allow Print Submission of Clone Files: Disabled  
File Sharing: Enabled  
JBIG2: Lossless

## Energy Saver

Deep Sleep: Disabled  
Energy Saver Mode: Job Activated  
Sleep Mode Timer: 0 minutes  
Auto-Off: Disabled

## Smart Proximity Sensor

Wake on Arrival: Enabled  
Sleep on Departure: Disabled  
Maximize Detection Range: Disabled

## Software Versions

Device Software: 122.043.005.15400  
Patch Version: None  
Network Controller: 122.043.15400  
UI Panel Firmware: 003.004.00000  
User Interface: 122.043.15400  
Marking Engine: 030.045.000  
Copy Controller: 122.043.15400  
Document Feeder: 023.026.000  
Finisher: 000.000.000  
Fax: 000.000.000  
OS: 122.005.15400  
Scanner: 016.024.013  
Software Upgrade: 122.043.15400  
Tray 2:  
Tray 3:  
Tray 4:

## Machine Upgrades:

Allowed  
Last Successful Upgrade: June 11, 2025 15:18:14  
Scheduled Auto Upgrades: Enabled  
Auto Upgrade Start Time: Daily  
Auto Upgrade Server: 10.61.9.116:21

## Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)  
Tray 2: Plain, White and A4 (210 x 297 mm)  
Tray 3: Plain, White and A4 (210 x 297 mm)  
Tray 4: Plain, White and A4 (210 x 297 mm)  
Bypass Tray: Plain, White and x=630mm, y=320mm

## Connectivity

## Mobile Workflows

AirPrint Printing: Enabled  
Mopria Printing: Enabled  
AirPrint / Mopria Scanning: Enabled  
Authentication Required: Disabled  
Universal Print: Disabled  
Universal Print Registration Status: Not Registered

## Physical Connections

## USB Settings

USB Type A Ports: All Enabled  
USB Type B Port: Disabled  
Wired: Enabled  
Ethernet MAC Address: 9c:93:4e:a8:cf:22  
Ethernet Speed/Duplex Setting: auto  
Wireless: Disabled

## Wireless

## Wireless MAC Address:

## Network Name (SSID):

## BSSID:

## Security Mode:

## Encryption Algorithm:

## Status:

## Wi-Fi Direct:

## Wireless Hardware:

## Wi-Fi Protected Setup™ (WPS) Name:

## Connection Method:

## Subnet Prefix Address:

## Access Point (SSID):

## Show Password on Device Touch Screen:

## NFC:

## iBeacon (Bluetooth®) for AirPrint Di...

## iBeacon Hardware:

## Bluetooth Device Address:

## iBeacon IP Address:

## Protocols

## TCP/IPV4:

Enabled  
IPv4 Address: 10.61.16.68  
Subnet Mask: 255.255.255.0  
Router/Gateway: 10.61.16.1  
Automatic Addressing: DHCP  
DHCP Server: 10.61.13.223  
DHCP Lease Expiration: Fri Jun 20 12:52:28 2025  
BOOTP Broadcast: Disabled  
Self Assigned Address State: Enabled  
Self Assigned Address:

## TCP/IPV6:

Enabled  
Link Local Address: fe80::9e93:4eff:fea8:cf22  
Use Router Supplied Prefix: Enabled  
Stateless Global Address 1: ::  
Stateless Global Address 2: ::  
Manual Address:  
DHCP Addressing: Use DHCP as directed by a router  
DHCP Address: fd00:0:2:116:c04:a710:1ccc:93cc  
Default Gateway: fe80::8afc:5dff:fe75:e282  
DUID (DHCP Unique Identifier): 000100012fdedb899c934ea8cf22

## DNS Settings:

Requested Host Name: XRX9C934EA8CF22  
Verified Host Name:  
Requested Domain Name:  
Verified Domain Name:  
Multicast DNS: Enabled  
Release DHCP Leases and DNS Registrati...: Disabled  
Primary DNS Server: 10.61.7.16  
Alternate DNS Server 1: 10.61.10.6  
Alternate DNS Server 2: 10.61.7.15  
DNS Connection Timeout: 5  
Append Device Domain: Enabled  
Append Parent Domains: Disabled  
DNS Domain Search List: 10.61.10.6, 10.61.10.7, XEROXQA.COM.  
Prefer IPv6 DNS over IPv4: Enabled

## Installed Options

PS: Installed

## Protocols (cont.)

Bonjour:	Xerox EC8131 Color MFP (A8:CF:22)
Bonjour Printer Name:	Enabled
HTTP:	80
Port Number:	No
Force Traffic over Secure Connection (H...):	443
Secure HTTP Port Number:	Manual
Proxy Server:	10.177.8.91:8080
Proxy Server Address:	Enabled
IPP:	IPP and Secure IPPS
Secure IPP Mode:	http://10.61.16.68:631
IPP Network Path:	
SNMP:	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bi-directional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP:	
LDAP Server 1 Friendly Name:	nantha
LDAP Server 1 Primary LDAP Address:	10.61.23.93:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	cn=users;dc=ts13;dc=com
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
SMTP:	
SMTP Server:	10.61.10.8:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	512
Number of Fragments:	50
Total Job Size (KB):	200000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
POP3:	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
POP3 Validate Server Certificate:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services:	
Copy Submission:	Enabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

## Apps

## Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Main Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	Offset Between Jobs
PostScript:	Installed
Level:	3
Version:	3021.101
Image Quality:	Standard
PCL:	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables:	Enabled
Label:	Not Installed

## Fax:

Fax Line1:	
Fax Line2:	

## Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	SMTP
Repository Document Path:	10.61.11.83:25

## Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	SMB
Default Repository Document Path:	10.61.23.70:445
Default Repository Login Credentials:	/
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	SMB
Alt1 Repository Document Path:	0.0.0.0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	SMB
Workflow Pool Path:	0.0.0.0

## Email:

Default From Address:	Enabled
Confirmation Sheet:	syed.habibunniso@xeroxqa.com
Auto Send to Self:	Errors Only
E-mail Security:	Disabled

## Scan to Mailbox:

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	23443 MB
Storage Used (MB):	1275 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

## Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

## Scan To:

Cloud Services:	Enabled
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Disabled

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Disabled  
Kerberos Primary Realm:  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm:  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain:  
Smartcard Ctrl Server: 0.0.0.0:443  
Smartcard Ctrl Domain:  
Smartcard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

**Xerox Secure Access:**

Disabled  
Secure Access Server: 0.0.0.0:443  
Secure Access Path:

**Audit Log:**

Enabled  
IP Set: Disabled  
IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
Root Certificates Installed: \$3

**802.1x:**

Disabled  
Job Data Removal:  
Scheduled: Disabled

Scheduled Frequency:

**FIPS 140-3:**

Disabled  
TLS: TLS 1.2 and TLS 1.3  
SHA-1, SHA-256 and above  
Trellix Embedded Control: Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_011\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123

