

Common User Data

Machine Name:	Xerox VersaLink C625 Color MFP (A7:A...
IPv4 Address:	Connecting...
Machine Serial Number:	5322480247
Fax Line 1:	
Machine URL:	Connecting...
Machine Activation Date:	Mar 13, 2025 05:44:01
Black Impressions:	953
Color Impressions:	1089
Total Impressions:	2042

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used = 3126MB/total = 0MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	05:44
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
GMT Offset:	+05.30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Smart Proximity Sensor	Not Available

Smart Proximity Sensor

Wake on Arrival:	
Sleep on Departure:	

Software Versions

Device Software:	122.024.025.18310
Patch Version:	None
Network Controller:	122.024.18310
UI Panel Firmware:	6.2
Marking Engine:	230.332
Document Feeder:	230.332
Finisher:	000.000.000
Fax:	000.000.000
Scanner:	230.332
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	July 4, 2025 14:04:14

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and A4 (210 x 297 mm)
Tray 5:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and Letter (8.5 x 11")

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings	All Disabled
USB Type A Ports	Disabled
USB Type B Port	Disabled

Wired:

Ethernet MAC Address:	56:80:0e:a7:a8:9c
Ethernet Speed/Duplex Setting:	auto

Wireless:

Wireless MAC Address:	48:e7:da:78:1cc1
Network Name (SSID):	Xerox Lab User
BSSID:	bc:26:c7:9e:82:2e
Security Mode:	WPA2 Personal
Encryption Algorithm:	AUTO
Status:	DISCONNECTED

Wi-Fi Direct:

Wireless Hardware:	Enabled
Wi-Fi Protected Setup™ (WPS) Name:	Enabled
Access Point (SSID):	Not Installed
Show Password on Device Touch Screen:	

NFC:

iBeacon (Bluetooth®) for AirPrint DL...	
iBeacon Hardware:	
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPV4:

IPv4 Address:	Enabled
Subnet Mask:	Connecting...
Router/Gateway:	255.0.0.0
Automatic Addressing:	10.61.11.1
DHCP Server:	DHCP

DHCP Lease Expiration:

BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPV6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	..
Stateless Global Address 1:	..
Stateless Global Address 2:	..
Manual Address:	
DHCP Addressing:	
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	0003000148e7d0781cc1

DNS Settings:

Requested Host Name:	XRXS6800EA7A89C
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	Xerox VersaLink C625 Color MFP (A7:A...
HTTP:	Enabled
Force Traffic over Secure Connection (H...	Yes
IPP	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD:	Enabled
Raw IP Printing:	Enabled

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

**Accounting**

Accounting Mode: None  
Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
Home: Unlocked  
Jobs: Unlocked  
Device: Unlocked  
Device Website Authentication: Locally on the Device  
Authorization: Locally on the Device  
Retrieve E-mail from LDAP: Enabled

**Authentication Server:**

Kerberos Primary Realm: Kerberos  
Kerberos Primary Address: 0.0.0.0:88  
Kerberos Alt 1 Realm: 0.0.0.0:88  
Kerberos Alt 1 Address: 0.0.0.0:88  
SMB NT Domain:  
SMB Alt 1 NT Domain: 0.0.0.0:443  
Smartcard Ctrl Server:  
Smartcard Ctrl Domain:  
SmartCard OCSP URL:  
Card Reader Upgrade Policy: Enabled  
Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
Secure Access Path: 0.0.0.0:443

**Audit Log:**

IP Sec: Enabled  
IP Filtering: Disabled

**Security Certificates**

Machine Certificate: Signed  
Root Certificates Installed: 53

**802.1x:**

Job Data Removal: Disabled

Scheduled:

Scheduled Frequency:

**FIPS 140-3:**

TLS: Disabled  
TLS 1.2 and TLS 1.3  
SHA-1, SHA-256 and above

TLS Hash:

**Trellix Embedded Control:**

Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_2.40.5\_012\_01.00.00  
Widget Version: v1.3.17 c8 20140613  
Widget Version: v2.5.04 g9 20240123

Common User Data

Machine Name:	Xerox VersaLink C625 Color MFP (A7:A...
IPv4 Address:	Connecting...
Machine Serial Number:	5322480247
Fax Line1:	
Machine URL:	Connecting...
Machine Activation Date:	Mar 13, 2025 05:44:01
Black Impressions:	953
Color Impressions:	1089
Total Impressions:	2042

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=31 27MB/total=0MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	05:44
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
Startup Config Report:	Disabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless
Energy Saver	
Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	122.024.025.18310
Patch Version:	None
Network Controller:	122.024.18310
UI Panel Firmware:	6.2
User Interface:	122.024.18310
Marking Engine:	230.332
Copy Controller:	122.024.18310
Document Feeder:	230.332
Finisher:	000.000.000
Fax:	000.000.000
OS:	230.332
Scanner:	230.332
Software Upgrade:	005.016
ALTBOOT Software Upgrade:	005.016
Tray 2:	A15.51_B2.3
Tray 3:	A15.51_B2.3
Tray 4:	A15.51_B2.3
Tray 5:	A15.51_B2.3
Machine Upgrades:	
Last Successful Upgrade:	Not Allowed
Scheduled Auto Upgrades:	July 4, 2025 14:04:14
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Tray 2:	Plain, White and A4 (210 x 297 mm)
Tray 3:	Plain, White and A4 (210 x 297 mm)
Tray 4:	Bond, White and A4 (210 x 297 mm)
Tray 5:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and Letter (8.5 x 11")

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports	All Disabled
USB Type B Port	Disabled
Wired:	
Ethernet MAC Address:	56:80:0e:a7:a8:9c
Ethernet Speed/Duplex Setting:	auto
Wireless:	Enabled
Wireless MAC Address:	48:e7:da:78:1cc1
Network Name (SSID):	Xerox Lab User
BSSID:	bc:26:c7:9e:82:2e
Security Mode:	WPA2 Personal
Encryption Algorithm:	AUTO
Status:	DISCONNECTED
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	Connecting...
Subnet Mask:	255.0.0.0
Router/Gateway:	10.61.11.1
Automatic Addressing:	DHCP
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled
TCP/IPv6:	
Link Local Address:	Enabled
Use Router Supplied Prefix:	==
Stateless Global Address 1:	==
Stateless Global Address 2:	==
Manual Address:	
DHCP Addressing:	
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	0003000148e7da781cc1
DNS Settings:	
Requested Host Name:	XRXS6800EA7A89C
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	10.61.10.6 10.61.10.6 10.61.10.7 X...
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------