

Common User Data

Machine Name: Xerox VersaLink C415 Color MFP (46:6...
IPv4 Address: 10.61.16.219
Machine Serial Number: 5334205420
Fax Line1:
Machine URL: https://10.61.16.219
Machine Activation Date: Feb 06, 2025 17:59:30
Black Impressions: 830
Color Impressions: 556
Total Impressions: 1386

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location: Not set
machine location not set
Managed By
Primary MB Server:

Machine Hardware

Fax Card: Not Present
Fax Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=3211MB/total=0MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 08:14
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Metered
Geographic Region: unknown
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
iBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated

Smart Proximity Sensor

Wake on Arrival: Not Available
Sleep on Departure:

Software Versions

Device Software: 122.028.025.18310
Patch Version: None
Network Controller: 122.028.18310
UI Panel Firmware: 6.2
Marking Engine: 230.332
Document Feeder: 230.332
Finisher: 000.000.000
Fax: 000.000.000
Scanner: 230.332
Machine Upgrades:
Last Successful Upgrade: Not Allowed
July 4, 2025 11:34:33

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and Letter (8.5 x 11")
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and Letter (8.5 x 11")
Manual Feeder: Plain, White and x=279mm, y=210mm

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication Required: Disabled

Physical Connections

USB Settings

USB Type A Ports: All Enabled
USB Type B Port: Enabled

Wired:

Ethernet MAC Address: 78:8c:77:46:60:5f
Ethernet Speed/Duplex Setting: auto

Wireless:

Wireless MAC Address: Disabled

Network Name (SSID):

BSSID:

Security Mode:

Encryption Algorithm:

Status:

Wi-Fi Direct:

Wireless Hardware: Enabled
Not Installed

Wi-Fi Protected Setup™ (WPS) Name:

Access Point (SSID):

Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...

Beacon Hardware:

Bluetooth Device Address:

Beacon IP Address:

Protocols

TCP/IPV4:

IPv4 Address: Enabled
10.61.16.219
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Thu Jul 17 09:54:25 2025
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPV6:

Link Local Address:
Use Router Supplied Prefix: Enabled
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX788C7746605F
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati... Disabled
Primary DNS Server: 10.61.7.16
Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink C415 Color MFP (46:6...

HTTP:

Force Traffic over Secure Connection (H... Enabled
IPP: Yes
Enabled

SNMP

SNMP v1/v2: Enabled

SNMP v3: Disabled

LPR/LPD:

Raw IP Printing: Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389

LDAP Server 1 Search Directory Root:

LDAP Server 1 Secure Connection (LDA...

LDAP Server 1 Validate Server Certificate... Disabled
Disabled

SMTP

SMTP Server: 0.0.0.0:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):
SMTP Authentication Type: Basic Auth with SMTP

Common User Data

Machine Name: Xerox VersaLink C415 Color MFP (46:6
IPv4 Address: 10.61.16.219
Machine Serial Number: 5334205420
Fax Line1:
Machine URL: https://10.61.16.219
Machine Activation Date: Feb 06, 2025 17:59:30
Black Impressions: 831
Color Impressions: 557
Total Impressions: 1388

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed By
Primary MB Server:

Machine Hardware

Fax Card: Not Present
Fax Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=3268MB/total=0MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 08:14
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Metered
Geographic Region: unknown
Startup Config Report: Disabled
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Disabled
File Sharing: Enabled
iBIG2: Lossless
Energy Saver
Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 120 minutes
Auto-Off: Disabled

Software Versions

Device Software: 122.028.025.18310
Patch Version: None
Network Controller: 122.028.18310
UI Panel Firmware: 6.2
User Interface: 122.028.18310
Marking Engine: 230.332
Copy Controller: 122.028.18310
Document Feeder: 230.332
Finisher: 000.000.000
Fax: 000.000.000
OS: 230.332
Scanner: 230.332
Software Upgrade: 005.016
ALTB00T Software Upgrade: 005.016
Troy 2: A16.84_B2.3
Troy 3: A16.85_B2.3
Troy 4: A16.85_B2.3
Machine Upgrades:
Last Successful Upgrade: Not Allowed
Scheduled Auto Upgrades: July 4, 2025 11:34:33
Auto Upgrade Start Time: Disabled
Auto Upgrade Server: Daily
Auto Upgrade: 0.0.0.0:21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and Letter (8.5 x 11")
Tray 3: Plain, White and Letter (8.5 x 11")
Tray 4: Plain, White and Letter (8.5 x 11")
Manual Feeder: Plain, White and x=279mm, y=210mm

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication Required: Disabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
USB Type A Ports: All Enabled
USB Type B Port: Enabled
Connection Timeout: 5 seconds
Wired: Enabled
Ethernet MAC Address: 78:8c:77:46:60:5f
Ethernet Speed/Duplex Setting: auto
Wireless: Disabled

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:

Wi-Fi Direct:

Wireless Hardware: Enabled
Wi-Fi Protected Setup™ (WPS) Name: Not Installed
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Enabled
Beacon Hardware: Enabled
Bluetooth Device Address: Not Installed
iBeacon IP Address:

Protocols

TCP/IPv4:

IPv4 Address: Enabled
Subnet Mask: 10.61.16.219
Router/Gateway: 255.255.255.0
Automatic Addressing: 10.61.16.1
DHCP Server: DHCP
DHCP Lease Expiration: 10.61.13.224
BOOTP Broadcast: Thu Jul 17 09:54:25 2025
Self Assigned Address State: Disabled
Self Assigned Address: Enabled

TCP/IPv6:

Link Local Address: Disabled
Use Router Supplied Prefix: Enabled
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name:
Verified Host Name: XRX788C7746605F
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.16
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2: 10.61.7.15
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM.
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

AccountingAccounting Mode:
Network Accounting:None
Disabled**Security****Authentication Configuration****Machine UI Authentication:**Home: Locally on the Device
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Unlocked
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Locally on the Device
Authentication Server: Enabled**Authentication Server:**Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm: 0.0.0.0:88
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:**Xerox Secure Access:**Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443**Audit Log:**

IP Sec: Enabled

IP Filtering:

Security Certificates: Disabled

Security CertificatesMachine Certificate: Signed
Root Certificates Installed: 53
802.1x: Disabled**Job Data Removal:**Scheduled: Standard
Scheduled Frequency: Daily
FIPS 140-3: Disabled
TLS: TLS 1.2 and TLS 1.3
TLS Hash: SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security**Extensible Service Setup**Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2 5.04 g9 20240123