

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs Pathway: Unlocked
Printer Pathway: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Authentication Server: Kerberos

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

IPSec: Enabled

IP Filtering:

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 53
802.1x: Disabled

Image Overwrite


Immediate: Installed/Enabled
Scheduled: Disabled
Scheduled Frequency:

FIPS 140-3:

TLS: Disabled
TLS Hash: TLS 1.2 and TLS 1.3
SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123



Common User Data

Machine Name: Xerox VersaLink B620 Printer (FE:F6:79)
IPv4 Address: 10.61.16.207
Machine Serial Number: 5320705462
Machine URL: https://10.61.16.207
Machine Activation Date: Jul 17, 2025 18:33:33
Total Impressions: 6600

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location: Not set
machine location not set
Managed By
Primary MB Server:

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=2746MB/total=0MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: used=82MB/total=500107MB (HDD)
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 02:00
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Neutral
Geographic Region: unknown
Startup Config Report: Enabled
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Enabled
File Sharing: Enabled
JBig2: Lossless

Energy Saver

Deep Sleep: Disabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 120 minutes
Auto-Off: Disabled

Software Versions

Device Software: 122.027.025.21900
Patch Version: None
Network Controller: 122.027.21900
UI Panel Firmware: 6.2
User Interface: 122.027.21900
Marking Engine: 230.334
Finisher: 000.000.000
OS: 230.334
Software Upgrade: 005.016
ALIBOOT Software Upgrade: 005.016
Tray 2: A16.47_B2.3
Tray 3: A16.47_B2.3

Machine Upgrades:

Last Successful Upgrade: Allowed
Scheduled Auto Upgrades: August 12, 2025 16:44:25
Auto Upgrade Start Time: Disabled
Auto Upgrade Server: Daily
Auto Upgrade Server: 0.0.0.0:21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and A4 (210 x 297 mm)
Tray 3: Plain, White and A4 (210 x 297 mm)
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered
Physical Connections
USB Settings
USB Type A Ports: All Enabled
USB Type B Port: Enabled
Connection Timeout: 15 seconds
Wired: Enabled
Ethernet MAC Address: 9c:93:4e:fe:f6:79
Ethernet Speed/Duplex Setting: auto
Wireless: Disabled
Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct: Enabled
Wireless Hardware: Not Installed
Wi-Fi Protected Setup™ (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di... Enabled
iBeacon Hardware: Not Installed
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPv4:

IPv4 Address: Enabled
Subnet Mask: 10.61.16.207
Router/Gateway: 255.255.255.0
Automatic Addressing: 10.61.16.1
DHCP Server: DHCP
DHCP Lease Expiration: 10.61.13.224
BOOTP Broadcast: Tue Aug 19 16:53:58 2025
Self Assigned Address State: Disabled
Self Assigned Address: Enabled

TCP/IPv6:

Link Local Address: Enabled
Use Router Supplied Prefix: fe80::9e93:4eff:fefe:f679
Stateless Global Address 1: Enabled
Stateless Global Address 2: fe80::9e93:4eff:fefe:f679
Manual Address: fd00:0:2:116:2fe7:7056:770a:ed18
DHCP Addressing: Enabled for address assignment and other ...
DHCP Address: fe80::8afc:5dff:fe75:e282
Default Gateway: 000300019c934efef679
DUID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XRX9C934EFEF679
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati... Disabled
Primary DNS Server: 10.61.7.16
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2: 10.61.7.15
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: 10.61.10.6, 10.61.10.7, XEROXQA.COM.
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Protocols (cont.)

Bonjour	
Bonjour Printer Name:	Xerox VersaLink B620 Printer (FE:F6:79)
HTTP	
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Disabled
Proxy Server Address:	0.0.0.0:8080
IPP	
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://10.61.16.207:631
SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Disabled
LPR/LPD	
Port Number:	515
PDJ Switching:	Disabled
PDJ Banner Override:	Disabled
Raw IP Printing:	
Port Number 1:	9100
Bi-directional:	Disabled
End of Job Timeout:	300
PDJ Switching:	Disabled
LDAP	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled
SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
POP3 Validate Server Certificate:	
Receipt of E-mail via POP3:	Disabled
Send Confirmation Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP	
Primary Server:	0.0.0.0:123
Alternate Server:	0.0.0.0:123
SLP	
SLP:	Disabled
FTP Client:	
FTP Client Mode:	Passive
Web Services on Device:	
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
Web Services	
Digital Certificate Management and Securi...	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Disabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Disabled
Tray Priority:	1,2,3,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=210mm, y=297mm
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Center Tray
Default Output Color:	Black & White
Default Collated Sets:	Enabled
Default Stapling:	Not Available
Offsetting Between Jobs:	No Offset Between Jobs
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	64
Custom Color Tables	Enabled
Label:	Not Installed
Print From:	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Cloud Services:	Disabled