

Common User Data

Machine Name: Xerox VersaLink C620 (FC:36:4B)
IPv4 Address: 10.61.16.153
Machine Serial Number: 5322980355
Machine URL: http://10.61.16.153
Machine Activation Date: Jul 17, 2025 20:31:11
Black Impressions: 7774
Color Impressions: 7784
Total Impressions: 15558

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: Not set
Machine Location: machine location not set
Managed By
Primary MIB Server: 10.15.46.133:80

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=2876MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 11:43
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Plan Activated
Geographic Region: unknown
Startup Config Report: Enabled
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Enabled
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Disabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 120 minutes
Auto Off: Disabled

Software Versions

Device Software: 122.026.025.23100
Patch Version: None
Network Controller: 122.026.23100
UI Panel Firmware: 6.2
User Interface: 122.026.23100
Marking Engine: 230.334
Finisher: 000.000.000
OS: 230.334
Software Upgrade: 005.016
ALTB007 Software Upgrade: 005.016
Tray 2: A15.51_B2.3
Tray 3: A15.51_B2.3
Tray 4: A15.51_B2.3
Tray 5: A15.51_B2.3

Machine Upgrades

Last Successful Upgrade: Allowed
Scheduled Auto Upgrades: September 4, 2025 11:46:43
Auto Upgrade Start Time: Disabled
Auto Upgrade Server: Daily
Auto Upgrade Server: 0.0.0.0:21

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and 215 x 315 mm
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, Ivory and A4 (210 x 297 mm)
Bypass Tray: Plain, White and A6 (105 x 148 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings
USB Type A Ports: All Enabled
USB Type B Port: Enabled
Connection Timeout: 5 seconds
Wired:
Ethernet MAC Address: Enabled
Ethernet Speed/Duplex Setting: 9c:93:4e:fc:36:4b
auto
Wireless:
Wireless MAC Address: Disabled
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:

Wi-Fi Direct: Enabled
Wireless Hardware: Not Installed
Wi-Fi Protected Setup™ (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Not Installed
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPv4: Enabled
IPv4 Address: 10.61.16.153
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Thu Sep 11 11:55:36 2025
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPv6:

Link Local Address:
Use Router Supplied Prefix: Disabled
Stateless Global Address 1: Enabled
Stateless Global Address 2: ::
Manual Address: ::
DHCP Addressing: Use DHCP as directed by a router
DHCP Address:
Default Gateway:
OUIID (DHCP Unique Identifier):

DNS Settings:

Requested Host Name: XR9C934EFC3648
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.16
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2: 10.61.7.15
DNS Connection Timeout: 5
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM.
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs Pathway: Unlocked
Printer Pathway: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device

Authentication Server:

Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm: 0.0.0.0:88
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain: 0.0.0.0:443
SMB Alt 1 NT Domain: 0.0.0.0:443
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain: 0.0.0.0:443
SmartCard OCSP URL: 0.0.0.0:443
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version: 0.0.0.0:443

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

IPSec: Enabled

IPSec:

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 56
802.1x: Disabled

Job Data Removal:

Scheduled: Standard
Scheduled Frequency: Daily

FIPS 140-3:

TLS: Disabled

TLS Hash: TLS 1.2 and TLS 1.3

Trellix Embedded Control: SHA-1, SHA-256 and above

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

Common User Data

Machine Name: Xerox VersaLink C620 (FC:36:4B)
IPv4 Address: 10.61.16.153
Machine Serial Number: 5322980355
Machine URL: http://10.61.16.153
Machine Activation Date: Jul 17, 2025 20:31:11
Block Impressions: 7772
Color Impressions: 7784
Total Impressions: 15556

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator:
Machine Location:
Managed By
Primary MB Server: 10.15.46.133:80

Machine Hardware

Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=2876MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: Not Installed
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Holder: not present

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 11:43
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Plan Activated
Geographic Region: unknown
GMT Offset: +05:30
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Disabled
Energy Saver Mode: Job Activated
Smart Proximity Sensor
Wake on Arrival: Not Available
Sleep on Departure:

Software Versions

Device Software: 122.026.025.23100
Patch Version: None
Network Controller: 122.026.23100
UI Panel Firmware: 6.2
Marking Engine: 230.334
Finisher: 000.000.000
Machine Upgrades:
Last Successful Upgrade: September 4, 2025 11:46:43

Media Trays

Tray 1: Plain, White and A4 (210 x 297 mm)
Tray 2: Plain, White and 215 x 315 mm
Tray 3: Plain, White and A4 (210 x 297 mm)
Tray 4: Plain, White and A4 (210 x 297 mm)
Tray 5: Plain, Ivory and A4 (210 x 297 mm)
Bypass Tray: Plain, White and A6 (105 x 148 mm)

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
Physical Connections
USB Settings
USB Type A Ports: All Enabled
USB Type B Port: Enabled
Wired: Enabled
Ethernet MAC Address: 9c:93:4e:fc:36:4b
Ethernet Speed/Duplex Setting: auto
Wireless: Disabled
Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status:
Wi-Fi Direct: Enabled
Wireless Hardware: Not Installed
Wi-Fi Protected Setup™ (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen:
NFC: Enabled
iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Not Installed
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPv4:
IPv4 Address: Enabled
Subnet Mask: 10.61.16.153
Router/Gateway: 255.255.255.0
Automatic Addressing: 10.61.16.1
DHCP Server: DHCP
DHCP Lease Expiration: 10.61.13.224
BOOTP Broadcast: Thu Sep 11 11:55:36 2025
Self Assigned Address State: Disabled
Self Assigned Address: Enabled
TCP/IPv6:
Link Local Address:
Use Router Supplied Prefix: Disabled
Stateless Global Address 1: Enabled
Stateless Global Address 2: ::
Manual Address: ::
DHCP Addressing: Use DHCP as directed by a router
DHCP Address:
Default Gateway:
DUID (DHCP Unique Identifier):
DNS Settings:
Requested Host Name: XRX9C934EFC364B
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.16
Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink C620 (FC:36:4B)
HTTP:
Force Traffic over Secure Connection (H...: Enabled
IPP: No
Enabled

SNMP

SNMP v1/v2: Enabled
SNMP v3: Disabled
LPR/LPD:
Enabled
Raw IP Printing:
Enabled
LDAP
LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...: Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 10.61.23.93:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5,6
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101

PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed

Print From:	Enabled
Saved Jobs for Reprint:	Enabled/Displayed
Print From USB:	Disabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Name:	Unlocked
Jobs Pathway:	Unlocked
Printer Pathway:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device

Authentication Server:

Xerox Secure Access:	Kerberos
----------------------	----------

Audit Log:	Disabled
------------	----------

IP Sec:	Enabled
---------	---------

IP Filtering:	Disabled
---------------	----------

Security Certificates	Disabled
-----------------------	----------

Machine Certificate:	Signed
----------------------	--------

Root Certificates Installed:	S6
------------------------------	----

802.1x:	Disabled
---------	----------

Job Data Removal:	
-------------------	--

Scheduled:	Standard
------------	----------

FIPS 140-3:	Disabled
-------------	----------

TLS:	TLS 1.2 and TLS 1.3
------	---------------------

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:	Enhanced Security
---------------------------	-------------------

Protocols (cont.)

POP3
POP3 Server: 0.0.0.0:110
POP3 Secure Connection (TLS): Disabled
POP3 Validate Server Certificate:
E-mail Address:
NTFS
FTP Client: Disabled
FTP Client Mode: Passive
Web Services on Device: Enabled

Apps

Printing

Banner Sheet: Enabled
End Sheets: Enabled
Paper Substitution: Enabled
Tray Priority: 1,2,3,4,5,6
Archival Marking Mode: Off
PostScript: Installed
Level: 3
Version: 3021.101

PCL
Version: 6
Font Name: Courier
Custom Color Tables: Enabled
Label: Not Installed

Print From:

Saved Jobs for Reprint: Enabled
Print From USB: Enabled/Displayed
Cloud Services: Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs Pathway: Unlocked
Printer Pathway: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device

Authentication Server:

Xerox Secure Access:

Audit Log:

IP Sec:

IP Filtering:

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 56
802.11x: Disabled

Job Data Removal:

Scheduled: Standard

FIPS 140-3:

TLS:

TLS Host: TLS 1.2 and TLS 1.3
SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Xerox® VersaLink® C620
Software Upgrade Report



Report Date: Aug 25, 2025
Report Time: 12:35 PM
Device Name: Xerox VersaLink C620 (FC: 36;4B)
Device Serial Number: 5322980355
Software Upgrade Date: 08/25/25
Software Upgrade Time: 12:22 PM
Software Before Upgrade: 122.026.025.21900
Software Upgrade Requested: 123.026.005.23310
Software Upgrade Type: Normal
Software Upgrade Result: Success

Module	Fault Code	Debug Code	Status	Dependent Module	Version	Min
--------	------------	------------	--------	------------------	---------	-----