

Common User Data

Machine Name:	Xerox VersaLink B625 MFP (FE:F5:0A)
IPv4 Address:	10.61.11.157
Machine Serial Number:	UPQ100530
Fax Line1:	
Machine URL:	http://10.61.11.157
Machine Activation Date:	Sep 13, 2022 15:45:01
Total Impressions:	300329

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Fax Card:	Embedded, 1 Line
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used=3036MB/total=13925MB (eMMC)
EPC Memory Size:	187 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher, Embedded:	not present
Multi-Feed Detection Kit:	Not Installed

General Setup

Network Service:	Enabled
Reverse Software Downloads:	Enabled
Network Services: TFTP:	Enabled
Network Management Cloud:	Enabled
Email Alerts:	Disabled
Service Plan:	Mastered
Configuration Collection:	Unchanged
Security Configuration Report:	Enabled
GMT Offset:	+0530

Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Storage:	Enabled
JBOD2	Enabled

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	20 minutes
Auto Sleep:	Disabled

Software Versions

Device Software:	122.025.24500
Patch Version:	None
Network Controller:	122.025.24500
UI Panel Firmware:	6.2
User Interface:	122.025.24500
Marking Engine:	230.334
Copy Controller:	122.025.24500
Document Feeder:	230.334
Finisher:	000.000.000
Fax:	003.021.023
OS:	230.334
Scanner:	230.334
Software Upgrade:	005.016
ALTB00T Software Upgrade:	005.016

Machine Upgrades

Last Successful Upgrade:	September 3, 2025 15:58:11
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Security:	000.000.000

Media Trays

Tray 1	Plain White 8 1/2 x 11 (210 x 297 mm)
Tray 2	Plain White and Letter 8 1/2 x 11

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds
Wired:	
Ethernet MAC Address:	9c:93:4e:fe:f5:0a
Ethernet Speed/Duplex Setting:	auto
Wireless:	
Wireless MAC Address:	Disabled
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	Enabled
Beacon Hardware:	Not Installed
Beacon MAC Address:	
Beacon ID Address:	

Beacon ID Address:	
Beacon ID Address:	
Beacon ID Address:	
Beacon ID Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.11.157
Subnet Mask:	255.255.255.0
Router Gateway:	10.61.11.1
Automatic Addressing:	Enabled
DHCP Server:	10.61.11.124

DHCP Lease Expiration:	Mon Sep 15 11:21:55 2025
BOOTP Broadcast:	Disabled
Self-Assigned Address State:	Disabled
Self-Assigned Address:	

TCP/IPv6

Link Local Address:	fe80:9c93:4eff:fe:f50a
Use Router Supplied Prefix:	Enabled
Static Global Address 1:	
Static Global Address 2:	
Static Global Address 3:	
Static Global Address 4:	
Static Global Address 5:	
Static Global Address 6:	
Static Global Address 7:	
Static Global Address 8:	
Static Global Address 9:	
Static Global Address 10:	
Static Global Address 11:	
Static Global Address 12:	
Static Global Address 13:	
Static Global Address 14:	
Static Global Address 15:	
Static Global Address 16:	
Static Global Address 17:	
Static Global Address 18:	
Static Global Address 19:	
Static Global Address 20:	
Static Global Address 21:	
Static Global Address 22:	
Static Global Address 23:	
Static Global Address 24:	
Static Global Address 25:	
Static Global Address 26:	
Static Global Address 27:	
Static Global Address 28:	
Static Global Address 29:	
Static Global Address 30:	
Static Global Address 31:	
Static Global Address 32:	
Static Global Address 33:	
Static Global Address 34:	
Static Global Address 35:	
Static Global Address 36:	
Static Global Address 37:	
Static Global Address 38:	
Static Global Address 39:	
Static Global Address 40:	
Static Global Address 41:	
Static Global Address 42:	
Static Global Address 43:	
Static Global Address 44:	
Static Global Address 45:	
Static Global Address 46:	
Static Global Address 47:	
Static Global Address 48:	
Static Global Address 49:	
Static Global Address 50:	
Static Global Address 51:	
Static Global Address 52:	
Static Global Address 53:	
Static Global Address 54:	
Static Global Address 55:	
Static Global Address 56:	
Static Global Address 57:	
Static Global Address 58:	
Static Global Address 59:	
Static Global Address 60:	
Static Global Address 61:	
Static Global Address 62:	
Static Global Address 63:	
Static Global Address 64:	
Static Global Address 65:	
Static Global Address 66:	
Static Global Address 67:	
Static Global Address 68:	
Static Global Address 69:	
Static Global Address 70:	
Static Global Address 71:	
Static Global Address 72:	
Static Global Address 73:	
Static Global Address 74:	
Static Global Address 75:	
Static Global Address 76:	
Static Global Address 77:	
Static Global Address 78:	
Static Global Address 79:	
Static Global Address 80:	
Static Global Address 81:	
Static Global Address 82:	
Static Global Address 83:	
Static Global Address 84:	
Static Global Address 85:	
Static Global Address 86:	
Static Global Address 87:	
Static Global Address 88:	
Static Global Address 89:	
Static Global Address 90:	
Static Global Address 91:	
Static Global Address 92:	
Static Global Address 93:	
Static Global Address 94:	
Static Global Address 95:	
Static Global Address 96:	
Static Global Address 97:	
Static Global Address 98:	
Static Global Address 99:	
Static Global Address 100:	

DNS Settings:

Requested Host Name:	XR9C934EFEF50A
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	10.61.10.6, 10.61.10.7, XEROXQA.COM
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

Options:	Installed
----------	-----------



**Accounting**

Accounting Mode: None  
 Network Accounting: Disabled

**Security****Authentication Configuration**

Machine UI Authentication: Locally on the Device  
 Home: Unlocked  
 Jobs: Unlocked  
 Device: Unlocked  
 Device Website Authentication: Locally on the Device  
 Authorization: Locally on the Device  
 Retrieve E-mail from LDAP: Enabled  
 Authentication Server: Disabled

**Authentication Server:**

Kerberos Primary Realm: 0.0.0.0:88  
 Kerberos Primary Address: 0.0.0.0:88  
 Kerberos Alt 1 Realm: 0.0.0.0:443  
 Kerberos Alt 1 Address: 0.0.0.0:443  
 SMB NT Domain:  
 SMB Alt 1 NT Domain:  
 Smartcard Ctrl Server: 0.0.0.0:443  
 Smartcard Ctrl Domain:  
 SmartCard OCSP URL:  
 Card Reader Upgrade Policy: Enabled  
 Card Reader Firmware Version:

**Xerox Secure Access:**

Secure Access Server: Disabled  
 Secure Access Path: 10.61.25.111:3443  
 DnsNameServices/secure/epfronmouthserv

**Audit Log:****IP Sec:****IP Filtering:****Security Certificates**

Machine Certificate: Signed  
 Root Certificates Installed: 53  
 802.1x: Disabled

**Job Data Removal:**

Scheduled: Disabled  
 Scheduled Frequency:

**FIPS 140-3:**

TLS: Disabled  
 TLS Hash: TLS 1.2 and TLS 1.3  
 SHA-1, SHA-256 and above

**Trellix Embedded Control:**

Enhanced Security

**Extensible Service Setup**

Third Generation Browser: X3G\_3.24.23\_240.5\_D17\_01.00.00  
 Widget Version: v1.3.17 c8 20160613  
 Widget Version: v2.5.04 g9 20240123



## Common User Data

Machine Name:	Xerox VersaLink B625 MFP (FEF5:0A)
IPv4 Address:	10.61.11.157
Machine Serial Number:	UPQ100530
Fax Line1:	
Machine URL:	http://10.61.11.157
Machine Activation Date:	Sep 13, 2022 15:45:01
Total Impressions:	300332

## Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplies Phone Number:	
System Administrator:	
Machine Location:	Not set
Managed By:	machine location not set
Primary MB Server:	

## Machine Hardware

Fax Card:	Embedded; 1 Line
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	3904 MB
Device Storage Size:	used: 30.39 MB/total: 0 MB (eMMC)
EPC Memory Size:	1R7 MB
Productivity Kit:	Not Installed
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

## General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	06:32
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Legacy

## Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Smart Proximity Sensor	Not Available
Wake on Arrival:	
Sleep on Departure:	

## Software Versions

Device Software:	122.025.025.24500
Patch Version:	None
Network Controller:	122.025.24500
UI Panel Firmware:	6.2
Marking Engine:	230.334
Document Feeder:	230.334
Finisher:	000.000.000
Fax:	003.021.023
Scanner:	230.334
Machine Upgrades:	Not Allowed
Last Successful Upgrade:	September 3, 2025 15:58:11

## Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and Letter (6.5 x 11")

## Installed Options

PS:	Installed
-----	-----------

## Connectivity

## Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

## Physical Connections

## USB Settings

## USB Type A Ports

## USB Type B/Printer Ports

## Wired:

Ethernet MAC Address:	All Enabled
Ethernet Speed/Duplex Setting:	Enabled

## Wireless:

Wireless MAC Address:	Enabled
Network Name (SSID):	9c93:fe:f5:0a

## BSSID:

Security Mode:	auto
Encryption Algorithm:	Disabled

## Status:

## Wi-Fi Direct:

Wireless Hardware:	Enabled
Wi-Fi Protected Setup™ (WPS) Name:	Not Installed

## Access Point (SSID):

## Show Password on Device Touch Screen:

## NFC:

## iBeacon (Bluetooth®) for AirPrint DL:

## iBeacon Hardware:

## Bluetooth Device Address:

## Beacon IP Address:

## Protocols

## TCP/IP v4:

IPv4 Address:	Enabled
Subnet Mask:	10.61.11.157
Router/Gateway:	255.255.255.0
Automatic Addressing:	10.61.11.1
DHCP Server:	DHCP
DHCP Lease Expiration:	10.61.13.224
BOOTP Broadcast:	Mon Sep 15 11:21:55 2025
Self Assigned Address State:	Disabled
Self Assigned Address:	Enabled

## TCP/IP v6:

Link Local Address:	Enabled
Use Router Supplied Prefix:	fe80::3e9:4eff:feef:90a
Stateless Global Address 1:	Enabled
Stateless Global Address 2:	..
Manual Address:	..
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	fd00:2:111:1275:dae4:2b41:fe2
Default Gateway:	fe80:8af:c5df:fe75:a282
DUID (DHCP Unique Identifier):	000300013c34c6ef50a

## DNS Settings:

Requested Host Name:	XR9C934EFEE50A
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Negotiat...	Disabled
Primary DNS Server:	10.61.7.16
Prefer IPv6 DNS over IPv4:	Enabled

## Bonjour:

## Bonjour Printer Name:

## HTTP:

Force Traffic over Secure Connection (H...	Xerox VersaLink B625 MFP (FEF5:0A)
IPP:	Enabled

## SNMP

## SNMP v1/v2:

## SNMP v3:

## LPR/LPD:

## Raw IP Printing:

## LDAP

LDAP Server 1 Primary LDAP Address:	10.61.23.93:389
LDAP Server 1 Search Directory Root:	cn=users,cn=hl1,dc=com
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

## SMTP

## SMTP Server:

## Connect Encryption (TLS):

## Validate Server Certificate (TLS):

## SMTP Authentication Type:

Basic Auth with SMTP
----------------------