

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:B8:44)
IPv4 Address: 10.61.16.220
Machine Serial Number: 5330005345
Fax Line 1:
Machine URL: https://10.61.16.220
Machine Activation Date: Jul 10, 2025 12:47:28
Total Impressions: 9090

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: Not set
Machine Location: machine location not set
Managed By:
Primary MB Server:

Machine Hardware

Fax Card: Not Present
Fax Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=2884MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: used=95MB/total=0MB (SSD)
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 19:50
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Metered
Geographic Region: unknown
Startup Config Report: Enabled
GMT Offset: 00:00
Cloning Installation: Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files: Disabled
File Sharing: Enabled
JBIG2: Lossless
Energy Saver:
Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Sleep Mode Timer: 120 minutes
Auto-Off: Disabled

Software Versions

Device Software: 122.029.025.23900
Patch Version: None
Network Controller: 122.029.23900
UI Panel Firmware: 6.2
User Interface: 122.029.23900
Marking Engine: 230.334
Copy Controller: 122.029.23900
Document Feeder: 230.334
Finisher: 000.000.000
Fax: 000.000.000
OS: 230.334
Scanner: 230.334

Machine Upgrades

ALIBOOT Software Mode: 005.016
Machine Upgrades: Not Allowed
Lost Successful Upgrade:
Scheduled Auto Upgrades: Disabled
Auto Upgrade Start Time: Daily
Auto Upgrade Service: 0.0.0.21

Media Trays

Troy 1: Plain, White and A4 (210 x 297 mm)
Bypass Tray: Plain, White and A4 (210 x 297 mm)

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication Required: Disabled
Universal Print: Disabled
Universal Print Registration Status: Not Registered

Physical Connections

USB Settings:
USB Type A Ports: All Enabled
USB Type B Port: Enabled
Connection Timeout: 5 seconds

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44
Ethernet Speed/Duplex Setting: auto
Disabled

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status: Enabled

Wi-Fi Direct:

Wireless Hardware: Not Installed
Wi-Fi Protected Setup (WPS) Name:
Connection Method:
Subnet Prefix Address:
Access Point (SSID):
Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Not Installed
Bluetooth Device Address:
iBeacon IP Address:

Protocols

TCP/IPV4:

IPv4 Address: Enabled 10.61.16.220
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Wed Sep 10 07:13:57 2025
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled fe80::7a8c:77ff:fedc:b844
Use Router Supplied Prefix: Enabled
Stateless Global Address 1:
Stateless Global Address 2:
Manual Address:

DHCP Address: fd00:0:2:116:37d5:f9e9:59e:e670
Default Gateway: fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier): 00030001788c77dcb844

DNS Settings:

Requested Host Name:
Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.16
Alternate DNS Server 1: 10.61.10.6
Alternate DNS Server 2: 10.61.7.15
Append Device Domain: Enabled
Append Parent Domains: Disabled
DNS Domain Search List: XEROXQA.COM
Prefer IPv6 DNS over IPv4: Enabled

Installed Options

PS: Installed

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Server: 0.0.0.443
Secure Access Path:

Audit Log:

Audit Log: Enabled

IP Sec:

IP Sec: Disabled

IP Filtering:

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 53

802.1x:

802.1x: Disabled

Job Data Removal:

Job Data Removal: Disabled
Scheduled Frequency:

FIPS 140-3:

FIPS 140-3: Disabled
TLS: TLS 1.2 and TLS 1.3
TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

Common User Data

Machine Name: Xerox VersaLink B415 MFP (DC:88:44)
IPv4 Address: 10.61.16.220
Machine Serial Number: 5330005345
Fax Line 1:
Machine URL: https://10.61.16.220
Machine Activation Date: Jul 10, 2025 12:47:28
Total Impressions: 9090

Machine Profile

Xerox Asset Tag:
Customer Asset Tag:
Service Phone Number:
Customer Support Number:
Supplies Phone Number:
System Administrator: Not set
Machine Location: machine location not set
Managed By
Primary MB Server:

Machine Hardware

Fax Card: Not Present
Fax Memory Size: 0 MB
Foreign Interface Card: not present
Device RAM Size: 1984 MB
Device Storage Size: used=2884MB/total=14004MB (eMMC)
EPC Memory Size: 187 MB
Productivity Kit: used=95MB/total=0MB (SSD)
Finisher Type: Simple Catch Tray
Finisher Punch: None
Finisher Folder: not present
Multi-feed Detection Kit: Not Installed

General Setup

Remote Services: Enabled
Remote Software Download: Enabled
Remote Services Trans. Time: 19:50
Xerox Workplace Cloud: Enabled
E-mail Alerts: Disabled
Service Plan: Metered
Geographic Region: unknown
GMT Offset: 00:00
Cloning Installation: Allowed (Encrypted Files Only)
File Sharing: Enabled
JBIG2: Lossless

Energy Saver

Deep Sleep: Enabled
Energy Saver Mode: Job Activated
Smart Proximity Sensor: Not Available
Wake on Arrival:
Sleep on Departure:

Software Versions

Device Software: 122.029.025.23900
Patch Version: None
Network Controller: 122.029.23900
UI Panel Firmware: 6.2
Marking Engine: 230.334
Document Feeder: 230.334
Finisher: 000.000.000
Fax: 000.000.000
Scanner: 230.334
Machine Upgrades: Not Allowed
Last Successful Upgrade:

Media Trays

Bypass Tray: Plain, White and A4 (210 x 297 mm)

Installed Options

PS: Installed

Connectivity

Mobile Workflows

AirPrint Printing: Enabled
Mopria Printing: Enabled
AirPrint / Mopria Scanning: Enabled
Authentication Required: Disabled

Physical Connections

USB Settings: All Enabled
USB Type A Ports: Enabled
USB Type B Port: Enabled

Wired:

Ethernet MAC Address: 78:8c:77:dc:b8:44
Ethernet Speed/Duplex Setting: auto

Wireless:

Wireless MAC Address:
Network Name (SSID):
BSSID:
Security Mode:
Encryption Algorithm:
Status: Enabled

Wi-Fi Direct:

Wireless Hardware: Not Installed

Wi-Fi Protected Setup (WPS) Name:
Access Point (SSID):
Show Password on Device Touch Screen:

NFC:

iBeacon (Bluetooth®) for AirPrint Di...: Enabled
iBeacon Hardware: Enabled
Bluetooth Device Address: Not Installed
iBeacon IP Address:

Protocols

TCP/IPV4:

IPv4 Address: 10.61.16.220
Subnet Mask: 255.255.255.0
Router/Gateway: 10.61.16.1
Automatic Addressing: DHCP
DHCP Server: 10.61.13.224
DHCP Lease Expiration: Wed Sep 10 07:13:57 2025
BOOTP Broadcast: Disabled
Self Assigned Address State: Enabled
Self Assigned Address:

TCP/IPV6:

Link Local Address: Enabled
Use Router Supplied Prefix: fe80::7a8c:77ff:fedc:b844
Stateless Global Address 1: Enabled
Stateless Global Address 2:
Manual Address:
DHCP Addressing: Use DHCP as directed by a router
DHCP Address: fd00:0:2:116:37d5:f9e9:59e:e670
Default Gateway: fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier): 00030001788c77dcb844

DNS Settings:

Verified Host Name:
Requested Domain Name:
Verified Domain Name:
Multicast DNS: Enabled
Release DHCP Leases and DNS Registrati...: Disabled
Primary DNS Server: 10.61.7.16
Prefer IPv6 DNS over IPv4: Enabled

Bonjour:

Bonjour Printer Name: Xerox VersaLink B415 MFP (DC:88:44)

HTTP:

Force Traffic over Secure Connection (H...: Yes
IPP: Enabled

SNMP

SNMP v1: Disabled
SNMP v3: Enabled
LPR/LPD: Enabled
Raw IP Printing: Enabled

LDAP

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389
LDAP Server 1 Search Directory Root:
LDAP Server 1 Secure Connection (LDA...: Disabled
LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 0.0.0.0:25
Connect Encryption (TLS): No Encryption
Validate Server Certificate (TLS):
SMTP Authentication Type: Basic Auth with SMTP