

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs Pathway: Unlocked
Printer Pathway: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Kerberos

Authentication Server:

Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

IP Sec: Enabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed

Root Certificates Installed: 53

802.1x: Disabled

Image Overwrite

Immediate: Installed/Enabled

Scheduled: Disabled

Scheduled Frequency:

FIPS 140-3: Disabled

TLS: TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00

Widget Version: v1.3.17 c8 20140613

Widget Version: v2.5.04 g9 20240123

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
POP3 Mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,6
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
PC	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs Pathway:	Unlocked
Printer Pathway:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device

Authentication Server:

Kerberos

Xerox Secure Access:

Disabled

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Disabled

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	53

802.1x:

Disabled

Image Overwrite

Immediate:	Installed/Enabled
Scheduled:	Disabled

FIPS 140-3:

Disabled

TLS:

TLS 1.2 and TLS 1.3

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:

Enhanced Security

Common User Data

Machine Name:	Xerox VersaLink C620 (FC.36:4B)
IPv4 Address:	10.61.15.215
Machine Serial Number:	5322980355
Machine URL:	https://10.61.15.215
Machine Activation Date:	Jul 17, 2025 15:01:11
Black Impressions:	7853
Color Impressions:	7786
Total Impressions:	15639

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	
Customer Support Number:	
Supplier Phone Number:	
System Administrator:	Not set
Machine Location:	machine location not set
Managed By	
Primary MB Server:	

Machine Hardware

Foreign Interface Card:	not present
Device RAM Size:	1984 MB
Device Storage Size:	used=2790MB/total=14004MB (eMMC)
IPC Memory Size:	187 MB
Productivity Kit:	used=77MB/total=500107MB (HDD)
Finisher Type:	Simple Catch Tray
Finisher Punch:	None
Finisher Folder:	not present

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	12:32
Xerox/Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Geographic Region:	unknown
Startup Config Report:	Enabled
GMT Offset:	00:00
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Enabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	120 minutes
Auto-Off:	Disabled

Software Versions

Device Software:	122.026.025.24500
Patch Version:	None
Network Controller:	122.026.24500
UI Panel Firmware:	6.2
User Interface:	122.026.24500
Marking Engine:	230.334
Finisher:	000.000.000
OS:	230.334
Software Upgrade:	005.016
ALTB00T Software Upgrade:	005.016

Machine Upgrades:

Last Successful Upgrade:	Not Allowed
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Plain, White and A4 (210 x 297 mm)
Bypass Tray:	Plain, White and A6 (105 x 148 mm)

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
Universal Print:	Disabled
Universal Print Registration Status:	Not Registered
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	5 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:fc:36:4b
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.15.215
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.15.1
Automatic Addressing:	DHCP
DHCP Server:	10.61.13.224
DHCP Lease Expiration:	Thu Sep 11 19:32:20 2025
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fe75:364b
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	::
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Use DHCP as directed by a router
DHCP Address:	
Default Gateway:	fe80::8afc:5dff:fe75:e282
DUID (DHCP Unique Identifier):	
DNS Settings:	
Requested Host Name:	XXRX9C934EFC364B
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrat...	Disabled
Primary DNS Server:	10.61.7.16
Alternate DNS Server 1:	10.61.10.6
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	XEROXQA.COM,
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Apps

Bonjour:

Bonjour Printer Name: Xerox VersaLink C620 (FC:36:4B)

HTTP:
 Port Number: 80
 Force Traffic over Secure Connection (H...): Yes
 Secure HTTP Port Number: 443
 Proxy Server: Automatic
 Proxy Server Address: 0.0.0.0:8080
 PP: Enabled
 Secure IPP Mode: IPP and Secure IPPS
 PP Network Path: http://10.61.15.215:631

SNMP

SNMP v1/v2: Enabled

SNMP v3: Disabled

LPR/LPD: Enabled

Port Number: 515

PDL Switching: Disabled

PDL Banner Override: Disabled

Raw IP Printing: Enabled

Port Number 1: 9100

Bidirectional: Disabled

End of Job Timeout: 300

PDL Switching: Disabled

LDAP

LDAP Server 1 Friendly Name:

LDAP Server 1 Primary LDAP Address: 0.0.0.0:389

LDAP Server 1 Alternate LDAP Address: 0.0.0.0:389

LDAP Server 1 Search Directory Root:

LDAP Server 1 Secure Connection (LDA...): Disabled

LDAP Server 1 Validate Server Certificate...: Disabled

SMTP

SMTP Server: 0.0.0.0:25

Connect Encryption (TLS): No Encryption

Validate Server Certificate (TLS):

Max Message Size (KB): 10240

Number of Fragments: 1

Total Job Size (KB): 300000

Job Splitting Boundary: Page Boundary

Credentials for Auto E-mails: None

Credentials for Walkup User: None

SMTP Authentication Type: Basic Auth with SMTP

POP3

POP3 Server: 0.0.0.0:110

POP3 Secure Connection (TLS): Disabled

E-mail Address:

POP3 Validate Server Certificate:

Receipt of E-mail via POP3: Disabled

Send Confirm on Request: Enabled

Incoming E-mail cover sheet: Enabled

FTP: Enabled

Primary Server: 0.0.0.0:123

Alternate Server: 0.0.0.0:123

SLP: Disabled**FTP Client:** Enabled

FTP Client Mode: Passive

Web Services on Device: Enabled

WS-Discovery: Enabled

WS-Discovery Multicast: Enabled

WS-Print: Enabled

Web Services

Digital Certificate Management and Securi...: Enabled

Extensible Service Registration: Enabled

Job Limits: Enabled

Job Management Extension: Enabled

Device Configuration: Enabled

Session Data: Enabled

User Interface Configuration: Enabled

EIP Proxy Configuration: Enabled

Xerox Secure Access: Disabled

EIP SNMP Configuration: Enabled

Print Submission: Enabled

Mass Storage Access: Enabled

Card Reader Access: Enabled

Authentication & Accounting Configur...: Enabled

Export Audit Log: Enabled

Trellix Embedded Control: Enabled

Printing

Banner Sheet: Enabled
 Sys/Start Job: Disabled
 Delete Held Jobs After: 3 Day(s) 0 Hour(s) 0 Minute(s)
 Error Sheets: Enabled
 Paper Substitution: Enabled
 Tray Priority: 1.6
 Default Copies: 1
 Default Job Type: Normal Print
 Default Paper Size: x=210mm, y=297mm
 Default Paper Color: White
 Default 2 Sided Printing: 2 Sided
 Default Output Tray: Center Tray
 Default Output Color: Color
 Default Collated Sets: Enabled
 Default Stapling: Not Available
 Offsetting Between Jobs: No Offset Between Jobs
 Archival Marking Mode: Off
 PostScript: Installed
 Level: 3
 Version: 3021.101
 Image Quality: Enhanced

PCL

Version: 6
 Pitch Size: 10.00
 Point Size: 12.00
 Font Name: Courier
 Lines Per Page: 64

Custom Color Tables

Label: Not Installed

Print From:

Saved Jobs for Reprint: Enabled

Print From USB: Enabled

Cloud Services: Disabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security**Authentication Configuration**

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs Pathway: Unlocked
Printer Pathway: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device

Authentication Server:

Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm: 0.0.0.0:88
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain: 0.0.0.0:443
SMB Alt 1 NT Domain: 0.0.0.0:443
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain: 0.0.0.0:443
SmartCard OCSP URL: 0.0.0.0:443
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version: 0.0.0.0:443

Xerox Secure Access:

Secure Access Server: Disabled
Secure Access Path: 0.0.0.0:443

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Enabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 53

802.1x:

Disabled

Image Overwrite

Immediate: Installed/Enabled
Scheduled: Disabled
Scheduled Frequency: Disabled

FIPS 140-3:

Disabled

TLS:

TLS 1.2 and TLS 1.3

TLS Hash: SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_012_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Enabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Troy Priority:	1,6
Archival Marking Mode	Off
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Cloud Services:	Disabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs Pathway:	Unlocked
Printer Pathway:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device

Authentication Server:

Kerberos

Xerox Secure Access:

Disabled

Audit Log:

Enabled

IP Sec:

Disabled

IP Filtering:

Enabled

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	53

802.1x:

Disabled

Image Overwrite

Immediate:	Installed/Enabled
Scheduled:	Disabled

FIPS 140-3:

Disabled

TLS:

TLS 1.2 and TLS 1.3

SHA-1, SHA-256 and above

Trellix Embedded Control:

Enhanced Security