

Common User Data

Machine Name:	corrib
Machine Serial Number:	ZRE674018
Fax Line1:	
Machine Activation Date:	Feb 05, 2024 20:57:28
Black Impressions:	23702
Color Impressions:	27902
Total Impressions:	51604

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	xerox123
Customer Support Number:	xerox
Supplies Phone Number:	1234567890
Recycling Phone Number:	
System Administrator:	driver
Machine Location:	machine location not set
Managed By	
Primary MB Server:	10.61.22.180:80

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=4005MB/total=0MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	BR Finisher
Finisher Punch:	2/4 Hole
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	22:55
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	60 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	123.038.005.27600
Patch Version:	None
Network Controller:	123.038.27600
UI Panel Firmware:	003.005.000000
User Interface:	123.038.27600
Marking Engine:	030.046.000
Copy Controller:	123.038.27600
Document Feeder:	023.026.000
Finisher:	006.003.000
Fax:	000.000.000
OS:	123.005.27300
Scanner:	017.025.003
Software Upgrade:	123.038.27600

Machine Upgrades:

Last Successful Upgrade:	Allowed
Scheduled Auto Upgrades:	October 6, 2025 18:48:51
Auto Upgrade Start Time:	Disabled
Auto Upgrade Server:	Daily
	0.0.0.0:21

Media Trays

Tray 1:	Envelope, White and C4 Envelope (324 x 22...
Tray 2:	Lightweight, Pink and Letter (8.5 x ...
Tray 3:	Letterhead, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Labels, Blue and Legal (8.5 x 14")

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Enabled
Universal Print Registration Status:	Registered

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	60 seconds
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:ee
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Disabled
-----------	----------

IPv4 Address:	
Subnet Mask:	
Router/Gateway:	
Automatic Addressing:	
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	
Self Assigned Address State:	
Self Assigned Address:	

TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:6eee
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	2403:0:22b:4:9e93:4eff:fea2:6eee
Stateless Global Address 2:	::

Manual Address:	Enabled for address assignment and other ...
DHCP Addressing:	2403:0:22b:4:ce82:9085:9bc1:5029
DHCP Address:	
Default Gateway:	fe80::eedd:24ff:fe57:5967
DUID (DHCP Unique Identifier):	000300019c934ea26eee

DNS Settings:

Requested Host Name:	corrib
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	2403:0:22b:4:a14d:38b3:33b:477a
Alternate DNS Server 1:	2403:0:22b:4:39f0:35cde8a8:3087
Alternate DNS Server 2:	::
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	10.61.10.6. 10.61.10.7. 10.61.10.15.
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:	
Bonjour Printer Name:	corrib
HTTP:	Enabled
Port Number:	80
Force Traffic over Secure Connection (H...):	Yes
Secure HTTP Port Number:	443
Proxy Server:	Manual
Proxy Server Address:	BDMZPROXY.HCLT.CORP.HCL.IN:8080
IPP	Enabled
Secure IPP Mode:	IPP and Secure IPPS
IPP Network Path:	http://631
SNMP	
SNMP v1/v2:	Enabled
SNMP v3:	Enabled
LPR/LPD:	Enabled
Port Number:	515
PDL Switching:	Disabled
PDL Banner Override:	Disabled
Raw IP Printing:	Enabled
Port Number 1:	9100
Bidirectional:	Disabled
End of Job Timeout:	300
PDL Switching:	Disabled
LDAP	
LDAP Server 1 Friendly Name:	
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...):	Disabled
LDAP Server 1 Validate Server Certificate...:	Disabled
SMTP	
SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
Max Message Size (KB):	10240
Number of Fragments:	1
Total Job Size (KB):	300000
Job Splitting Boundary:	Page Boundary
Credentials for Auto E-mails:	None
Credentials for Walkup User:	None
SMTP Authentication Type:	Basic Auth with SMTP
POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
E-mail Address:	
POP3 Validate Server Certificate:	
Receipt of E-mail via POP3:	Disabled
Send Confirm on Request:	Enabled
Incoming E-mail cover sheet:	Enabled
NTP:	Enabled
Primary Server:	10.61.23.93:123
Alternate Server:	0.0.0.0:123
SLP:	Disabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled
WS-Discovery:	Enabled
WS-Discovery Multicast:	Enabled
WS-Print:	Enabled
WS-Scan:	Enabled
Web Services	
Copy Submission:	Enabled
Digital Certificate Management and Securi...:	Enabled
Extensible Service Registration:	Enabled
Job Limits:	Enabled
Job Management Extension:	Enabled
Device Configuration:	Enabled
Scan Submission:	Enabled
Scan Workflow Management:	Enabled
Session Data:	Enabled
User Interface Configuration:	Enabled
EIP Proxy Configuration:	Enabled
Xerox Secure Access:	Enabled
EIP SNMP Configuration:	Enabled
Print Submission:	Enabled
Scan Template Mgmt:	Enabled
Mass Storage Access:	Enabled
Card Reader Access:	Enabled
Authentication & Accounting Configur...:	Enabled
Export Audit Log:	Enabled
Trellix Embedded Control:	Enabled

Apps

Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Main Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	No Staple
Offsetting Between Jobs:	Offset Between Jobs
PostScript	Installed
Level:	3
Version:	3021.101
Image Quality:	Enhanced
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables	Enabled
Label:	Not Installed

Fax:

Fax Line1:	Not Present
Fax Line2:	

Server Fax:

Confirmation Sheet:	Enabled
Delay Start:	Errors Only
Repository Protocol:	Disabled
Repository Server:	SMB
Repository Document Path:	0.0.0.0:0

Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	SMB
Default Repository Document Path:	0.0.0.0:0
Default Repository Login Credentials:	Device
Alt1 Repository Protocol:	SMB
Alt1 Repository Server:	0.0.0.0:0
Alt1 Repository Document Path:	
Alt1 Repository Login Credentials:	Device
Workflow Pool Protocol:	SMB
Workflow Pool Server:	0.0.0.0:0
Workflow Pool Path:	

Email:

Default From Address:	
Confirmation Sheet:	Enabled
Auto Send to Self:	Errors Only
E-mail Security:	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	46924 MB
Storage Used (MB):	2447 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

Friendly Name:	Disabled
Workflow Name:	Disabled
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:	Enabled
-----------------	---------

Print From:

Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Enabled



Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server: Kerberos
Kerberos Primary Realm:
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm:
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain:
Smartcard Ctrl Server: 0.0.0.0:443
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access: Enabled
Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 56
802.1x: Disabled

Job Data Removal:
Scheduled: Disabled
Scheduled Frequency:

FIPS 140-3: Disabled

TLS: TLS 1.1, TLS 1.2 and TLS 1.3
TLS Hash: SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123



Common User Data

Machine Name:	corrib
Machine Serial Number:	ZRE674018
Fax Line1:	
Machine Activation Date:	Feb 05, 2024 20:57:28
Black Impressions:	23701
Color Impressions:	27901
Total Impressions:	51602

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	xerox123
Customer Support Number:	xerox
Supplies Phone Number:	1234567890
Recycling Phone Number:	
System Administrator:	driver
Machine Location:	machine location not set
Managed By	
Primary MB Server:	10.61.22.180:80

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=4004MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	BR Finisher
Finisher Punch:	2/4 Hole
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	22:55
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	123.038.005.27600
Patch Version:	None
Network Controller:	123.038.27600
UI Panel Firmware:	003.005.00000
Marking Engine:	030.046.000
Document Feeder:	023.026.000
Finisher:	006.003.000
Fax:	000.000.000
Scanner:	017.025.003

Machine Upgrades:

Last Successful Upgrade:	Allowed
	October 6, 2025 18:48:51

Media Trays

Tray 1:	Envelope, White and C4 Envelope (324 x 22...
Tray 2:	Lightweight, Pink and Letter (8.5 x ...
Tray 3:	Letterhead, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Labels, Blue and Legal (8.5 x 14")

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows	
AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Physical Connections	
USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:ee
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled
Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	
Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed
Wi-Fi Protected Setup™ (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Disabled
IPv4 Address:	
Subnet Mask:	
Router/Gateway:	
Automatic Addressing:	
DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	
Self Assigned Address State:	
Self Assigned Address:	
TCP/IPv6:	Enabled
Link Local Address:	fe80::9e93:4eff:fea2:6eee
Use Router Supplied Prefix:	Enabled
Stateless Global Address 1:	2403:0:22b:4:9e93:4eff:fea2:6eee
Stateless Global Address 2:	::
Manual Address:	
DHCP Addressing:	Enabled for address assignment and other ...
DHCP Address:	2403:0:22b:4:ce82:9085:9bc1:5029
Default Gateway:	fe80::eedd:24ff:fe57:5967
DUID (DHCP Unique Identifier):	000300019c934ea26eee
DNS Settings:	
Requested Host Name:	corrib
Verified Host Name:	
Requested Domain Name:	
Verified Domain Name:	
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	2403:0:22b:4:a14d:38b3:33b:477a
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	corrib
-----------------------	--------

HTTP:

Force Traffic over Secure Connection (H...	Yes
IPP	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Enabled

LPR/LPD:

	Enabled
--	---------

Raw IP Printing:

LDAP	Enabled
------	---------

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

Fax Line1:	
Fax Line2:	

Server Fax:	Enabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:	Enabled
--------------------	---------

Email:	Enabled
--------	---------

Scan to Mailbox:	Enabled
Storage Capacity (MB):	46924 MB
Storage Used (MB):	2447 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:	Disabled
---------------	----------

Scan To:	Enabled
Cloud Services:	Disabled

Print From:	Enabled
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Disabled
Cloud Services:	Enabled

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:	Kerberos
------------------------	----------

Xerox Secure Access:	Enabled
----------------------	---------

Audit Log:	Enabled
------------	---------

IP Sec:	Disabled
---------	----------

IP Filtering:	Disabled
---------------	----------

Security Certificates

Machine Certificate:	Signed
Root Certificates Installed:	56

802.1x:	Disabled
---------	----------

Job Data Removal:	
-------------------	--

Scheduled:	Disabled
------------	----------

FIPS 140-3:	Disabled
-------------	----------

TLS:	TLS 1.1, TLS 1.2 and TLS 1.3
TLS Hash:	SHA-1, SHA-256 and above

Trellix Embedded Control:	Enhanced Security
---------------------------	-------------------



Common User Data

Machine Name:	corrib
IPv4 Address:	10.61.12.175
Machine Serial Number:	ZRE674018
Fax Line1:	
Machine URL:	https://XRX9C934EA26EEE.xeroxqa.com
Machine Activation Date:	Feb 05, 2024 20:57:28
Black Impressions:	23698
Color Impressions:	27899
Total Impressions:	51597

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	xerox123
Customer Support Number:	xerox
Supplies Phone Number:	1234567890
Recycling Phone Number:	
System Administrator:	driver
Machine Location:	machine location not set
Managed By	
Primary MB Server:	10.61.22.180:80

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used=3967MB/total=256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	BR Finisher
Finisher Punch:	2/4 Hole
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	22:55
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
Startup Config Report:	Enabled
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
Allow Print Submission of Clone Files:	Disabled
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated
Sleep Mode Timer:	60 minutes
Auto-Off:	Disabled

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled
Maximize Detection Range:	Disabled

Software Versions

Device Software:	123.038.005.27600
Patch Version:	None
Network Controller:	123.038.27600
UI Panel Firmware:	003.005.00000
User Interface:	123.038.27600
Marking Engine:	030.046.000
Copy Controller:	123.038.27600
Document Feeder:	023.026.000
Finisher:	006.003.000
Fax:	000.000.000
OS:	123.005.27300
Scanner:	017.025.003
Software Upgrade:	123.038.27600

Machine Upgrades:

Last Successful Upgrade:	October 6, 2025 18:48:51
Scheduled Auto Upgrades:	Disabled
Auto Upgrade Start Time:	Daily
Auto Upgrade Server:	0.0.0.0:21

Media Trays

Tray 1:	Envelope, White and C4 Envelope (324 x 22...
Tray 2:	Lightweight, Pink and Letter (8.5 x ...
Tray 3:	Letterhead, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Labels, Blue and Legal (8.5 x 14")

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled
Universal Print:	Enabled
Universal Print Registration Status:	Registered

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Connection Timeout	60 seconds

Wired:	
Ethernet MAC Address:	9c:93:4e:a2:6e:ee
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	
Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed

Wi-Fi Protected Setup™ (WPS) Name:	
Connection Method:	
Subnet Prefix Address:	
Access Point (SSID):	

Show Password on Device Touch Screen:	
NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.12.175
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.12.1
Automatic Addressing:	DHCP

DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Disabled
-----------	----------

Link Local Address:	
Use Router Supplied Prefix:	
Stateless Global Address 1:	
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	corrib
Verified Host Name:	XRX9C934EA26EEE
Requested Domain Name:	
Verified Domain Name:	xeroxqa.com
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.10.6
Alternate DNS Server 1:	10.61.10.7
Alternate DNS Server 2:	10.61.7.15
DNS Connection Timeout:	5
Append Device Domain:	Enabled
Append Parent Domains:	Disabled
DNS Domain Search List:	10.61.10.6, 10.61.10.7, 10.61.10.15, XEROXQA...
Prefer IPv6 DNS over IPv4:	Enabled

Installed Options

PS:	Installed
-----	-----------

Protocols (cont.)

Bonjour:		
Bonjour Printer Name:	corrib	
HTTP:		
Port Number:	80	
Force Traffic over Secure Connection (H...)	Yes	
Secure HTTP Port Number:	443	
Proxy Server:	Manual	
Proxy Server Address:	BDMZPROXY.HCLT.CORP.HCL.IN:8080	
IPP	Enabled	
Secure IPP Mode:	IPP and Secure IPPS	
IPP Network Path:	http://10.61.12.175:631	
SNMP		
SNMP v1/v2:	Enabled	
SNMP v3:	Enabled	
LPR/LPD:		
Port Number:	515	
PDL Switching:	Disabled	
PDL Banner Override:	Disabled	
Raw IP Printing:		
Port Number 1:	9100	
Bidirectional:	Disabled	
End of Job Timeout:	300	
PDL Switching:	Disabled	
LDAP		
LDAP Server 1 Friendly Name:		
LDAP Server 1 Primary LDAP Address:	0.0.0.0:389	
LDAP Server 1 Alternate LDAP Address:	0.0.0.0:389	
LDAP Server 1 Search Directory Root:		
LDAP Server 1 Secure Connection (LDA...	Disabled	
LDAP Server 1 Validate Server Certificate...	Disabled	
SMTP		
SMTP Server:	0.0.0.0:25	
Connect Encryption (TLS):	No Encryption	
Validate Server Certificate (TLS):		
Max Message Size (KB):	10240	
Number of Fragments:	1	
Total Job Size (KB):	300000	
Job Splitting Boundary:	Page Boundary	
Credentials for Auto E-mails:	None	
Credentials for Walkup User:	None	
SMTP Authentication Type:	Basic Auth with SMTP	
POP3		
POP3 Server:	0.0.0.0:110	
POP3 Secure Connection (TLS):	Disabled	
E-mail Address:		
POP3 Validate Server Certificate:		
Receipt of E-mail via POP3:	Disabled	
Send Confirm on Request:	Enabled	
Incoming E-mail cover sheet:	Enabled	
NTP:		
Primary Server:	10.61.23.93:123	
Alternate Server:	0.0.0.0:123	
SLP:		
FTP Client:	Enabled	
FTP Client Mode:	Passive	
Web Services on Device:		
WS-Discovery:	Enabled	
WS-Discovery Multicast:	Enabled	
WS-Print:	Enabled	
WS-Scan:	Enabled	
Web Services		
Copy Submission:	Enabled	
Digital Certificate Management and Securi...	Enabled	
Extensible Service Registration:	Enabled	
Job Limits:	Enabled	
Job Management Extension:	Enabled	
Device Configuration:	Enabled	
Scan Submission:	Enabled	
Scan Workflow Management:	Enabled	
Session Data:	Enabled	
User Interface Configuration:	Enabled	
EIP Proxy Configuration:	Enabled	
Xerox Secure Access:	Enabled	
EIP SNMP Configuration:	Enabled	
Print Submission:	Enabled	
Scan Template Mgmt:	Enabled	
Mass Storage Access:	Enabled	
Card Reader Access:	Enabled	
Authentication & Accounting Configur...	Enabled	
Export Audit Log:	Enabled	
Trellix Embedded Control:	Enabled	

Apps

Printing

Banner Sheet:	Disabled
Sys/Start Job:	Disabled
Delete Held Jobs After:	3 Day(s) 0 Hour(s) 0 Minute(s)
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
Default Copies:	1
Default Job Type:	Normal Print
Default Paper Size:	x=8.50 inches, y=11.00 inches
Default Paper Color:	White
Default 2 Sided Printing:	2 Sided
Default Output Tray:	Main Tray
Default Output Color:	Color
Default Collated Sets:	Enabled
Default Stapling:	No Staple
Offsetting Between Jobs:	Offset Between Jobs
PostScript	
Level:	3
Version:	3021.101
Image Quality:	Enhanced
PCL	
Version:	6
Pitch Size:	10.00
Point Size:	12.00
Font Name:	Courier
Lines Per Page:	60
Custom Color Tables	
Label:	Enabled
	Not Installed
	Not Present

Fax:

Fax Line1:
Fax Line2:

Server Fax:

Confirmation Sheet:	Enabled
Errors Only:	Errors Only
Delay Start:	Disabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:

Confirmation Sheet:	Enabled
Default Repository Protocol:	Errors Only
Default Repository Server:	SMB
Default Repository Document Path:	0.0.0.0:0
Default Repository Login Credentials:	
Alt1 Repository Protocol:	Device
Alt1 Repository Server:	SMB
Alt1 Repository Document Path:	0.0.0.0:0
Alt1 Repository Login Credentials:	
Workflow Pool Protocol:	Device
Workflow Pool Server:	SMB
Workflow Pool Path:	0.0.0.0:0

Email:

Default From Address:	Enabled
Confirmation Sheet:	
Auto Send to Self:	Errors Only
E-mail Security:	Disabled
	Disabled

Scan to Mailbox:

View Mailboxes by Default:	Enabled
Storage Capacity (MB):	Enabled
Storage Used (MB):	46924 MB
Cleanup of Public Folders:	2447 MB
Cleanup of Created Folders:	Enabled
Cleanup Time:	Enabled
	Daily
	Disabled

Scan to Home:

Friendly Name:	
Workflow Name:	
Auto Create Subdir:	Disabled
Append User Name to Path:	Disabled
Auto Create User Name Dir:	Disabled

Scan To:

Cloud Services:	Enabled
Print From:	
Saved Jobs for Reprint:	Enabled
Print From USB:	Enabled
Print From MailBox:	Enabled
Cloud Services:	Enabled

Accounting

Accounting Mode: None
Network Accounting: Disabled

Security

Authentication Configuration

Machine UI Authentication: Locally on the Device
Home: Unlocked
Jobs: Unlocked
Device: Unlocked
Device Website Authentication: Locally on the Device
Authorization: Locally on the Device
Retrieve E-mail from LDAP: Enabled

Authentication Server:

Kerberos Primary Realm: Kerberos
Kerberos Primary Address: 0.0.0.0:88
Kerberos Alt 1 Realm: 0.0.0.0:88
Kerberos Alt 1 Address: 0.0.0.0:88
SMB NT Domain:
SMB Alt 1 NT Domain: 0.0.0.0:443
Smartcard Ctrl Server:
Smartcard Ctrl Domain:
SmartCard OCSP URL:
Card Reader Upgrade Policy: Enabled
Card Reader Firmware Version:

Xerox Secure Access: Enabled
Secure Access Server: 0.0.0.0:443
Secure Access Path:

Audit Log: Enabled

IP Sec: Disabled

IP Filtering: Disabled

Security Certificates

Machine Certificate: Signed
Root Certificates Installed: 56
802.1x: Disabled

Job Data Removal:

Scheduled: Disabled
Scheduled Frequency:

FIPS 140-3: Disabled

TLS: TLS 1.1, TLS 1.2 and TLS 1.3
TLS Hash: SHA-1, SHA-256 and above
Trellix Embedded Control: Enhanced Security

Extensible Service Setup

Third Generation Browser: X3G_3.24.23_2.40.5_011_01.00.00
Widget Version: v1.3.17 c8 20140613
Widget Version: v2.5.04 g9 20240123



Common User Data

Machine Name:	corrib
IPv4 Address:	10.61.12.175
Machine Serial Number:	ZRE674018
Fax Line1:	
Machine URL:	https://XRX9C934EA26EEE.xeroxqa.com
Machine Activation Date:	Feb 05, 2024 20:57:28
Black Impressions:	23698
Color Impressions:	27899
Total Impressions:	51597

Machine Profile

Xerox Asset Tag:	
Customer Asset Tag:	
Service Phone Number:	xerox123
Customer Support Number:	xerox
Supplies Phone Number:	1234567890
Recycling Phone Number:	
System Administrator:	driver
Machine Location:	machine location not set
Managed By	
Primary MB Server:	10.61.22.180:80

Machine Hardware

Fax Card:	Not Present
Fax Memory Size:	0 MB
Foreign Interface Card:	not present
Device RAM Size:	4096 MB
Device Storage Size:	used= 3967MB/total= 256060MB (SSD)
EPC Memory Size:	900 MB
Finisher Type:	BR Finisher
Finisher Punch:	2/4 Hole
Finisher Folder:	not present
Multi-feed Detection Kit:	Not Installed

General Setup

Remote Services:	Enabled
Remote Software Download:	Enabled
Remote Services Trans. Time:	22:55
Xerox Workplace Cloud	Enabled
E-mail Alerts:	Disabled
Service Plan:	Metered
Billing Impression Mode:	A3 Impressions
Geographic Region:	Western Hemisphere
GMT Offset:	+05:30
Cloning Installation	Allowed (Encrypted Files Only)
File Sharing	Enabled
JBIG2	Lossless

Energy Saver

Deep Sleep:	Disabled
Energy Saver Mode:	Job Activated

Smart Proximity Sensor

Wake on Arrival:	Enabled
Sleep on Departure:	Disabled

Software Versions

Device Software:	123.038.005.27600
Patch Version:	None
Network Controller:	123.038.27600
UI Panel Firmware:	003.005.00000
Marking Engine:	030.046.000
Document Feeder:	023.026.000
Finisher:	006.003.000
Fax:	000.000.000
Scanner:	017.025.003
Machine Upgrades:	Allowed
Last Successful Upgrade:	October 6, 2025 18:48:51

Media Trays

Tray 1:	Envelope, White and C4 Envelope (324 x 22...
Tray 2:	Lightweight, Pink and Letter (8.5 x ...
Tray 3:	Letterhead, White and A4 (210 x 297 mm)
Tray 4:	Plain, White and Letter (8.5 x 11")
Bypass Tray:	Labels, Blue and Legal (8.5 x 14")

Installed Options

PS:	Installed
-----	-----------

Connectivity

Mobile Workflows

AirPrint Printing:	Enabled
Mopria Printing:	Enabled
AirPrint / Mopria Scanning	Enabled
Authentication Required:	Disabled

Physical Connections

USB Settings	
USB Type A Ports	All Enabled
USB Type B Port	Enabled
Wired:	Enabled
Ethernet MAC Address:	9c:93:4e:a2:6e:ee
Ethernet Speed/Duplex Setting:	auto
Wireless:	Disabled

Wireless MAC Address:	
Network Name (SSID):	
BSSID:	

Security Mode:	
Encryption Algorithm:	
Status:	

Wi-Fi Direct:	Enabled
Wireless Hardware:	Not Installed

Wi-Fi Protected Setup™ (WPS) Name:	
Access Point (SSID):	
Show Password on Device Touch Screen:	

NFC:	Enabled
iBeacon (Bluetooth®) for AirPrint Di...	Enabled
iBeacon Hardware:	Not Installed
Bluetooth Device Address:	
iBeacon IP Address:	

Protocols

TCP/IPv4:	Enabled
IPv4 Address:	10.61.12.175
Subnet Mask:	255.255.255.0
Router/Gateway:	10.61.12.1
Automatic Addressing:	DHCP

DHCP Server:	
DHCP Lease Expiration:	
BOOTP Broadcast:	Disabled
Self Assigned Address State:	Enabled
Self Assigned Address:	

TCP/IPv6:	Disabled
-----------	----------

Link Local Address:	
Use Router Supplied Prefix:	
Stateless Global Address 1:	
Stateless Global Address 2:	
Manual Address:	
DHCP Addressing:	
DHCP Address:	
Default Gateway:	
DUID (DHCP Unique Identifier):	

DNS Settings:

Requested Host Name:	corrib
Verified Host Name:	XRX9C934EA26EEE
Requested Domain Name:	
Verified Domain Name:	xeroxqa.com
Multicast DNS:	Enabled
Release DHCP Leases and DNS Registrati...	Disabled
Primary DNS Server:	10.61.10.6
Prefer IPv6 DNS over IPv4:	Enabled

Bonjour:

Bonjour Printer Name:	corrib
-----------------------	--------

HTTP:

Force Traffic over Secure Connection (H...	Enabled
IPP	Yes
	Enabled

SNMP

SNMP v1/v2:	Enabled
SNMP v3:	Enabled

LPR/LPD:

Enabled	
---------	--

Raw IP Printing:

Enabled	
---------	--

LDAP

LDAP Server 1 Primary LDAP Address:	0.0.0.0:389
LDAP Server 1 Search Directory Root:	
LDAP Server 1 Secure Connection (LDA...	Disabled
LDAP Server 1 Validate Server Certificate...	Disabled

SMTP

SMTP Server:	0.0.0.0:25
Connect Encryption (TLS):	No Encryption
Validate Server Certificate (TLS):	
SMTP Authentication Type:	Basic Auth with SMTP

Protocols (cont.)

POP3	
POP3 Server:	0.0.0.0:110
POP3 Secure Connection (TLS):	Disabled
POP3 Validate Server Certificate:	
E-mail Address:	
NTP:	Enabled
FTP Client:	Enabled
FTP Client Mode:	Passive
Web Services on Device:	Enabled

Apps

Printing

Banner Sheet:	Disabled
Error Sheets:	Enabled
Paper Substitution:	Enabled
Tray Priority:	1,2,3,4,5
PostScript	Installed
Level:	3
Version:	3021.101
PCL	
Version:	6
Font Name:	Courier
Custom Color Tables	Enabled
Label:	Not Installed
Fax:	Not Present

Fax Line1:	
Fax Line2:	

Server Fax:

	Enabled
Repository Protocol:	SMB
Repository Server:	0.0.0.0:0
Repository Document Path:	

Workflow Scanning:

	Enabled
--	---------

Email:

	Enabled
--	---------

Scan to Mailbox:

	Enabled
Storage Capacity (MB):	46924 MB
Storage Used (MB):	2447 MB
Cleanup of Public Folders:	Enabled
Cleanup of Created Folders:	Enabled
Cleanup Time:	Daily

Scan to Home:

	Disabled
--	----------

Scan To:

	Enabled
--	---------

Cloud Services:

	Disabled
--	----------

Print From:

	Enabled
--	---------

Saved Jobs for Reprint:

	Enabled
--	---------

Print From USB:

	Enabled
--	---------

Print From MailBox:

	Disabled
--	----------

Cloud Services:

	Enabled
--	---------

Accounting

Accounting Mode:	None
Network Accounting:	Disabled

Security

Authentication Configuration

Machine UI Authentication:	Locally on the Device
Home:	Unlocked
Jobs:	Unlocked
Device:	Unlocked
Device Website Authentication:	Locally on the Device
Authorization:	Locally on the Device
Retrieve E-mail from LDAP:	Enabled

Authentication Server:

	Kerberos
--	----------

Xerox Secure Access:

	Enabled
--	---------

Audit Log:

	Enabled
--	---------

IP Sec:

	Disabled
--	----------

IP Filtering:

	Disabled
--	----------

Security Certificates

Machine Certificate:	Signed
----------------------	--------

Root Certificates Installed:	56
------------------------------	----

	Disabled
--	----------

802.1x:

Job Data Removal:

Scheduled:	Disabled
------------	----------

FIPS 140-3:

	Disabled
--	----------

TLS:

	TLS 1.1, TLS 1.2 and TLS 1.3
--	------------------------------

TLS Hash:	SHA-1, SHA-256 and above
-----------	--------------------------

Trellix Embedded Control:

	Enhanced Security
--	-------------------